



ULTIMATE

CLEAN & PROTECT

Star brite's new Ultimate products are all formulated utilizing the most advanced ingredients available to deliver maximum performance.

The entire line of Ultimate cleaners, protectants and polishes are made to a simple standard: **TO BE THE BEST.**



XTREME CLEAN
83222C



XTREME PROTECTANT
98832C



FIBERGLASS STAIN REMOVER
98932C



VINYL CLEAN
96232C



VINYL GUARD
95932C

SEE MORE AT STARBRITE.COM

Caulking Selection & Coverage Guides	482 - 486
Caulking, Adhesives & Anti-Bond	487 - 492
Tapes	492 - 493
Resins	494 - 500
Lubricants & Pumps	501 - 506
Fuel Treatments	507 - 509
Anti-Freeze	509
	Salt Corrosion Control 509
	Aqua-Tek, Awesome, Awl Grip, Boat Bling, Boatlife 509 - 511
	Davis, Ecomar, Flitz, Hyseas, Meguiar's 511 - 513
Boat Care	Osborne, Shurhold, Smell Zapper, Spray Nine 514
	Star Brite, Super Tuff 515 - 517
	3M 517 - 519
	303, WashSafe 519 - 520
Glass, Plastic & Metal Cleaning	520 - 522
Skin Care	523
	Polishing Pads / Polishers 524 - 526
	Brushes 527 - 530
Cleaning Supplies	Sponges & Rags 531 - 532
	Buckets, Hoses & Nozzles 532 - 534
	Water Treatment 534 - 535
	Winterizing 535
Maddox Anodes	537
Canada Metal Anodes	538 - 550



SikaFlex - A NAME BOAT OWNERS AND BUILDERS TRUST ALL AROUND THE WORLD

Product Selection Guide for Sika Canada Inc. Sikaflex® Marine Products

Product	Description	Application	Advantages
Sikaflex 265	High-performance, elastic, gap-filling, one-part polyurethane adhesive .	Designed for direct glazing applications in both the OEM and repair markets, and is suitable for use with mineral-glass-based windows.	<ul style="list-style-type: none"> One-part formulation Excellent working characteristics Fast cure time and low odour High Green Strength Excellent Sag Resistance Resistant to aging and weathering Solvent and PVC-free
Sikaflex 290i DC PRO	Weather-proof deck caulking sealant.	Used exclusively for the caulking of joints in traditional timber-strip decking in boat and yacht building.	<ul style="list-style-type: none"> Non-corrosive Resistant to UV light and weathering Sea water- and fresh waterresistant
Sikaflex 291	Multi-functional adhesive sealant for marine applications.	Used for sealing and light duty bonding of all hull and structural members.	<ul style="list-style-type: none"> Cures rapidly Permanently elastic Excellent cut- and tear resistance; Salt water-resistant Adheres to a wide range of substrates, in many cases without primer.
Sikaflex 291 LOT	All-purpose marine adhesive, sealant and bedding compound.	Used for sealing and lightduty bonding; also suitable for bedding of deck hardware, hatches, port lights and other items identified for future removal.	<ul style="list-style-type: none"> Long assembly time Permanently elastic Salt water-resistant High strength
Sikaflex 292i	Structural adhesive for marine applications.	Used for applications requiring structural bonding and sealing as well as for sealing largedimension joints.	<ul style="list-style-type: none"> Fast cure-rate and strength build-up Bonds and seals in one step Provides a high-strength bond with elasticity for joints Eliminates need for mechanical fasteners
Sikaflex 295UV	UV-resistant directglazing adhesive for plastic glass.	Used for sealing and directglazing applications for organic glass such as PMMA where resistance to direct sunlight is required.	<ul style="list-style-type: none"> Fast cure-rate and strength build-up Bonds and seals in one step Provides a high-strength bond with elasticity for joints Eliminates need for mechanical fasteners Primer is mandatory
Sikaflex 296	Direct-glazing adhesive for safety, laminated and insulation-glass windows in the shipbuilding industry.	Non-solvent formula used for direct-glazing applications involving inorganic glass, such as mineral-glass-based windows.	<ul style="list-style-type: none"> Excellent working characteristics Fast cure-rate Resistant to ageing and weathering Solvent- and PVC-free Primerless application possible.

The most trusted name in marine adhesives world-wide...



Product Selection Guide for Sikaflex® Marine Products

Suitable Surfaces: Providing proper surface preparation is first carried out, all products can be applied to:
Wood, Stainless Steel, PVC, ABS, Aluminium, Plastics, Glass, Painted Surfaces and Iron/Steel.

Technical Data

Product	Tensile Strength	Sandable	Paintable	Tack-Free Time	Non-Sag Rating	Use Below Water-Line	Application Temp
Sikaflex 265	6 N/mm ²	N/A	N/A	45 minutes	Very Good	No	10 -35°C
Sikaflex 290i DC PRO	1.3 N/mm ²	Yes	N/A	70 minutes	Good	No	5 -25°C
Sikaflex 291	1.8 N/mm ²	Yes	Yes	60 minutes	Good	Yes	5 -40°C
Sikaflex 291 LOT	1.4 N/mm ²	Yes	Yes	3 to 4 hours	Good	Yes	4 -43°C
Sikaflex 292i	4 N/mm ²	Yes	Yes	40 minutes	Very Good	Yes	10 -35°C
Sikaflex 295UV	1.1 N/mm ²	N/A	N/A	60 minutes	Good	N/A	10 -35°C
Sikaflex 296	6 N/mm ²	N/A	N/A	45 minutes	Very Good	N/A	10 -35°C

Surface Preparation: Refer to the table below and select the appropriate surface preparation method depending upon the substrate.

Surface Preparation Guidelines

Product	Substrates	Applicator	Drying Time	Uses
Sika Aktivator-205	Metals, plastics, glazed ceramics, painted surfaces	Clean, lint-free tissue or paper towel	10 minutes to 2 hours	To clean all surfaces prior to priming or urethane application.
Sika Aktivator	Glass, ceramic-coated glass, cut face of old polyurethane adhesive beads, polyurethane-coated window glass and paint.	Clean, lint-free tissue or paper towel.	30 minutes to 2 hours	As a cleaning and activating agent specifically formulated to treat bond faces in direct-glazing work prior to the application of various Sika polyurethane adhesives.
Sika Primer-206 G+P	Glass, metal and plastics	Brush or felt pad	10 minutes to 24 hours.	On bright metal scratches; as a black-out primer when a frit is scratched or absent; on bare metal to inhibit rust.
Sika Primer-209 N	Paints: acrylics, alkyds/ melamines, baked enamels, powder coatings Plastics: acrylic (PMMA), polycarbonate, polystyrene, etc.	Brush or felt pad.	30 minutes to 24 hours	To prime painted surfaces and plastic substrates prior to bonding with Sikaflex® products.

NOTE: Always pre-test substrates for proper choice of sealant/adhesive.
For detailed product and application information, please refer to the Product Data Sheet for each product.
For detailed technical issues, please contact your local Sika distributor.

Sika Canada Inc.
601 Delmar Avenue
Pointe-Claire, QC H9R 4A9
Tel.: 514-697-2610
Fax: 514-697-3087

www.sika.ca



Adhesive Sealant Selection Chart



Sealant	5200	5200 Fast Cure	4200 Fast Cure	Fast Cure 4000UV	Silicone
	Extremely strong Non-Shrinking Permanent Bond Polyurethane	Extremely strong Non-Shrinking Permanent Bond Polyurethane	Flexible Non-Shrinking General Purpose Polyurethane	Flexible Non-Shrinking UV Resistant Polyurethane	Flexible Non-Sagging Mildew Resistant Silicone
Wood to:					
Metal (Deck/hull hardware)	Good	Good	Good	Excellent	Good
Wood (Trim)	Excellent	Excellent	Good	Good	Good
Thru-hull fastening (Wood)	Excellent	Excellent	Good	Good	Good
Glass (Sealing Only)	N/R	N/R	N/R	N/R	N/R
Lexan Plastic	N/R	N/R	N/R	N/R	N/R
Plastic hardware (ABS,Nylon)	Good	Good	Excellent	Excellent	Good
Rub Rails	Good	Good	Excellent	Excellent	Good
Fibreglass to:					
Metal (Deck/hull hardware)	Good	Good	Good	Excellent	Good
Wood (Trim)	Excellent	Excellent	Excellent	Excellent	Good
Thru-hull fastening (Wood)	Excellent	Excellent	Good	Good	N/R
Glass (Sealing Only)	N/R	N/R	N/R	Good	N/R
Lexan Plastic	N/R	N/R	N/R	Good	N/R
Plastic hardware (ABS,Nylon)	Good	Good	Excellent	Good	Good
Rub Rails	Good	Good	Excellent	Excellent	Good
Glass (sealing only) to:					
Metal (windshields)	N/R	N/R	N/R	Good	Good
Vinyl	N/R	N/R	N/R	Good	Good
Other:					
Deck to hull joints	Excellent	Excellent	Good	Good	N/R
Attributes:					
Sandable	Yes	Yes	Yes	Yes	No
Waterline Usage	Above/Below	Above/Below	Above/Below	Above/Below	Above
Chemical Resistant	No	No	No	No	Yes
Tensile Strength	700 psi	600 psi	300 psi	300 psi	220 psi
Cure Rate	7-14 Days	24 - 48 Hours	24 - 48 Hours	24 - 48 Hours	24 - 48 Hours

N/R: Not Recommended

Coverage Charts for Adhesive Sealant Products

Given the desired diameter of a bead or the dimensions of a seam, the coverage obtained from a cartridge or flex pack can be looked up in the following charts. Note that the values are calculated for "no waste." The actual coverage will be based on application technique and overfill.

Bead Diameter (inch)		Length of Bead (lineal feet)	
fractional	decimal	for 10 fl.oz.	for 400 ml
1/8	0.1250	126.2	165.7
3/16	0.1875	56.1	73.7
1/4	0.2500	31.6	41.4
5/16	0.3125	20.2	26.5
3/8	0.3750	14.0	18.4
7/16	0.4375	10.3	13.5
1/2	0.5000	7.9	10.4

Lineal Feet of Seam

Seam Width (inch)					
		1/8	1/4	3/8	1/2
Seam Depth (inch)	1/8	96.2 (130.1)	48.1 (65.1)	32.1 (43.4)	24.1 (32.5)
	3/16	64.2 (86.8)	32.1 (43.4)	21.4 (28.9)	16.0 (21.7)
	1/4	48.1 (65.1)	24.1 (32.5)	16.0 (21.7)	12.0 (16.3)
	5/16	38.5 (52.1)	19.2 (26.0)	12.8 (17.4)	9.6 (13.0)
	3/8	32.1 (43.4)	16.0 (21.7)	10.7 (14.5)	8.0 (10.8)
	7/16	27.5 (37.5)	13.8 (18.6)	9.2 (12.4)	6.9 (9.3)
	1/2	24.1 (32.5)	12.0 (16.3)	8.0 (10.8)	6.0 (8.1)

Values given for 10 fl. oz. cartridge and 400 ml (in parentheses).

Lineal Feet of Seam

		Seam Width (inch)				
		4	6	8	10	12
Seam Depth (inch)	4	18.4 (25.0)	12.3 (16.7)	9.2 (12.5)	7.4 (10.0)	6.1 (8.3)
	5	14.8 (20.0)	9.8 (16.3)	7.4 (10.0)	5.9 (8.0)	4.9 (6.7)
	6	12.3 (16.7)	8.2 (11.1)	6.1 (8.3)	4.9 (6.7)	4.1 (5.6)
	7	10.5 (14.3)	7.0 (9.5)	5.3 (7.1)	4.2 (5.7)	3.5 (4.8)
	8	9.2 (12.5)	6.1 (8.3)	4.6 (6.3)	3.7 (5.0)	3.1 (4.2)
	10	7.4 (10.0)	4.9 (6.7)	3.7 (5.0)	3.0 (4.0)	2.5 (3.3)
	12	6.1 (8.3)	4.1 (5.6)	3.1 (4.2)	1.5 (3.3)	2.0 (2.8)

Area Coverage

Should it be necessary to cover an area with the adhesive sealant, the material should be dispensed from the container and spread with a trowel. Most trowels for spreading adhesives will have a notched edge to facilitate control of the thickness being applied. When the notch depth is known or can be measured the coverage area can be determined from the following tables. Should it be necessary to apply a solid layer of a specific thickness, take the value given in the following table and divide the area by two.

Square Foot Coverage

		Notch Depth (inch)			
		1/16	1/8	3/16	1/4
Package Size	3 oz. tube	1.2	0.6	0.4	0.3
	10 oz. cartridge	4.0	2.0	1.3	1.0
	400 ml flex pack	5.4	2.7	1.8	1.4
	5 gallon pail	257	128	86	64

Square Foot Coverage

		Notch Depth (centimeters)			
		0.30	0.40	0.50	0.60
Package Size	3 oz. tube	0.06	0.04	0.04	0.03
	10 oz. cartridge	0.20	0.15	0.12	0.10
	400 ml flex pack	0.27	0.20	0.16	0.13
	5 gallon pail	12.62	9.46	7.57	6.31





Choose the *Right* Sealant for Each Job.

Life-Calk
Life Seal
Silicone Rubber
Life-Calk Two Part
Teak Deck Sealant
Polyurethanes

Metal to Wood (Deck and Hull Hardware)	E	G	S	E	G	G
Metal to Fibreglass (Deck and Hull Hardware)	E	E	G	E	E	G
Wood to Fibreglass (Wood Trim)	E	G	S	E	G	G
Wood to Wood (Wood Trim)	E	G	S	E	E	S
Deck Seams (Teak, Other Woods)	E	NR	NR	E	E	NR
Underwater Wooden Boat Hull Seams	E	NR	NR	E	NR	S
Deck to Hull Joints	E	E	G	E	E	E
Thru-Hull Fittings-Fibreglass Boat	E	E	G	E	G	E
Thru-Hull Fittings-Wooden Boat	E	S	S	E	S	E
Glass to Metal (Windshield)	E	E	E	E	E	G
Glass to Fibreglass	E	E	G	E	E	G
Glass to Wood	E	E	S	E	G	G
Glass to Vinyl	NR	E	E	NR	S	S
ABS and Lexan Plastics to Fibreglass	NR	E	E	NR	S	NR
ABS and Lexan Plastics to Wood	NR	E	S	NR	E	NR
Plastic Hardware to Fibreglass	NR	E	G	NR	G	NR
Plastic Hardware to Wood	NR	E	S	NR	S	NR
Electrical Insulation	G	E	E	G	E	S
Rubrails to Fibreglass	E	E	S	E	S	NR
Rubrails to Wood	E	G	S	E	S	NR
Sandability	E	NR	NR	E	E	S
Paintability	E	NR	NR	E	NR	G
Chemical Resistance	E	S	S	E	E	S
Gluing/Adhesion	E	S	S	E	G	E
Cure Rate*	Med	Fast	Fast	Fast	Fast	Slow
Years of Approximate Shelf Life**	1-1/2	2	2	2	1/2	1/2
Years of Life Expectancy	20	20	20	20	20	8

LIFE-CALK®

One part Thiokol® based polysulfide sealant and bedding compound. Cures to a positive waterproof seal - stays seaworthy for years. Sandable, paintable, twists, bends, expands, compresses. Bonds tenaciously to wood, fibreglass, glass, and metal. Will not harden, shrink, crack, or dry out. Use above or below the waterline.

LIFE-SEAL®

Designed specifically for fibreglass boats. The adhesion of polyurethane and the flexibility of silicone. Excellent for ABS®, Lexan®, Delrin®, Nylon® and all other plastics. Outstanding performance on fibreglass, metal, glass, and wood. Permanently flexible, non shrinking, non cracking, fast curing. Use above or below the waterline.

MARINE SILICONE RUBBER

Non-corrosive formula. Low odour. No shrinkage, no cracking, no dryout and non-yellowing. Contains the highest grade silicone polymers. Superior flexibility and adhesion to fibreglass, plastic, metal and wood. Use above or below the waterline.

LIFE-CALK® TWO-PART

Fast cure two-part polysulfide deck and hull seam compound. For all deck seam installations. Available in pourable and heavy grades. Sandable, paintable, and chemical resistant. Chosen worldwide by Navies, cruise lines, yacht builders, and boatyards. Use above or below the waterline.

TEAK DECK SEALANT

Fast curing one-part deck seam sealant. Sandable formula permits a smooth finish. Great adhesion to teak and other woods. Compatible with teak cleaners and finishes. Will not shrink, crack, or dry out. Flexes with deck. Resistant to cleaners and fuel. No primer needed. Use above the waterline.

POLYURETHANE ADHESIVE/SEALER

Permanent adhesive sealant. No shrinking. Paintable. Use above or below the waterline. For permanent installations only.

E	Excellent	G	Good	S	Satisfactory	NR	Not Recommended for This Application
---	-----------	---	------	---	--------------	----	--------------------------------------

* Note: All curing times subject to atmospheric conditions.

** Note: Shelf Life may be affected by method of storage.

BoatLIFE Life-Calk Polysulfide Sealant

A one-part Thiokol polysulfide that cures to a positive waterproof seal. Resists oil, gas, brine, weather and most chemicals to stay seaworthy for years. Bonds to wood, fibreglass, metal, plastic and glass.

BOA 1305	30 ml	White
BOA 1030	83 ml tube	White
BOA 1031	83 ml	Black
BOA 1032	83 ml	Mahogany
BOA 1037	83 ml	Teak Brown
BOA 1033	315 ml cart	White
BOA 1034	315 ml	Black
BOA 1035	315 ml	Mahogany
BOA 1036	315 ml	Teak Brown



BoatLIFE Liquid Life-Calk Polysulfide Sealant

For sealing the finest cracks and seams Liquid Life-Calk is the only liquid type sealant that does not shrink when cured. It flows into the smallest cracks and seams and stays. It cures to a firm bond with the same lifetime adhesion as the regular Life-Calk.

BOA 1052	83 ml tube	White
BOA 1055	83 ml tube	Black



BoatLIFE 2-Part Life-Calk Sealant

2-Part is a fast curing (24-48 hrs.) tough, resilient polysulfide sealant. Use anywhere, above or below the water line, on fibreglass, wood, or metal. It is completely waterproof and can be sanded after curing. Resists oil, gas, salt water, weather and aging. Two consistencies: Type P - pourable for decks and other horizontal seams, and Type H - heavy, for application by knife. Type P requires no priming regardless of the surface involved. Type H requires no priming except on oily wood, teak or steel. Black.

BOA 1046-QT	P type
BOA 1050-GAL	P type



BoatLIFE Teak Deck Sealant

A one part fast curing teak deck seam sealant. It provides outstanding waterproofing and sealing qualities to wood decks made of teak and other woods. Teak Deck Sealant is fast skinning (30 minutes) and fast curing (24 hours). It combines the ease of use of a one part sealant with the outstanding performance of silicone rubber. The product is applied in a normal fashion and sands clean after curing to provide a smooth finish. It is unaffected by BoatLIFE Teak Cleaners and Teak Oils. It is also non-corrosive, so it can be used on any metal fittings on deck. The product remains flexible, and does not shrink, crack, or dry out.

BOA 1252	315 ml cartridge, black
----------	-------------------------



BoatLIFE Life-Calk Primer

Improves adhesion of both one-part and two-part Life-Calk, especially on oily woods, teak and steel. Life-Calk Primer is a clear, fast-drying liquid and easy to apply.

BOA 1059	230ml (8 oz)
----------	--------------



BoatLIFE Life-Calk Solvent and Cleaner

General purpose solvent removes uncured polysulfide sealant and grease from tools and equipment. Ideal for the preparation of seams for caulking.

BOA 1056	473 ml (Pint)
----------	---------------



BoatLIFE Life Seal

A fast skinning (10 minutes) and fast curing (24 hours) polyurethane/silicone adhesive sealant. Designed specifically for fibreglass boats. Permanently flexible, non-shrinking. Outstanding adhesion to fibreglass, glass, plastic and wood. Can be used above or below water line.

BOA 1109	38 ml tube	Clear
BOA 1160	83 ml tube	Clear
BOA 1161	83 ml tube	White
BOA 1162	83 ml tube	Black
BOA 1169	315 ml cart	Clear
BOA 1170	315 ml cart	White
BOA 1171	315 ml cart	Black
BOA 1172	315 ml cart	Aluminum



BoatLIFE Empty Caulking Cartridge

These 315 ml empty cartridges complete with end plungers provide a mess-free method of applying 2-part caulking compounds.

BOA 1120	
----------	--



BoatLIFE Silicone Rubber

An all-purpose, non-yellowing, low odour silicone. Tack free in 30 minutes and fully cured in 1 hour. Use above or below the water line.

BOA 1110	Clear 38 ml (1 oz) tube
----------	-------------------------



BoatLIFE Super Slick Sealant Smoother

- Super Slick Sealant Smoother aids in the finger tooling of caulks and sealants
- Allows excess sealant to be easily removed from fingers
- Safe to use on all BoatLIFE sealants

BOA 1024	4 oz
BOA 1025	16 oz



Sikaflex 265 Direct Glazing

A high-performance, elastic, gap-filling, one-part polyurethane adhesive that cures on exposure to atmospheric moisture to form a durable elastomer. Designed for direct glazing applications and is suitable for use with mineral-glass-based windows. Because Sikaflex-265 can be tooled to a very fine finish, and because it is specifically designed for enhancing its UV resistance, it is suitable for use in exposed joints.

- Excellent working characteristics
- Fast cure time and low odour
- High green Strength
- Excellent sag resistance
- Resistant to aging and weathering
- Solvent and PVC-free

SIK 265BLK-600ML 600 ml sausage, Black

Before installing laminated safety glass windshields incorporating heating elements or radio aerals in the PVB sandwich layer, we recommend that you contact Sika's Technical Service Department for advice.

Sikaflex 291 Adhesive/Sealant/Bedding Compound

A non-sag, 1-component polyurethane sealant specifically developed for the marine market; it cures on exposure to atmospheric moisture to form a durable elastomer. Bonds extremely well to the materials commonly used in marine construction like wood, metals, metal primers and paint coatings, ceramic materials and plastics.

SIK 291WHT-300ML 300 ml cartridge, White
SIK 291BLK-300ML 300 ml cartridge, Black
SIK 291GRY-300ML 300 ml cartridge, Grey

- NEW easy-to-use squeeze tube

SIK 291I-BLK-70ML 70 ml tube, Black
SIK 291I-WHT-70ML 70 ml tube, White

Sikaflex 291 LOT Adhesive/Sealant/Bedding Compound

A 1-component, marine-grade polyurethane elastomeric adhesive and sealant. It is a moisture-cured, non-sag system designed with a long open time for more time-consuming installations. General, all-purpose marine sealant suitable for light-duty bonding.

- Sandable

*Not recommended as a deck seam sealer.

SIK 291LOTWHT-300 300 ml cartridge, White
SIK 291LOTBLK-300 300 ml cartridge, Black



Sikaflex® 292i High Strength Marine Adhesive

A non-sag, 1-component, polyurethane adhesive that cures on exposure to atmospheric moisture to form a durable elastomer. Sikaflex®-292i exhibits excellent adhesive properties and a high degree of mechanical strength. Suitable for structural joints which will be subjected to high dynamic stresses. It is suitable for use on: metals, (particularly aluminum, including anodized finishes), metal primers and paint coatings (2-C systems), or ceramic materials and plastics.

- Bonds and seals at the same time
- Replaces rivets and mechanical fasteners

SIK 292i-WHT-300ML 300 ml cartridge, White



Sikaflex 295UV Direct Glazing Adhesive

Sikaflex-295 UV is a 1-component polyurethane adhesive of paste-like consistency that cures on exposure to atmospheric moisture to form a durable elastomer.

- Meets International Maritime Organisation (IMO)
- Used to bond and seal organic glazing materials
- Excellent UV-resistance

Suitable substrates include: aluminum (bright or anodized), GRP (polyester resin), stainless steel, timber, 2-component coatings, and organic glazing materials (PC, PMMA). Seek advice from our Technical services before using Sikaflex-295 UV on thermoformed plastics.

SIK 295UVWHT300ML 300 ml cartridge, White
SIK 295UVBLK300ML 300 ml cartridge, Black

The use of the 209N primer is strongly recommended with 295UV. Allow 30ml of primer for approximately five 310ml cartridges.



Sikaflex 296 Direct Glazing Adhesive

A high-performance, elastic, gap-filling, 1-component polyurethane direct glazing adhesive that cures on exposure to atmospheric moisture and forms a durable elastomer. Sikaflex-296 is designed for direct glazing applications, and is suitable for use with all types of mineral-glass-based windows.

- Resistant to aging, weathering and sunlight
- Solvent- and PVC-free
- Can be over-painted

SIK 296BLK-600ML 600 ml sausage, Black

Accessories:

SIK PTNOZZLE Nozzle for all the above cartridges
SIK 4137 Nozzle adapter



► Also See

Caulking Guns pg 1215

Sikaflex 290 DC PRO



Sikaflex-290i DC is a 1-component, UV-resistant, polyurethane-based joint sealing compound specially formulated for caulking joints in traditional marine timber decking. The sealing compound cures to form a flexible elastomer which can be sanded. Sikaflex-290i DC meets the requirements set out by the International Maritime Organisation (IMO)

- Non-corrosive
- Semi self-levelling
- UV and weather-resistant
- Resistant to seawater and fresh water

SIK 290DC-PRO-600ML 600 ml sausage, Black

Accessories:

SIK PTNOZZLE Nozzle for all the above cartridges
SIK 4137 Nozzle adapter

Sikaflex Sika® Aktivator - 205

An activating agent, designed to improve adhesion. It is specifically formulated for the treatment of bond faces in direct glazing work prior to application of various Sika polyurethane adhesives.

SIK 205-250ML 250 ml



Sikaflex Sika® Primer - 206 G+P

- For use on a wide variety of glass surfaces
- A black, moisture-curing liquid primer specifically formulated for the treatment of bond faces in direct glazing work prior to application of Sika polyurethane direct glazing adhesives.

SIK 206G&P-250ML



Sikaflex Sika® Primer - 209 N

- Suitable for plastics such as acrylics (PMMA), polycarbonate, ABS, etc. and paints such as acrylics and alkyd/melamines

A black pigmented low-viscosity liquid that dries by reaction with atmospheric moisture. It is used to prime painted surfaces and plastic substrates prior to bonding with Sikaflex products.

SIK 209-N-250ML 250 ml



Sikaflex Sika® Aktivator

An activating agent specifically formulated for the treatment of bond faces in direct glazing work prior to application of various Sika polyurethane adhesive. Surfaces: glass, ceramic-coated glass, the cut face of old polyurethane adhesive beads, polyurethane-coated windows glass and paints.

SIK 91283 250 ml



Sikaflex Sika® Primer-215

- A transparent, pale yellow, low-viscosity primer for various plastics, timber and other porous materials; it cures by reaction with atmospheric moisture
- Used to prime plastics (such as GRP, epoxy resins, PVC, ABS) and timber

SIK 215-1000ML 1000 ml



Simms Caulking Tube Caps

- Prevents dryout and blockage
- Airtight
- Reusable
- 2/pkg

SIM SC-101




G.E. Silicone

- General purpose, one part, silicone
- Bonds to glass, metal, wood, fibreglass, and most plastics above the water line
- Tack free in 10 minutes

CMP SE1134-CLEAR 82.8 ml tube

CMP SE1180-WHITE 300 ml cartridge (interior/exterior)

CMP SE1184-CLEAR 300 ml cartridge



GOOP Marine

- Strong single component adhesive
- Bonds to metal, canvas, wood, vinyl, and rope
- UV resistant: for maximum UV resistance, paint over
- Seals with a tight, flexible waterproof hold
- Clear in colour

GOO 140244** 29.5 ml (1 oz) squeeze tube

GOO 170035** 110 ml (3.7 oz) squeeze tube

GOO 172034** 305 ml (10.2 oz) cartridge

**** Limited Quantity**



Teakdecking Systems Teak Caulking

A one-part, Silane Polymer system which when exposed to moisture in the air reacts to form a tough, flexible solid rubber compound. TDS Teak Caulking is a thixotropic material that does not sag during cure, and, when cured, has excellent temperature stability and chemical resistance. Because the sealant is neutral cure, it is non-corrosive to all substrates.

- Tack free time: 20-40 minutes
- Tensile strength: 300psi
- Elongation: 350%
- Shelf life: 18 months

TDS SIS440CB 305 ml cartridge, Black

TDS SIS440CW 305 ml cartridge, White

TDS SIS440SB 600 ml sausage, Black



Teakdecking Systems Fitting Epoxy

A custom blend of high quality epoxy resins, activators and additives formulated for outstanding adhesion to common marine substrates such as fibreglass, wood, aluminum and steel. Developed as a 'tough' adhesive capable of enduring the flexing yachts undergo at sea, FE180A has special additives that enhance internal strength, bond strength and viscosity control under a variety of adverse environmental conditions. TDS Fitting Epoxy is also DOT (US Dept. Of Transportation) certified to be non-corrosive and is designed not to harm the environment.

- Approximate coverage: 30 ft²

TDS FE180A-2G 1:1 ratio, 7.56 litre (2 gallon) kit



3M Marine 5200 Adhesive/Sealant

This high-performance polyurethane adhesive sealant becomes tack-free in 24-48 hours, and completely cures in 5-7 days with no shrinking. The seal is extremely strong, retaining its strength above or below the waterline. Stays flexible—allows for structural movement. Stress caused by shock, vibration, swelling or shrinking is effectively absorbed. Has excellent resistance to weathering and salt water. Not recommended as a deck seam sealer.

THR 05203	88 ml tube, White
THR 05205	88 ml tube, Black
THR 06500	295 ml cartridge, White
THR 06502	295 ml cartridge, Mahogany
THR 06504	295 ml cartridge, Black



3M Marine 5200 Fast Cure Adhesive/Sealant

A faster curing version of 3M 5200. This high performance polyurethane becomes tack free in one hour and fully cures in 24 hours. The seal is extremely strong, retains its strength above and below the water line. Won't sag or flow in vertical or horizontal seams.

THR 05220	88 ml tube, White
THR 06520	295 ml cartridge, White



3M Marine Grade Mildew Resistant Silicone

A high performance above the water line mildew resistant silicone that bonds to fiberglass, gel-coat, glass, metal, rubber, wood, Plexiglass, lexan and vinyl. Seals and waterproofs. Always remains flexible. Excellent gasket adhesive. Cures in 24 hours.

THR 08017	88 ml tube, White
THR 08019	88 ml tube, Clear
THR 08027	295 ml cartridge, White
THR 08029	295 ml cartridge, Clear



3M Marine 4200 Fast Cure Adhesive/Sealant

A one-part general all-purpose polyurethane that chemically reacts with moisture to deliver flexible bonds with good adhesion to wood, fiberglass, gel-coat, plastics and metals. Paintable and sandable. Forms a watertight weather resistant seal on joints and hardware above or below the water line. Approximately half the strength of 5200 and allows for disassembly of parts.

THR 05260	88 ml tube, White
THR 06560	295 ml cartridge, White,
THR 06564	295 ml cartridge, Black



3M Marine 4000UV Adhesive/Sealant Fast Cure

Resistant to weathering, saltwater, and stresses caused by joint movement. Seals between mechanically fastened joints on wood, fiberglass, metal and most plastics above and below the water line. It is also paintable.

THR 05280	88 ml tube, White
THR 06580	295 ml cartridge, White



3M Marine Urethane Seam Sealer

- High quality, single component formula adheres well to bare metal, primed metal and painted surfaces
- Moisture curing property provides excellent performance in high heat and humidity environments
- Non-Shrinking, non-cracking, low/no odor formula remains flexible and offers superior results to solvent-based sealers
- Paintable after 30-45 minutes

THR 08365	310 ml cartridge, Beige
THR 08367	310 ml cartridge, Black



► Also See

Caulking Guns pg 1215

3M Marine Polyolefin Adhesive Promoter

- A specially formulated adhesion promoter for use when repairing low surface energy plastics such as thermopolyolefin (TPO)
- Aerosol dispenser ensures easy application
- Provides stronger adhesion to deliver excellent featheredge results

THR 05907	340g (12 oz)
------------------	--------------



3M Spray Adhesive - Hi-Strength

- Provides professional, industrial strength for demanding applications
- Comes with a variable-width web spray pattern
- High strength, fast, contact type adhesive
- Bonds laminate, wood, concrete, metal, plastic and more
- High temperature and moisture resistance

THR 90	17.6 oz (500 gr)
---------------	------------------



3M Spray Adhesive - Hi-Tack

- High-tack spray adhesive creates strong bonds for many hard-to-hold materials, such as polyethylene and polypropylene
- Fast-tacking adhesive bonds quickly
- Variable-width lace spray pattern minimizes waste and overspray
- Low-misting property allows for precise spray control

THR 76	18.1 oz (515 gr)
---------------	------------------



3M Super 77 Spray Adhesive - Multi-Purpose

- An extremely versatile, fast-drying, and transparent spray adhesive that bonds a wide range of lightweight materials
- Bonds paper, cardboard, fabric, insulation, plastic, metal, wood and more
- Fast, permanent bond
- Fast, aggressive tack and low soak-in eliminates clamping and dry time
- Extended bond time allows 15 seconds to 30 minutes after application before attaching surfaces

THR 77-24OZ-IND	16.5 oz (467 gr)
------------------------	------------------



Captain Tolley's Creeping Crack Cure

- Water based sealant formulated to penetrate fine cracks
- Uses capillary action to find leaks without dismantling
- Sets to a clear, flexible and waterproof seal
- Compatible with most materials, including glass, wood and metal

CAP CTCC	64 ml (2 oz)
CAP 250-CTCC	250 ml



3M Fastbond Ten Contact Cement

An exceptionally high strength, general purpose industrial adhesive designed for bonding a wide variety of porous surfaces. Ideally suited for plywood, linoleum to steel and laminates to counters.

THR #10-1L	Litre
-------------------	-------



GOOP Seal All

Seal-All dries fast without sacrificing strength. Dry speed is 2-3 minutes, with a 2-6 hour full cure time, making it perfect for in the garage, around the house or on the go. Excellent chemical resistance to water, oil, gasoline, alcohol, dilute acids, dilute bases. Service temperature range: -40°F (-40°C) to 150°F (66°C).

- Paint-over time: 8 hours
- To maximize UV resistance, paint over Seal-All

GOO 380135**	29.7 ml (1 oz) tube
GOO 380145**	59.4 ml (2 oz) tube

**** Limited Quantity**



GOOP Shoe Goo

- Water resistant immediately upon application
- Seals with a tight, flexible waterproof hold
- Clear in colour

GOO 110035**	110 ml (3.7 oz) tube
GOO 110244**	30 ml (1 oz) tube

**** Limited Quantity**



Gorilla Glue Wood Glue

- Complete projects faster - requires only 20-30 minutes of clamp time, and is fully cured in 24 hours
- Use indoors or outdoors - passes ANSI/HPVA Type II water resistance
- Versatile - ideal for use on hardwoods, softwoods, and natural wood composites
- Dries natural colour - offering a natural bond line
- Easy to use - it's a non-toxic, water-based, solvent free polyvinyl acetate (PVA)
- Compliant with FDA standards for indirect food contact
- Easy to clean with water
- Open Working Time: 10 minutes

GOR 6212002	118 ml (4 oz)
--------------------	---------------



Gorilla Glue

- 100% waterproof
- Pure polyurethane glue
- Can be stained, painted and sanded
- Expands 3 to 4 times its size so only a small amount is required
- 20 minute working time
- Dries to a light tan colour
- Non-toxic when cured
- Acid free

GOR 5100201	59 ml (2 oz)
GOR 5100402	118 ml (4 oz)
GOR 51008T	236 ml (8 oz)
GOR 5100502	3 gr (.11 oz) each, 4/pkg



Gorilla White Glue

- Dries White: 2x Faster Than Original Gorilla Glue
 - 100% Waterproof: Won't break down when exposed to outdoor elements
 - Versatile: Bonds wood, stone, metal, ceramic, foam, glass and more!
 - Incredibly Strong: Expands 3 times into the materials to form an incredibly strong bond
- Precision Pen .75 fl. oz. slips in a tool belt, toolbox, purse, camping box, pocket or drawer for easy, on-the-go use. Apply just the right amount with the flow-control design.

GOR 5202402	22 gr (.75 oz)
--------------------	----------------



Gorilla Glue - Fast Cure

- Cures in 30-60 minutes
- Incredibly strong
- 100% waterproof
- Dries white
- Bonds foam, glass, wood, stone, metal and ceramics

GOR 5202101C	59 ml (2 oz)
---------------------	--------------



Gorilla Super Glue

Just hold in place for 30-60 seconds while the formula sets, no clamping necessary. **IMPACT STRENGTH**— unique rubber particles increase impact-resistance and strength to handle everyday use after your repair or creation is set. **WON'T CLOG** — anti-clog tip with metal pin keeps nozzle clean. **EASY TO USE** — thick formula flows better for improved control. **WHATEVER THE SURFACE**— use on nearly anything, from wood to plastic, glass, metal, ceramics and a whole lot more!

GOR 7805201	20 gr (.71 oz) bottle
GOR 7900301	6 gr (2 x 3 gr tubes)

Super Glue GEL

Thicker and more controlled formula great for multiple surfaces and vertical applications

GOR 7710101	20 gr (.71 oz) bottle
--------------------	-----------------------



Gorilla Glue - 5 Minute Epoxy

- Dries crystal clear
- 5-Minute set - plenty of repositioning time
- Gap filling - fills voids and bonds uneven surfaces
- Superior water resistant - withstands moderate exposure to water
- Easy-to-use syringe - separate barrels of resin and hardener keep epoxy from hardening
- Solvent resistant
- Low VOC and non-toxic once cured
- Clamp time: 30 minutes
- Full cure: 24 hours

GOR 4200602 25 ml (.85 oz)

**BoatLIFE****Release Adhesive & Sealant Remover**

Formulated to remove cured or uncured silicone, polyurethane, and adhesives. Good for clean up on hands, tools and equipment. Will not harm metals, fiberglass, gel coat, glass, plexiglass, etc.

BOA 1288 473 ml (16 oz)

BOA 1291 29 ml (1 oz)

**Swedish Spun Oakum**

Part # 1 quality tarred jute fibres for caulking of wide or deep seams prior to cotton caulking or sealant. Not to be confused with plumbers oakum.

- Put up in 40 lb. bales
- *Sold by the pound (min. 8 lbs per order)

**OAK OAKUM****BoatLIFE Bond Breaker**

- Easier to use than standard caulking cotton
- 1/8" wide cotton bond breaker prevents adhesion to bottom of deck seams

BOA 1211 50 yard roll

**BoatLIFE Hot Knife**

- Deck seam removal tool that cuts through old caulking like cheese
- This 110 volt tool provides a clean fresh surface for re-caulking.
- #3 - for 1/8" seams
- #4 - for 1/4" seams



BOA 1275 Hot knife unit comes/w #3 head & 12 blades
BOA 1284 Hot Knife unit comes with #4 head & 12 blades
BOA 1276 #3 head only 1/8" wide
BOA 1277 #4 head only 1/4" wide
BOA 1279 #3 blades only (12/pkg)
BOA 1280 #4 blades only (12/pkg)

Tear-Aid Repair Tape

- Air & watertight - under pressure even when stretched
- Instant adhesion - with no sewing
- Elastic - conforms to irregular surfaces
- Peel & stick
- UV resistant
- Type A: sticks to canvas, most fabrics, rubber, neoprene, most plastics, nylon, fiberglass, stainless steel, aluminum, polyethylene, polypropylene and non-oiled leather
- Type B: Sticks to vinyl and vinyl-coated materials. Has unique adhesive that resists the oils in vinyl
- Kit contains: (1) 3"x12" TEAR-AID patch, (1) 7/8" square patch, (1) 1 3/8" square patch, (1) 12" Reinforcement filament for repairing tears at edges. (2) alcohol prep pads, (1) illustrated instructions and product repair list

TEA D-KIT-A01-100

Fabric, type A

TEA D-KIT-B03-100

Vinyl, type B

**Counter Display**

- 15 Vinyl repair kits
- 5 Fabric repair kits

TEA D-CASE-V10-005

**Video Counter Display**

- 15 Vinyl repair kits
- 5 Fabric repair kit

TEA CASE-V21

Sound ON/OFF switch
 Wireless remote
 Sales and application clips
 16 Minute run loop with 11 different industry clips

**Rescue Tape**

- Self-fusing
- 700 PSI tensile strength
- Insulates 8,000 volts per layer
- Withstands 500° F of heat
- Remains flexible to -85° F
- Creates a permanent air-tight, water-tight seal in seconds
- Never gets gummy or sticky like electrical or duct tape
- Has a long shelf life
- Resists fuels, oils, acids, solvents, salt water, road salt, UV rays



RTP RT201201 1" x 12' Black
RTP RT201202 1" x 12' Red
RTP RT201203 1" x 12' White
RTP RT201204 1" x 12' Clear
RTP RT201205 1" x 12' Yellow
RTP RT201206 1" x 12' Blue
RTP RT201207 1" x 12' Green
RTP RT201208 1" x 12' Orange
RTP RT303601 2" x 36' Black
RTP RT303603 2" x 36' White
RTP RT303604 2" x 36' Clear
RTP 24DISPLAY 24 roll, assorted counter display



Life Safe Super Seal Tape

- Works on wet, dry, greasy or dirty surfaces
- Works on metal or plastic pipes
- Use for plumbing, electrical or emergency repairs

LIF RE3869 25mm x 4.8m



Life Safe Tape Butyl Caulking Tapes

- Tough rubber, pressure sensitive mass
- Excellent adhesion to a variety of surfaces
- Seal out: dirt, dust, moisture and water
- Easy to use in tape form
- Low moisture vapor transmission value
- Comes in a reusable, resealable package

LIF RE20760 Grey, 3/4" x 1/8" x 20'
LIF RE20761 White, 3/4" x 1/8" x 20'



3M Tartan HD Duct Tape

Tartan silver cloth tape is a general purpose duct tape with good adhesion and strong backing.

THR 3939-2X60 48 mm x 55 meters



3M Scotch Multi-Use Duct Tape

A midgrade duct tape for repairs in and around the house, shop, and jobsite.

THR 1130AF 48 mm x 27.5 meters, grey



Gorilla Tape - Black

Bonds to brick, stucco, wood and more. Made with a double thick adhesive, strong reinforced backing and an all-weather shell to make a tough & durable tape.

GOR 6035060T 48mm x 25 yd, Black
GOR 6003001 73mm x 25 yd, Black
GOR 6101002 25mm x 9m, Black

GOR 60124T 48mm x 10 yd, Black
GOR 6013902 48mm x 8.2m, Camouflage



Gorilla Tape - White

- Perfect for both indoor and outdoor use with its superior UV resistance
- Grips to rough, uneven, unforgiving surfaces like wood, stone, stucco, plaster, brick and more
- Triple layer strength
- Camouflages repairs on white surfaces; won't yellow outdoors

GOR 6025001 48mm x 27.4m, White



Gorilla Tape - Silver

Bonds to brick, stucco, wood and more. Made with a triple thick adhesive, strong reinforced backing and an all-weather shell to make a tough & durable tape.

GOR 6074004 48mm x 30 yd



Gorilla Tape - Clear

The ideal solution for almost any repair, Gorilla Clear Repair Tape features the strength of Gorilla Tape in a weatherproof, airtight, crystal-clear tape. Easy to tear by hand, you can fix, patch, seal, hold and protect almost any surface with a crystal-clear appearance.

GOR 6115002 38mm x 4.57 meters
GOR 6127002 48mm x 8.2 meters



Gorilla Tape - All Weather

- Made with incredibly strong, permanent, butyl adhesive
- Resists drying, cracking, and peeling caused by sunlight, heat, cold, and moisture

GOR 101593 48mm x 22.8m, Grey



Gorilla Tape - Patch & Seal

- Instantly seals out water, air, and moisture
- Extra thick adhesive layer
- UV resistant backing
- Conforms to form a permanent bond

GOR 4670002 100mm x 3m, Grey



Gorilla Double Sided Mounting Tape

- Tough and clear and mounts in an instant, for a long-lasting, weatherproof bond
- Crystal clear adhesive won't yellow over time, and holds up to 10 pounds
- For indoor and outdoor projects and sticks to smooth and rough surface

GOR 6065102 1" x 60"



▶ Also See

Tapes pg 204-205

Gelcoat Spray Kits

Premixed gelcoat in a spray can—no mixing of hardener required. Just spray, let cure, then sand and buff to shine. Great for nicks or scratches. Will closely match most 3 to 12 year old boats that have been exposed to UV sunlight.

- 14 oz

GCI 1112 Black



Gelcote Repair Kits

Two Gel-coat kits to choose from:

100 Kit

- 6 bottles colourant (1/4 fl.oz.)
- 2oz. gelcote paste
- 1/4 fl oz hardener
- 2 plastic films (2.5" x 5")
- 2 mixing sticks
- 1 sheet 600 grit sandpaper
- 1/2 fl oz compound

GCI 100 6-Colour



101 Single Colour Only

- 2 oz gelcote paste
- 1/4 fl oz hardener
- 2 plastic films (2.5" x 5")
- 2 mixing sticks
- 1 sheet 600 grit sandpaper

GCI 101 White

GCI 101-B Black

GCI 101-C Champagne



Gelcoat Kits

- For a tack free finish
- Waxed

Air Dry Liquid Gelcoat Kits

- 1 x 250 ml gelcote liquid
- 1 x Application brush
- Mixing sticks
- 1 - 14 ml catalyst

GCI 100-1AD Clear

GCI 101-1AD White



100-1AD

Paste Gelcoat Kits

- 1 x 250 ml gelcote paste
- Mixing sticks
- 1 - 14 ml catalyst

GCI 100P Clear

GCI 100PW White



100P

Gelcoat Colour Pastes

Highly pigmented colour for colouring polyester resin. Use 2 jars of colour paste for each litre of Gelcote or resin. Light colours may require more colour. Use up to 15% of colour to obtain a rich, vibrant colour.

- 1 ounce (28.4 ml) jars

GCI 109-01 White

GCI 109-02 Yellow

GCI 109-04 Dark Green

GCI 109-05 Black

GCI 109-06 Red



Fiber Craft Waxed Gel-Coat

Waxed gel coat resin ideal for small or large projects and repairs.

FIB 70100 250 ml, Neutral base

FIB 70105 250 ml, White base

FIB 70106 1 litre, White base

FIB 70107 4 litre, White base

FIB 70101 1 litre, Neutral base



- Approximate coverage: 40 sq. ft. per litre
- Catalyst: 15 ml per litre (included)

*Note: White base gel-coat is recommended for white or lightly coloured finishes. Use the neutral base for darker tinting.

Waxed gelcoat is designed to cure without covering it. It is a finishing gelcoat, rather than a layup one. The wax should surface as the gelcoat cures, then be cleaned with a dewaxer.

Fiber Craft Polyester Waxed Resin

This is a high quality general purpose waxed resin that only requires the addition of the supplied catalyst to promote curing. Suitable for all marine fibreglass repair and lamination jobs. *Waxed Resin.*

FIB 70001 1 litre

FIB 70002 4 litre



FIB 70014 18.9 litre



- Approximate coverage when used with standard 8 oz. matte: 8 sq. ft. per litre
- Catalyst: 15 ml per litre (included)

Fiber Craft MEKP Catalyst

A strong oxidizing agent conveniently packaged in plastic dispensing bottles. Supplementary stock to all polyester resin products.

FIB 70025 15 ml

FIB 70026 60 ml

FIB 70023 250 ml



Fiber Craft Poly-Foam

A formed in place two-part polyurethane foam system with a density of approximately 2 lb. per cubic foot. An excellent material for flotation, thermal insulation, void filling, and model building. Poly-Foam will bond to most materials and expands 25 to 30 times its mixed volume.

- 2 litre kit yields approx. 2 cubic feet of foam
- 8 litre kit yields 8 cubic feet

FIB 70311	2 litre
FIB 70312	8 litre
FIB 70313	37.8 litre



Fibreglass Repair Kit

Fibreglass kit comes with 250 ml (8 oz) of resin with hardener, woven cloth, stir stick, brush and instructions.

- Cloth: 12" x 36"

GCI 102



Fiber Craft Fibreglass Mat

A composite of chopped glass fibres and emulsion binder which, when saturated with polyester resin, may be worked into complex curves and shapes. This is a medium weight material, 1 oz./sq. ft., requiring 3 fl. oz. (90 ml.) of resin per square foot for saturation.

FIB 70240	38" x 1 yd
FIB 70245	38" x 25 yd



Fiber Craft Fibreglass Cloth

A medium weight (6 oz per square foot) woven cloth.

FIB 70215	38" x 25 yd
FIB 70212	38" x 5 yd
FIB 70210	38" x 1 yd
FIB 70129	4" x 3 yd
FIB 70094	4" x 50 yd
FIB 70095	6" x 50 yd



Fiber Craft Pigment

Used to match colours on repair jobs. For use with Fibre Craft gel-coat and fibreglass resin.

- 60 ml each

FIB 70150	White
FIB 70155	Black
FIB 70165	Red
FIB 70170	Green
FIB 70175	Blue
FIB 70180	Yellow



Fiber Craft Fibreglass Rollers

For eliminating trapped air between successive laminations of fibreglass and resin. Aluminum finned roller on plated steel frame with a hardwood handle tapped for threaded broom handle extension.

FIB 70326	3/4" dia. x 3"
FIB 70328	2" dia. x 3"



System Three Resins

T-88 Structural Epoxy Adhesive

T-88 is a high-performance, non-brittle, two-part epoxy adhesive designed to give superior results under adverse conditions. The adhesive may be used without modifications in normally fitted joints, and will cure in any thickness without shrinkage. T-88 is clear amber and becomes virtually invisible when varnished. T-88 exhibits outstanding adhesion and permanence on a wide variety of materials.

Recommended Uses:

Mixed at a 1:1 by volume ratio, T-88 will cure at temperatures as low as 35°F. When fully cured, it is unaffected by water, oil, kerosene, and many other chemicals. It will not stain wood and is immune to fungus and rot. T-88 is unique in that it may be applied to damp wood, provided it is worked well into the surface.

Mix Ratio by Volume 100:100

Mix Ratio by Weight 100:83

Tensile Strength, psi 7000

Flexural Strength, psi 11,500

Coverage 80 Ft 2/Gal

Gel Time @ 77°F (25°C) 60 Minutes (100g mixture)

Full Cure @ 77°F (25°C) 72 Hours (100g mixture)

SYS 1100K10 236 ml (8 oz) kit

SYS 1100K16 946 ml (1 quart) kit

SYS 1100K91 Universal cartridge, 250 ml (8.4 oz)†

†Mixing tips sold separately

◆Note: Requires a high ratio gun, 12:1 or higher (See tools)

Parts:

SYS S3660S99 Mixing tips 6/pkg

► Larger sizes available on request



System Three Resins

Quick Cure-5 Epoxy

The standard quick setting "five minute epoxy" system.

Mix at a 1:1 by volume ratio.

Quick Cure is ideal for all small jobs requiring a strong bond and rapid cure.

Quick Cure is highly water resistant

but not waterproof. Quick Cure is quite thick, but is easily

measured by squeezing equal sized lumps from the convenient

application bottles or from the UNI cartridge.

Mix Ratio by Volume 100:100

Mix Ratio by Weight 100:97

Gel Time @ 77°F (25°C) 4 - 5 Minutes (30g mix)

Tack Free @ 77°F (25°C) 5 Minutes (30g mix)

Tack Free @ 77°F (25°C) 5 Minutes (30g mix)

Tack Free @ 77°F (25°C) 5 Minutes (30g mix)

SYS 1000K10 273 ml (1/2 pt) kit

SYS 1000K14 473 ml (1 pt) kit

SYS 1000K90 50 ml syringe with 2 mixing tips

SYS 1000K91 Universal cartridge 250 ml (8.4 oz) with one mixing tip†

†Note: Requires a high ratio gun, 12:1 or higher (See tools)

Parts:

SYS S3660S99 Mixing tips, 6/pkg (for universal cartridges)

► Larger sizes available on request



PRODUCT END USE CHART

Use this chart as a starting point, then refer to the individual products for a final choice.

Legend:

- ✓✓✓ Excellent
- ✓✓ Good
- ✓ Fair
- NR Not recommended

	Laminating	Adhesive	Fileting	Fairing	Consistency	Colour
SilverTip Laminating Resin	✓✓✓	✓	✓	✓	Pourable	Colourless
SilverTip GelMagic	NR	✓✓✓	NR	NR	Gel	Tan
SilverTip QuikFair	NR	NR	✓✓	✓✓✓	Putty	Tan
SilverTip EZ-Fillet	NR	✓	✓✓✓	✓✓	Thick Liquid	Brown
General Purpose Resin	✓✓✓	✓	✓	✓	Pourable	Colourless
MirrorCoat	✓✓✓	✓	✓✓	✓✓	Pourable	Colourless
Quick Cure	NR	✓✓✓	✓✓	✓✓	Thick Liquid	Amber
T-88	NR	✓✓✓	✓✓	✓✓	Thick Liquid	Amber
RotFix	✓✓✓	✓	✓	✓	Pourable	Amber
SculpWood	NR	NR	✓✓✓	✓✓✓	Putty	Brown

Cleanup: Lacquer thinner, Isopropyl alcohol

System Three Cold Cure Epoxy

Bonds virtually everything, including wood, metals, concrete, and non-waxy plastics in cold, wet, hot and dry weather. Cold Cure Epoxy exhibits superior strength and bonding capabilities down to 2°C (35° F) even in moist and humid conditions. Cold Cure is ideal for gluing together unlike materials such as wood to metal or to plastics. Cold Cure is an excellent gap-filler and requires no clamping. gap-filler, putty, fairing compound. Cold Cure epoxy can be mixed with a variety of manufactured fillers to increase its viscosity for filling gaps and fairing surfaces. For grouting applications, Cold Cure can be mixed with sand or cement.

- SYS F1000K38** 355 ml (12 ounce) kit
SYS F1000K40 710 ml (1.5 pt) kit
SYS F1000K42 1.42 litre (1.5 qt) kit

SYS F1000K46 5.68 litre (1.5 gal kit)
 Mix Ratio by Volume 100:50
 Mix Ratio by Weight 100:44
 Tensile Strength, psi 6000
 Compressive Strength, psi 12,000
 Gel Time @ 77°F (25°C) 45 Minutes (100g mixture)
 Full Cure @ 77°F (25°C) 72 Hours (100g mixture)

► Larger sizes available on request



Estimate How Much to Use on Your Project

The following will serve as a guide for estimating the amount of product you'll need. The key to any estimate is a reasonably accurate idea of the surface area involved. The numbers given are in square feet of coverage per gallon of mixed resin and hardener except as noted. Divide by 40 to convert figures to square meters per litre.

COATING AND LAMINATING RESINS		
Includes SilverTip, General Purpose, Clear Coat & Cold Cure.		
COATING WOOD	FIRST COAT	SUBSEQUENT COATS
Softwood Plywood/Veneer	250	400
Hardwood Plywood/Veneer	325	400
Vertical Surface-maximum non-sag	500	500
FIBREGLASSING		
(Sealer, wet-out & fill coats)		
4 ounce cloth	150	300
6 ounce cloth	130	250
10 ounce cloth	100	170
Biaxial Tape	32	40

System Three G-2 Epoxy

For over 35 years, G-2 has been an excellent adhesive choice for oily, acidic hardwoods like teak and other tropical woods. Use it for gluing oak and cedar, as well as other materials that are difficult to bond. G-2 was developed primarily for waterproof bonding of rot-resistant woods used in fine yacht joinery. Use G-2 for both interior and exterior applications as well as below the waterline. G-2 can be mixed in small or large batches, has a long pot life and cures overnight. No clamping pressure is required. After fully curing it can be machined, drilled, sanded and tapped.



SYS F1110K38 355 ml (12 ounce) kit

SYS F1110K40 710 ml (1.5 pt) kit

SYS F1110K42 1.42 litre (1.5 qt) kit

SYS F1110K46 5.68 litre (1.5 gal) kit

Mix Ratio by Volume 100:50

Mix Ratio by Weight 100:44

Tensile Strength, psi 6000

Compressive Strength, psi 12,000

Coverage @ 10 mils 150 ft²/Gal (3.6 m²/L)

Gel Time @ 77°F (25°C) 40 Minutes (100g mixture)

Full Cure @ 77°F (25°C) 48 Hours (100g mixture)

► Larger sizes available on request

System Three Resins SilverTip GelMagic

A toughened, non-sagging, two component, structural epoxy adhesive designed for superior bonding to wood and most porous materials. It is unique in that it starts as two self-leveling liquids, which form a soft, thixotropic, sag-resistant paste when mixed. Measuring is easily accomplished by either volume or weight. GelMagic requires no additional modification with fillers and can be applied to vertical and overhead surfaces without running. GelMagic exhibits exceptionally high peel strength and employs a state of the art, two-phase epoxy morphology, which creates an adhesive bond that is tougher, more resistant to embrittlement and has better elevated temperature properties than other room temperature cured epoxy adhesives. GelMagic can be post-cured up to 140°F for even greater performance.



Coverage @ 250 microns (10 mils) 150 ft²/gal

Gel Time @ 77°F (25°C) 30 Minutes (100g mix)

Tack Free Time @ 77°F (25°C) 3 Hours (100g mix)

SYS 1230K40 710 ml (1.5 pt) kit Gelmagic kit

SYS 1230K91 190ml (6.4 oz) cartridge†

†Mixing tips sold separately, requires a high ratio gun

Parts:

SYS S3660S99 Mixing tips 6/pkg

► Larger sizes available on request

System Three Resins SilverTip Epoxy

A medium-low viscosity, liquid epoxy resin system that has been optimized for coating and reinforcing fabric saturation in wood-composite boat building. Designed for use with fibreglass, Kevlar, Dynel, and graphite as well as on bare wood. It has superior wet-out characteristics with little tendency to foam or trap air. Both the resin and hardener are nearly colourless and are used in an easy 2:1 volumetric ratio. Fillers, wood flour, and bulking agents can be combined with SilverTip epoxy.



Gel Time @ 77°F (25°C)

Fast Hardener 26 Minutes (100g mixture)

Slow Hardener 60 Minutes (100g mixture)

Tack Free Time @ 77°F (25°C)

Fast Hardener 3 Hours (100g mixture)

Slow Hardener 6 Hours (100g mixture)

SYS 0900A16 946 ml (1 qt) Resin

SYS 0900A24 3.78 litre (1 gal) Resin

SYS 0900B14 473 ml (1 pt) Hardener fast

SYS 0901B14 473 ml (1 pt) Hardener slow

SYS 0900B20 1.89 litre (.5 gal) Hardener fast

SYS 0901B20 1.89 litre (.5 gal) Hardener slow

SYS 0901B24 3.78 litre (1 gal) Hardener slow

► Larger sizes available on request



System Three**SilverTip Submarine Epoxy Paste**

- A general use, epoxy paste compound that bonds to wet surfaces by displacing water from the substrate
- Can be applied to objects that are completely submerged
- Will cure in temperatures as low as 35°F
- Bonds to a variety of wet substrates
- Patch holes in wooden and aluminum boats

SYS 1250K16

946 ml (1 qt) kit

**System Three****SilverTip MetlWeld Epoxy**

- A super tough epoxy adhesive designed to bond dissimilar materials such as steel, wood, and rubber
- Exhibits excellent elastic properties and superior bond strength while remaining rigid
- 100% waterproof
- Will not shrink upon curing; fills large gaps without loss of strength
- Features a convenient 1:1 mixing ratio
- Superior adhesion to brass, copper, bronze, aluminum, galvanized, stainless and mild steel, glass, wood, composite and most porous materials
- Forms permanent, non-brittle bonds with high impact and creep resistance
- Cures reliably at temperatures as low as 50°F
- Colour: Grey

SYS 1200K10

273 ml (1/2 pt) kit

**BoatLIFE Fix Repair Putty**

- Non-sagging repair putty that cures like steel
- Completely cured after 24 hours
- Can be used underwater
- Once cured, it can be drilled, tapped, sanded and painted
- It bonds to fiberglass, wood, metal, glass and concrete and is impervious to oil, gasoline, alcohol, caustic detergent and salt water oxidation
- Easy clean up with soap and water
- Heat tolerant to 300° F.
- Colour: White

BOA 1197

90 ml (3 oz)

BOA 1196

473 ml (16 oz)



1196

Eco Marine Aluminum Repair Stick

- Cures in 45 minutes - even underwater
- Apply to wet or dry surfaces and underwater
- Cut off amount required, knead for 1-2 minutes & repair
- Can be drilled, painted and tapped

ECO 57060

114 g (4 oz)

**Eco Marine Epoxy Repair Stick**

- Repair anything fiberglass
- Also patches holes in glass, concrete, ceramics, metals, wood, and many plastics
- Cures in 45 minutes, just cut off amount required, knead for 1 - 2 minutes repair
- Can be drilled, sanded, painted or tapped

ECO 70560

114 g (4 oz)

**Star brite****Emergency Repair Epoxy Putty Stick**

Makes permanent and emergency repairs on fiberglass, wood, metal, and plastic. Easy to use - just hand knead until colour turns white and apply to damaged area. Forms tenacious bonds in minutes - even underwater. Can be sanded, painted, drilled, tapped and filed.

STA 87104

114 gr (4 oz)

**Star brite****Emergency Repair Putty Stick Epoxy/Aluminum**

Makes permanent or emergency repairs on aluminum boats, outdrives, fuel and water tanks and other aluminum parts. Special additives cut through oxidation and anodization to maximize adhesion.

STA 87004

114 gr (4 oz)

**System Three S-1 Epoxy Sealer**

A two-part clear penetrating epoxy sealer. Mixed at a 1:1 ratio S-1 is effective at prolonging the service life of all woods, concrete, metals and fiberglass reinforced polyester. Ready to use with no thinning required. Excellent wetting properties on most surfaces. Can be applied with a brush, roller or spray equipment. It is completely waterproof and suitable for use above or below the waterline. S-1 is a superb undercoat primer for most paints and clear finishes featuring strong adhesion to most substrates with minimal surface preparation.

S-1 does not require sanding between coats if recoat time is less than 24 hours. Not recommended for gas tanks containing unleaded gasoline.

SYS F1400K16 946 ml (1 qt) kit**SYS F1400K20** 1.89 litre (1/2 gal) kit**SYS F1400K50** 7.6 litre (2 gal) kit

► Larger sizes available on request



BoatLIFE "Git" Rot

The original cure for dry rot. A penetrating adhesive, flexible sealant that restores strength to rotted wood. By penetrating deeply and saturating rotted wood, the progress of dry rot is arrested and the subsequently cured mass is stronger than the original wood. Ideal for wood encapsulated by fibreglass such as transoms and stringers.

BOA 1063	118 ml (4 oz)
BOA 1064	473 ml (pint)
BOA 1065	946 ml (quart)



System Three Resins Rot Fix

An ultra-low viscosity, penetrating sealer for hardening and solidifying rot damaged wood.

- 100% solids formulation is low odour and solvent free
- Flows like water for superior penetration into wood and most porous materials
- Two part system features an easy 2:1 mixing ratio
- Apply by pouring or brush
- Reliably cures at temperatures as low as 35°F
- Can be used on damp wood
- Use to harden soft, "punky", wood as a base for further repair
- Seals wood permanently to prevent future moisture penetration

SYS 1500K06	89 ml (3 ounce kit)
SYS 1500K40	710 ml (24 ounce kit)
SYS 1500K42	1.42 litre (1.5 quart) kit



System Three SilverTip EZ-Fillet

EZ-Fillet is a wood flour-filled two-part putty specifically designed for stitch-and-glue wooden boat construction. Its ketchup-like, self-leveling consistency allows it to be measured by volume or weight. The resin (part A) is brick red in colour while the hardener (part B) is a deep, dark green. A rich brown wood tone results when the two parts are combined indicating complete mixing. The putty thickens after mixing to form an easy to spread thixotropic compound which will not run or sag.

SYS 1430K40	710 ml (1.5 pt)
--------------------	-----------------

► Larger sizes available on request



System Three Sculpwood Epoxy Putty Kits

SculpWood putty is a 2-component, solvent free, kneadable epoxy resin putty. It is moldable, carvable, lightweight, strong, and exhibits excellent adhesion to a variety of substrates. It is easily sanded and will accept paint, screws and nails. It is most commonly used in conjunction with System Three RotFix, a low viscosity wood sealer and consolidant.

SYS 1600K16	946 ml (1 qt)
SYS 1600K20	1.89 litre (2 qt)
SYS 1600K10	237 ml (8 oz)



System Three Sculpwood Epoxy Paste Kits

SculpWood paste is a 2-component, spreadable, waterproof paste for filling cracks and defects in rot-damaged wood. It spreads easily; won't sag, drag or pull. An excellent companion for Sculpwood Putty where filling cracks is needed.

SYS 1610K05	118 ml (4 oz)
SYS 1610K16	946 ml (1 qt)



System Three Resins QuikFair

QuikFair is a lightweight, micro-balloon-filled, fast-curing two-part epoxy fairing putty with excellent moisture resistance. The two colour coded parts have a non-sagging, butter-like consistency and are easily mixed to form a third colour. At 70°F, QuikFair is sufficiently cured to be hand-sanded in 3 hours or machine sanded in 4 hours. Recommended on both fibreglass and wood-epoxy boats above or below the water line.

Mix Ratio by Weight..... 100:50
Mixed Colour..... Tan
Gel Time @ 77°F (25°C)..... 10 Minutes (100g mix)
Tack Free Time @ 77°F (25°C)..... 3 Hours (100g mix)

SYS 1400K06	133 ml (4.5oz) kit
SYS 1400K40	710 ml (1.5 pt) kit
SYS 1400K42	1.42 litre (1.5 qt) kit
SYS 1400K46	5.678 litre (1.5 gal) kit

► Larger sizes available on request



3M Marine Vinylester Premium Filler

- Use for filling and fairing of fibreglass above and below the water line
- Exceptional water barrier
- Cures fast-sandable in 30 minutes
- Easy to sand/contains 3M Glass Bubbles
- Use for hulls, decks and other parts

3MR 46004**	408 gram kit
3MR 46005	862 gr (quart)
3MR 46006	3.54 kg (gallon)

Accessories:

3MR 05844	Assorted spreader kit 3/pkg
------------------	-----------------------------

**** Limited Quantity**



46005

3M Marine Vinylester High Strength Repair Filler

- Use for filling blisters and gouges in fibreglass laminate above and below the water line
- Exceptional water barrier
- Contains fibreglass strands to restore strength when repairing and bonding fibreglass
- Cures fast
- Unique high performance filler formulated with short strand fibreglass

3MR 46013	1.06 kg
------------------	---------

Accessories:

3MR 05844	Assorted spreader kit 3/pkg
------------------	-----------------------------



System Three MirrorCast

- A clear epoxy casting resin designed to fill knots, cracks and voids in wood substrates with minimal shrinkage
- Can be tinted with pigment dispersions
- When cured it can be sanded, shaped and drilled

SYS 0530K40

710 ml (1.5 pt) kit



System Three Resins MirrorCoat

MirrorCoat is a pourable, self-leveling bar and tabletop coating. It works well on many surfaces such as wood, ceramics, plaster, masonry and some plastics. MirrorCoat cures to a glossy, smooth finish that is scratch and stain resistant. Cured MirrorCoat is waterproof and unaffected by alcohol.

Mix Ratio by Volume 100:50

Mix Ratio by Weight 100:44

Coverage @ 1.5 mm (60 mils) 26 ft²/Gal (0.6 m²/L)

Gel Time @ 77°F (25°C) 40 Minutes (100g mixture)

Full Cure @ 77°F (25°C) 72 Hours (100g mixture)

SYS 0500K40

710 ml (1.5 pt) kit

SYS 0500K42

1.42 litre (1.5 qt) kit

► Larger sizes available on request



System Three Squeegees

Epoxy will not stick to these re-usable polyethylene squeegees. These can be cut and trimmed to make filleting tools and even notched with pinking shears for spreading epoxy glue over large areas.

SYS 3540S99

Small, 4" x 2-3/4"

SYS 3541S99

Large, 5-3/4" x 3-1/2"



System Three Resins Thickeners and Fillers

Silica Thickener

This material is also referred to as colloidal or fumed silica, and is an excellent thixotropic agent which is used to control the viscosity of mixed epoxy systems. Silica can be used alone for a very smooth, non-sagging, high strength mixture or combined with fillers or fibers to make them non-sagging. A 5-quart quantity of Silica Thickener when combined with 1 gallon of mixed epoxy/hardener, will produce about 1.75 gallons of a non-sagging firm paste.

- Mixing ratio: As desired up to 3:1 (thickener to resin)

SYS 3105S16

946 ml (1 qt) tub

SYS 3105S47

4.73 litre (5 qt) tub



Glass Microspheres

These bulking agents are hollow, clear microscopic spheres that make a low cost, low density filler. Added to epoxy resin and hardener mix, they make a good, heat-resistant, light-weight fairing compound with good compressive strength. Mixture can be blended with a small amount of Silica Thickener to prevent sagging. Not recommended for glue.

- Mixing ratio: 1:1

SYS 3145S16

946 ml (1 qt) tub

SYS 3145S47

4.73 litre (5 qt) tub



Wood Flour

A fine sawdust that has been filtered so that there are no lumps, is excellent for creating wood glue and structural fillers and fillets. It is a fibrous filler that is also thixotropic. To make a smoother fillet, some users add a small amount of Silica Thickener.

SYS 3110S16

946 ml (1 qt) tub



System Three Resins Accessories

SYS 3001S99

3 oz mixing cups, 100/pkg

SYS 3000S99

1 oz mixing cups, 100/pkg

SYS 3003S99

12 oz mixing cups, each

SYS 3010S99

1 quart graduated tub, each

SYS 3015S99

5 quart graduated tub, each

SYS 3551K99

60 cc syringe, 2/pkg

SYS STIR STICK

Wooden stir/mixing sticks, each

SYS 3022S99

Pump for 946ml, 3.8 and 9.46 ltrs

McLube Sailkote

Easy to apply, high performance dry lubricant that makes sails, hulls, rigging, deck hardware and anything that moves on your boat run smoother.

- Formulated with Dupont Krytox

MCL SAILKOTE8OZ 227 g aerosol can

MCL SAILKOTE-QT 946 ml wipe on liquid

**McLube HullKote**

- Environmentally-friendly, citrus-based polish
- Long-lasting, high-gloss finish repels water
- Applies easily over other waxes and polishes and is safe to use on fiberglass, metal, Plexiglass and painted surfaces
- Lasts more than a season when applied above the waterline, and more than 20 hard days of sailing when applied below

MCL 7880 473 ml (16 oz)

**McLube****One Drop Ball Bearing Conditioner**

- Keeps bearings rolling freely
- Keeps bearings dirt-free
- Prevents bearings from skidding
- Only one drop needed

MCL ONEDROP.5FLOZ 14.7 ml (1/2 oz)

**Boeshield****T-9 Corrosion & Waterproof Lubricant**

- Designed to penetrate into fasteners and fixtures
- Displaces moisture and attacks existing corrosion
- Dries to a clean waxy film
- Lubricates and protects all metals for months
- It will also loosen rusted parts
- Will not harm paints, plastics or vinyls
- No CFCs

CMP T90004 113 ml (4 oz) aerosol

CMP T90012 354 ml (12 oz) aerosol

**McLube Speed Polish**

- High-gloss, citrus-based foul-release polish for everything below the waterline
- Prevents marine growth and slime from adhering for weeks
- Reduces drag and increases efficiency on both power and sail boats
- Non-toxic, non-metallic, non-leaching, biodegradable & environmentally friendly

MCL 7881 473 ml (16 oz)

**Ecomar Easy On Bottom Wax**

- Alternative to copper based anti-fouling paints
- For power, sail, trailered, fiberglass and aluminum boats
- A clear, soft movable barrier surface, that can give full season protection in fresh water and intermittent salt water environments
- 1 bottle will treat a 24 foot boat and both outdrives
- Effective in algae and zebra marine growth areas

ECO 5425 450 ml

**Davis Max-Lube**

- Synthetic lube, great for steering cables, gears, sporting equipment and all metals
- Superior rust and corrosion protection

DIN 422 3 oz

**Howes Lubricant & Penetrating Oil**

- Made from a formula of refined petroleum ingredients
- Lubricates without evaporation and penetrates (actually permeates) leaving a protective film that will not attract dirt or dust
- Dissolves rust, sludge and gunk while displacing water
- Safe to use on almost any surface

HOW HMP056 340 g (12 oz) aerosol

**Forespar Lanocote Prop & Bottom**

- Recommended for boats operating at speeds up to 15 knots
- Can be applied with boat in the water
- Environmentally safe
- Flow efficient
- For boat bottoms, props, struts, shafts and trim tabs
- Depending on local conditions, can significantly retard marine growth for over six months
- It can be applied over clean, fresh bottom paint or a freshly clean bare bottom for added protection and to make regular cleaning easier and faster.

FRS 770035 473 ml (16 oz)

**Fluid Film**

- Formulated from processed wool-wax, refined petroleum oils and selected agents
- Provides corrosion control, penetration, metal wetting and water displacement
- Contains no solvents, will not dry out and will penetrate to the base of all metals

CMP 1450 145 g (4 oz), aerosol

CMP 3300 333 g (12 oz), aerosol

CMP 5207 237 ml (8oz), brush can

**Forespar Lanocote**

Extremely effective in preventing and stopping corrosion on all types of metals. Formulated to withstand salt water marine conditions, particularly useful in preventing thread seizure due to all types of corrosion on boats and machinery. Applied during assembly, LanoCote will greatly assist in easy dismantling years later. Combats galvanization where dissimilar metals are fastened together, such as stainless steel fittings on alloy masts, etc.

FRS 770001 118 ml (4 oz) jar

FRS 770003 473 ml (16 oz) jar

FRS 770007 236 ml (8 oz) spray



Forespar Marelube

MareLube has been refined by Forespar to suit the needs of boaters for the lubrication of marine valves and seacocks of any material, metal or composite. Very importantly, MareLube is not petroleum based so it will not degrade seals and O rings. All marine valves require regular lubrication and regular activation of the handle.

FRS 770050 118 ml (4 oz) jar, paste



Forespar Liquid Marelube

- For valves where access is difficult or convenience is desired. Simply pour Liquid MareLube into the system through the valve tailpipe or hose, and activate the handle of the valve.
- Formulated using advanced PTFE lubrication technology designed to keep marine valve seals and balls working smoothly
- Biodegradable and biorenewable

FRS 770055 473 ml (16 oz)



Leland Rust Protection Bags

Reusable poly bags with an interior lined with corrosion inhibitors which prevent rust on steel tools and parts without using damaging oils. Protected parts are easily removed from the bag and are ready for immediate use with no smell or residue.

- 3 Bags: 6" x 8", 8" x 10" & 12" x 18"

LND 90100



Shurhold Snap Stick

For snaps and zippers on awnings, straps and other items that suffer the corroding effects of rain, dirt and grime. One application from the Snap-Stick tube can last up to three months.

SHU 251 .45 oz



Star brite Zipper Lube

- Fight wear and friction, salt water deposits and corrosion with PTFE lubricant
- Non toxic and non staining
- Will not wash off and will prevent binding of snaps and zippers
- Protects from -65°F to +650°F

STA 89102 60 ml (2 oz)



Forespar Marelube TEF 45

- Excellent dissimilar metals barrier for long term protection on fasteners such as stainless steel screws and bolts used on aluminum spars
- Superior corrosion barrier and anti-seize for screws, bolts and nuts
- Won't wash away
- High-load lubrication in a fresh or salt water environment
- Use on turnbuckles and other rigging fittings
- Great for rebuilding and maintaining outboard lower units
- Formulated with 45% PTFE for maximum effectiveness
- Many commercial and industrial uses
- Contains no petroleum
- ISO 9001 Certified

FRS 770065 5 cc syringe

FRS 770066 20 cc syringe

FRS 770067 118 ml (4 oz) jar



Ultra Safety Systems Tef-Gel

A specially formulated waterproof paste that has many uses including: eliminating the seizing and galling of metals, prevention of galvanic corrosion between dissimilar metals and also as a lubricant that will not break down in salt water or detergents.

USS TG-.25** 3 cc (1/4 oz) syringe tube

USS TG-1 20 cc (1 oz) syringe tube

USS TG-2T 56 gr (2 oz) tub

USS TG-B Applicator brush

**** Limited Quantity**



Pipe Thread Compound

- Slow dry, soft set and non-hardening
- All temperature connection work
- Lubricates and protects all threads
- Use on steel, copper, aluminum, brass, ABS, PVC and fiberglass piping

CMP TTS-2 59 ml (2 oz) tube

CMP TTS-4 118 ml (4 oz) brush top can



Ancor Dielectric Silicone Compound

- Fights oxidation to improve conductivity
- Penetrates aluminum oxide to maintain current paths
- Temp. rated 40°-500°F (4.4°-260°C)

ANC 700115 10 ml (1/3 oz) tube



Teflon Tape

- Military spec. white Teflon thread
- For plumbing of water, oil and gas

WES 121M8



Sierra 5 Gallon Oil Pump

- For lower units on outboards and stern drives
- Designed for use with 5 gallon Sierra containers

SIE 18-9788



Star brite 5 Gallon Oil Pump

- Contains a 96" hose with a 3/8"-16 threaded fitting
- Designed for use with 5 gallon containers

STA 27405



Sierra Oil Pump

- Quart size application tool
- Includes lube fitting for domestic lower units with flexible fill line

SIE 18-9781



Sea-Dog Lower Unit Pump

- Deluxe nylon pump fits quart oil bottles
- Flexible hose gets to hard to reach locations
- Metal threaded fitting fits most motors
- Includes Yamaha adapter

SED 502155H-1 Pump
Parts:

SED 502159-1 Yamaha adapter



Sea-Dog Lower Unit Pump

- Standard pump fits quart oil bottles
- Flexible hose gets to hard to reach locations
- Metal threaded fitting fits most motors
- Includes Yamaha adapter

SED 502150H-1



Sierra Gear Lube Pump

- Standard pump fits quart oil bottles
- Flexible hose gets to hard to reach locations
- Metal threaded fitting fits most motors
- Aluminum fittings

SIE 18-9779



Star brite Lower Unit Quart Pump

- Fits standard quart plastic bottles
- Flexible hose gets to hard-to-reach fill plugs
- Metal threaded fitting fits Mercruiser, OMC, Evinrude, Johnson, Honda (70-90hp), Volvo, Force and Gamefisher lower units

STA 27400



Star brite Lower Unit Lube Tube

- Quick, easy and clean way to change marine lower unit gear lube
- For use with all 8 oz and 10 oz squeeze tubes
- Metal threaded fitting fits Mercruiser, OMC, Evinrude, Johnson, Honda (70-90hp), Volvo, Force and Gamefisher lower units

STA 28600



Star brite Adaptor Fittings

Adaptors fit tube # 28600 and lower unit quart pump # 27400

- For Nissan/Yamaha/Tohatsu and Honda lower unit

STA 28401



28401

- For Suzuki lower unit

STA 28402

Sierra Gear Lube Adaptors

For use with quart pumps and lower unit fill tubes.

SIE 18-9794 Nissan-Yamaha-Honda-Tohatsu

SIE 18-9795 Suzuki



Star brite Flex Extension Hose

- 18"
- 4500psi

STA 28810



Star brite Grease Guns

- Use with 14 oz cartridges
- Produces up to 6,000 psi
- Corrosion resistant finish
- One hand operation

STA 28704 Lever

STA 28724 Pistol



28724

28704

Star brite Pistol Grease Gun W/Cartridge

- Contains lube gun and 3 oz. cartridge of marine wheel bearing grease
- Convenient, one hand application
- Heavy duty design for years of trouble-free use

STA 28703



CDI Gearcase Filler

This 3 gallon design filler makes it easier to fill or flush gearcases. Translucent plastic container allows you to check tank oil levels. Sturdy tear-drop design resists tipping over. Includes the check valve venting system. The check valve on the vent allows you to remove the filler nozzle without losing any appreciable amount of lubricant.

CDI 551-33-1

Accessories:

CDI 551-334B

Merc adapter

CDI 551-334K

5 piece adapter kit

CDI 551-33VA

Replacement valve



Corrosion Block

- Displaces moisture
- Protects the flexibility of rubber
- Excellent penetrant, lubricant and dielectric
- Contains no wax, tar, asphalt, silicon, or teflon
- Frees metal parts that are frozen by corrosion
- Protects electrical systems and electronics from salt water, moisture, and corrosion

CMP CB-4OZ

113 ml (4 oz), spray

CMP CB-12OZ

354 ml (12 oz), aerosol



Corrosion Block Grease

- Provides maximum protection under severe conditions
- Suitable for extended periods of operation at high temperatures and for "sealed for life" applications
- Excellent lubricant and dielectric
- Resists salt water; won't soften, breakdown or wash out in wet applications
- Environmentally friendly

CMP CBG-2OZ

57 gm, tube

CMP CBG-14OZ

397 gm, cartridge

CMP CBG-16OZ

454 gm, tub



Star brite

Wheel Bearing Grease

- Superior rust and corrosion protection from salt water, salt air and atmospheric chemicals
- Special water-insoluble formula is highly resistant to wash-out
- For marine applications: trailer wheel bearings, water pumps, hinges, pins, winches, anchor chain reels

STA 26003**

88 ml (3 oz), 2/pkg

STA 26014

415 ml (14 oz), cartridge

**** Limited Quantity**



Star brite White Lithium Grease

- Superior quality
- Can be used with plastic components
- Prevents corrosion
- Provides a vapour barrier

STA 26214

415 ml (14 oz), Cartridge



Sierra Spline Grease

- Specialty grease used in the assembly of engine yokes and couplers
- Replaces: Mercury 92-81639A4

SIE 18-9200-1

426 ml (15 oz)



Sierra Power Trim & Tilt Fluid

- Formulated for high operating pressure
- Anti-foam additives
- Provides lubrication and corrosion protection

SIE 18-9750-0

283.5g (10 oz)





Sierra Marine Gear Lubes



Part No	Size	Description	Classification & Recommendations
GEAR LUBRICANTS			
SIE 18-9600-0	295 ml (10 oz), tube	Premium Blend	API GL-5, MIL-L-2105D, Mack JO-J, API MT-1 (PG-1) and proposed PG-2
SIE 18-9600-2	946 ml (quart)		
SIE 18-9600-5	18.95 litre (5 gallon)		
SIE 18-9650-0	295 ml (10 oz), tube	Hi-Performance Blend	API GL-5, MIL-L-2105D, Mack JO-J, API MT-1 (PG-1) and proposed PG-2 <ul style="list-style-type: none"> Formulated for high performance drive systems Replaces: Mercury (Quicksilver) Hi-Performance Blend OMC (System Matched) Ultra-HPF Blend Yamaha (Yamalube) LUB-GEARL-11-00
SIE 18-9650-2	946 ml (quart)		
SIE 18-9650-5	18.95 litre (5 gallon)		
SIE 18-9650-7	208 litre (55 Gallon)		
SIE 18-9680-2	946 ml (quart)	Full Synthetic	API GL-5, MIL-L-2105E, Mack JO-J, API MT-1 (PG-1) and proposed PG-2, SAE J2360
SIE 18-9680-5	18.95 litre (5 gallon)		
SIE 18-9620-2	946 ml (quart)	Type C, Electric Shift	<ul style="list-style-type: none"> Replaces: OMC (System Matched) Premium Blend

Star brite

Synthetic Blend 80W 90 Lower Unit Gear Lube

- For API GL-5, MT-1 service
- Special extreme pressure and anti-wear additives
- Recommended for all engines over 100 hp
- Protects against rust and corrosion
- Superior thermal stability
- Protection over a wide temperature range
- Meets or exceeds OEM requirements-will not void manufacturers' warranty Recommended for use in Mercury, Mercruiser, Johnson, Evinrude, OMC, Force, Mariner, Nissan, Suzuki, Yamaha and Volvo



STA 27232

950 ml (32 oz)

Star brite Biodegradable High Performance 90W Lower Unit Lube

- Combines a bio-renewable base oil with hi-tech additives to create a biodegradable fluid
- Formulated with special anti-wear & anti-foam additives
- Will not void manufacturers warranties

STA 26810**

295 ml (10 oz)

**** Limited Quantity**



Star brite

High Viscosity 80W 90 Lower Unit Lube

- For API MT-1 GL-5, MIL-L-2105D service
- Formulated with special anti-wear additives, rust and corrosion inhibitors
- Recommended for use in Mercury, Mercruiser, Johnson, Evinrude, OMC, Force, Mariner, Nissan, Suzuki, Yamaha and Volvo
- For lower units of all outboard motors and stern drives
- Will not void manufacturers warranties



STA 27010

295 ml (10 oz)

STA 27032**

950 ml (32 oz)

**** Limited Quantity**

Star brite

TC-W3 Premium 2-Cycle Oil

- Meets or exceeds manufacturers' specifications-will not void engine warranty
- NMMA approved-meets or exceeds their stringent TC-W3 requirements
- Environmentally friendly, clean burning oil that reduces emissions
- For use in oil injection, 2 cycle and pre-mix engines
- Ashless formula minimizes piston ring sticking and protects against pre-ignition problems

STA 19000

3.78 litre (gallon)

STA 19016

473 ml (16 oz)

STA 19032**

950 ml (32 oz)

**** Limited Quantity**





Sierra Marine Engine Oils

Part No	Description	Size	Classification & Recommendations
GASOLINE - INBOARD STERNDRIIVE ENGINE OIL			
SIE 18-9400-2	25W-40 Premium Blend	946 ml (quart)	NMMA FC-W API SL <ul style="list-style-type: none">▪ Meets or exceeds quality performance API SJ, CF-4, CH-4▪ Recommended for use in Mercruiser, OMC and Volvo Penta▪ Will not void your engine manufacturer's warranty
SIE 18-9400-4		4.7 litre (5 quart)	
SIE 18-9400-7		208 litre (55 gallon)	
SIE 18-9440-2	25W-40 Synthetic Blend	946 ml (quart)	NMMA FC-W API SL <ul style="list-style-type: none">▪ Formulated for inboard and sterndrive engines
SIE 18-9440-4		4.7 litre (5 quart)	
SIE 18-9440-7		208 litre (55 gallon)	
SIE 18-9410-2	SAE 30 Full Synthetic	946 ml (quart)	API SL/CF <ul style="list-style-type: none">▪ Formulated for inboard and sterndrive engines
SIE 18-9410-4		4.7 litre (5 quart)	
SIE 18-9690-2	Full Synthetic 10W-30	946 ml (quart)	NMMA FC-W API SL <ul style="list-style-type: none">▪ Formulated specifically for 4 cycle outboard and sterndrive engine technology▪ Exceeds the FC-W requirements for marine engine oils
SIE 18-9690-3		3.78 litre (gallon)	
GASOLINE - OUTBOARD ENGINE OIL - TWO CYCLE			
SIE 18-9500-1	Premium Blend	473 ml (pint)	NMMA TC-W3 <ul style="list-style-type: none">▪ Exceeds JASO, ISO, API and NMMA, for advanced generation 2 cycle lubricants▪ Formulated for all PWC (Personal Water Craft), power equipment, applications where TC-W3 is required
SIE 18-9500-2		946 ml (quart)	
SIE 18-9500-3		3.78 litre (gallon)	
SIE 18-9500-4		9.45 liter (2.5 gallon)	
SIE 18-9530-3	Direct Injection Synthetic Blend	3.78 litre (gallon)	NMMA TC-W3 <ul style="list-style-type: none">▪ Mercury Optimax, Yamaha HPDI and Johnson/Evinrude Ficht and DI motors
SIE 18-9540-2	Full Synthetic	946 ml (quart)	TC-W3 <ul style="list-style-type: none">▪ For use in all outboards including Johnson/Evinrude E-Tec
SIE 18-9540-3		3.78 litre (gallon)	
GASOLINE - OUTBOARD ENGINE OIL - FOUR CYCLE			
SIE 18-9551-2	10W-40 Synthetic Blend	946 ml (quart)	API C14-Plus/SL; Volvo VDS-3; Cummins CES 20078, 20077 & 20076 <ul style="list-style-type: none">▪ A direct replacement oil for Suzuki motors
SIE 18-9551-3		3.78 litre (gallon)	
SIE 18-9420-2	10W-30 Premium Blend	946 ml (quart)	NMMA FC-W API SL <ul style="list-style-type: none">▪ Meets and exceeds quality performance API SJ, CF-2, CH-4▪ Specifically formulated to meet or exceed the requirements of the Marine 4-Stroke motor manufacturers, Mercury, Yamaha, Johnson-Evinrude, Suzuki and Honda
SIE 18-9420-3		3.78 litre (gallon)	
SIE 18-9440-3	25W-40 Synthetic Blend	4.7 litre (5 quart)	NMMA FC-W API SL <ul style="list-style-type: none">▪ Formulated for outboard engines
SIE 18-9440-8		1 litre (33.8 oz)	
SIE 18-9552-3	25W-50 Synthetic Blend	4 litre (135.2 oz)	NMMA FC-W API SL <ul style="list-style-type: none">▪ Meets the FC-W requirements for 4 cycle, water cooled engines <i>Do not mix with gas</i>
SIE 18-9552-8		1 litre (33.8 oz)	
SIE 18-9690-2	Full Synthetic 10W-30	946 ml (quart)	NMMA FC-W API SL <ul style="list-style-type: none">▪ Formulated specifically for 4 cycle outboard and sterndrive engine technology▪ Exceeds the FC-W requirements for marine engine oils
SIE 18-9690-3		3.78 litre (gallon)	
GASOLINE - CATALYST COMPATIBLE ENGINE OIL			
SIE 18-9420CAT-2	10W-30 Premium Blend	946 ml (quart)	NMMA FC-W Catalyst Compatible
SIE 18-9420CAT-3		3.78 litre (gallon)	
SIE 18-9420CAT-7		208 litre (55 gallon)	
SIE 18-9400CAT-2	25W-40 Premium Blend	946 ml (quart)	NMMA FC-W Catalyst Compatible API SL
SIE 18-9440CAT-2	25W-40 Synthetic Blend Catalyst Compatible	946 ml (quart)	NMMA FC-W Catalyst Compatible API SL
SIE 18-9440CAT-4		4.7 litre (5 quart)	
DIESEL - CATALYST COMPATIBLE ENGINE OIL			
SIE 18-9553-2	15W-40 Premium Blend Diesel	946 ml (quart)	NMMA FC-W API SL <ul style="list-style-type: none">▪ Formulated specifically marine diesel engines
SIE 18-9553-3		3.78 litre (gallon)	
SIE 18-9553-5		18.9 litre (5 gallon)	



Star brite**Star*Tron Shooter Gasoline Additive**

- Each 1 oz bottle treats 6 gallons of fuel
- Unique enzyme formula improves performance of all engines
- "Cures" and prevents ethanol fuel problems
- Allows engines to start easily & run smoothly
- Improves fuel economy, reduces emissions
- Cleans entire fuel delivery system
- Removes carbon deposits; prevents future deposits

STA 14324 24 x 1 oz shooters
STA 14312 Display w/12 shooters


Star brite Star*Tron Vertical Shooter Gasoline Additive - Super Concentrated Formula

- Holds a dozen 1 ounce "Super Concentrated" Star Tron® "shooters" (1 fl. oz. treats 25 gallons of fuel)
- Ideal for treating fuel in SUVs, boats and large outdoor power equipment
- Sold only as a 12-piece display; bottles not sold separately
- An ideal way for first-time users to experience Star Tron®

STA 14512 12/pkg

**Star brite Star*Tron Gasoline Additive**

- 8 oz treats 128 gallons
- Reduces all emissions
- Prevents fuel oxidation and stabilizes fuel chemistry for at least 1 year
- Lowers fuel system maintenance
- Eliminates carbon build-up in fuel delivery system and on exhaust components
- Increases fuel economy, especially in older engines. Cures fuel jelling caused by cold weather and E10-alcohol fuels.

STA 93008 237 ml (8 oz)
STA 93016 574 ml (16 oz)
STA 93032 1148 ml (32 oz)



93008

Star brite Star*Tron**Enzyme Fuel Treatment - Classic Gasoline Formula**

- Cures and prevents most ethanol problems
- Makes all engines start easily, run smoothly; improves performance
- Removes and prevents gum, carbon and varnish
- Works in all engines and in all fuel
- Helps prevent phase separation by dispersing water throughout fuel as submicron-sized droplets that are safely eliminated while the engine operates
- Stabilizes fuel; helps rejuvenate old fuel
- 1 fl. oz. treats 6 gallons of fuel
- Reduces smoke and all other emissions
- Keeps fuel delivery system clean

STA 14308 237 ml (8 oz)

**Star brite EZ-Start Gasoline Additive**

- Combines gas stabilizers which prevent fuel from breaking down for up to 2 years with a polymer coating that acts like fogging oil
- Corrosion proofs all internal engine surfaces
- For inboard and outboard winter storage
- One ounce treats 5 gallons of gas

STA 84308 236 ml (8 oz)
STA 84316 473 ml (16 oz)



84308

Sierra Gasoline Combustion Clean

- Dissolves gum and varnish
- Removes internal carbon deposits
- Displaces moisture
- Stabilizes fuel during storage
- For use with 2 & 4 cycle marine engines

SIE 18-9580-3 255 ml (12 oz)

**Sierra Gasoline Fuel Booster**

- For: Mercury, Yamaha, Honda
- Cleans entire fuel system
- Cleans all fuel injector types
- Prevents rough idling and stalling
- Stabilizes fuel during storage
- For use with SIE 18-8600

SIE 18-8607** 473 ml (16 oz)

**** Limited Quantity**

**Sierra Gasoline Fuel Injector Cleaner**

- Replaces: Mercury 92-8M0062765
- For: Mercury, Yamaha, Honda
- Cleans all fuel injector types
- Prevents rough idling and stalling
- Reduces intake and port deposits
- For use with SIE 18-8600

SIE 18-8606 473 ml (16 oz)



► **Also See**

Sierra Fuel Injector Cleaning Kit pg 689

Petrolabs Gasoline Treatment

- Can be used with all internal combustion systems and gas blends
- Disperses water in fuel systems
- Contains no alcohol
- Cleans engine fuel injectors and carburettor
- Provides better combustion and fuel economy
- Treats 75 gal

CMP FGT416+ 472 ml (16 oz)



Star brite Star*Tron Diesel Additive

- 8 oz treats 256 gallons
- Disperses bacteria without the use of poisons
- Reduces all emissions, including carcinogenic particulate smoke
- Prevents fuel oxidation and stabilizes diesel chemistry for at least two years
- Lowers fuel system maintenance
- Eliminates carbon build-up on injectors and exhaust components
- Increases fuel economy, especially in older engines
- Cures fuel gelling caused by cold weather and alcohol fuels
- Instantly cures filter problems caused by bio-diesel fuels during cold weather



93108

STA 93108 237 ml (8 oz)
STA 93116 473 ml (16 oz)

Star brite Star*Tron Enzyme Diesel Additive

- 1 oz treats 16 gallons
- Makes engines start easily, run smoothly
- Disperses bacteria and water
- Reduces soot, smoke and other emissions
- Stabilizes diesel fuel for up to 2 years
- Removes and prevents carbon and gum deposits
- Increases fuel economy
- Meets low sulfur requirements for diesel engines



STA 14408** 237 ml (8 oz)

**** Limited Quantity**

Star brite Diesel Storage Additive

- Protects fuel and engine components during storage
- Prevents corrosion of fuel tank and fuel delivery system
- Stops formation of gum and sludge, insures quick starts after storage
- Stabilizes and fogs in one step
- Concentrated formula - 1 fl. oz. treats 10 gallons



STA 84408** 236 ml (8 oz)

**** Limited Quantity**

H.U.M. Out Diesel Treatment

- Diesel treatment that prevents filter plugging and corrosion due to bacteria and algae
- Formulated for a wide range of applications
- Kills bacteria and algae
- 1 oz treats 125 gallons

CMP FH0316 472 ml (16 oz)



Howes

Lubricator Diesel Treatment

- Replaces chemicals not found in today's low sulphur fuel
- Only non-solvent product on the market
- Summer/winter formula
- Injectors/fuel filters last up to three times longer
- Engine smoking significantly decreased
- Decrease in oil consumption
- Encapsulates water molecules that burn off harmlessly, fighting condensation
- Increased combustion and power



HOW 103070 444 ml, treats up to 200 litres
HOW 103061 1.9 litre, treats up to 3600 litres
HOW 103066 .95 litre, treats up to 1800 litres

Howes Meaner Power Diesel Cleaner

Purifies and stabilizes diesel fuel while inhibiting corrosion and removing water harmlessly. A cleaner running engine will increase the life of the fuel injection system and result in more power, lower emissions, increased fuel economy and a decrease in maintenance costs. This product scored a "superior" rating by Cummins L-10 test specifications.

- 4.8% improvement in fuel economy
- 65% reduction in injector deposits
- 35% increased lubricity-injectors, pumps & cylinders
- 80% emissions reduction-stops the smoking
- 1 litre, treats 950 litres



HOW 103069 1 litre, treats up to 1200 litres

Petrolabs Diesel Power Plus

- Absorbs water
- Improves Cetane number
- Contains no alcohols
- Cleans entire fuel injector system.
- Increases combustion for greater efficiency
- Controls bacteria growth
- Controls waxing and gelling
- Lubricates entire fuel system
- 1 oz treats 32 gallons



CMP FDP116+ 472 ml (16 oz)

Sierra Carbon Free

- Formulated to improve engine performance and efficiency by removing gum, varnish, and carbon deposits from internal engine components
- Cleans intake ports, valves, combustion chambers, pistons, and frees sticky rings
- For 2 or 4 stroke engines

SIE 18-9570-0 355 ml (12 oz) aerosol



Sierra Gasoline Fuel Stabilizer

- Stabilizes fuel up to 24 months
- Keep the carburettor and fuel system clean
- Reduces gum and varnish build up
- 1/4oz / gallon for daily use
- 1/2 oz / gallon for storage

SIE 18-9013 237 ml (8 oz)

SIE 18-9024 946 ml (quart)

SIE 18-9080 3.78 litre (gallon)



Revive Gasoline Fuel Stabilizer

- Prevents the formulation of fuel gum and varnish throughout the entire fuel system
- Absorbs moisture to prevent corrosion
- Use in 2-stroke or 4-stroke engines
- Usage: 15ml /4.5 ltr in storage, 15 ml/9 ltr in general use
- Can be used in combination with fogging oil

RVV R-6003 500 ml



Revive Fogging Oil

- Formulated to provide corrosion protection to internal engine components during storage
- Can be used on all internal combustion engines, including 2-stroke, 4-stroke and diesel

RVV R-6002 370 g aerosol



Sierra Fogging Oil

- Formulated for the seasonal storage of all 2 & 4-cycle engines

SIE 18-9550-0 340 g (12 oz)
SIE 18-9550-3 3.78 litre (gallon)



Star brite Fogging Oil

Spray formula coats all interior engine surfaces with a heavy duty polymer coating that prevents corrosion during winter storage. Special formula makes starting the engine after storage quick and easy.

STA 84812 355 ml (12 oz)



Recochem/Solvable Anti-Freeze

- Safe for septic systems, boats, recreational vehicles, and seasonal homes
- A mixture of propylene glycol, alcohols and water, it is completely nontoxic
- Plumbing antifreeze does not have a definite freezing point, but becomes thick and viscous as temperature drops
- Provides burst protection and prevents serious damage to plumbing to -50°C

***For use with plastic pipes only**

NOTE This product is not designed for use in cooling systems of internal combustion engines nor for elevated temperature uses such as boilers, solar systems, evaporator coolers and heat pump loop systems.

REC 15-334-3.78L 3.78 litres



BoatLIFE Test Tank Cleaner

- Emulsifies oil in water and leaves in suspension
- Removes oil slick from water surface
- Lower units come out clean - no wipedown necessary
- Economical 50:1 ratio
- Environmentally friendly - No phosphates - biodegradable
- Pleasant fragrance, neutralizes foul odors
- Safe for rubber impellers and hoses, cleans water passages

BOA 1127 3.78 litre (gallon)



Salt-Away Corrosion Control

Salt-Away is a water-based, nonhazardous, biodegradable solution and contains properties that dissolve, release and remove salt crystals from any surface.

- Breaks down and removes salt build-up
- Can safely be used on all metals, fibreglass, paint, rubber, plastic, chrome, glass, concrete or brick
- Easy to apply and leaves a protective film on surfaces
- Will not strip wax or cause streaks or spots

SLT SA04 118 ml (4 oz) spray
SLT SA16 473 ml (16 oz) spray
SLT SA32 950 ml (32 oz) Concentrate
SLT SA32M 950 ml (32 oz) Concentrate & mixer
SLT SA128 3.785 litres (128 oz) Concentrate

Parts:

SLT SAM Mixer unit only
SLT SAM12.1A Mixer unit with reservoir
SLT SAR Reservoir set for SA32M & SAM
SLT 2" O-RING Replacement O rings for SAM



Zaal Salt Remove Soap

- Water based, low foaming, non-hazardous, biodegradable solution that dissolves, neutralizes and removes salt
- Leaves bright work spot free and protects sails from salt abrasion and black mold caused by salt build up
- Won't strip away protective wax
- Safe to use on all metals, fiberglass, rubber, plastic, chrome and glass
- One litre bottle will clean approximately 200 feet of boat
- Blue adaptor nozzle is a foaming dispenser with a rinse mode for garden hose
- Available 6/case

ZAA FI-ZAA-043 1 litre



Awesome Cleaner

- Concentrated cleaner, cleans, degreases and removes stains off everything washable
- Removes blood stains, glue, hair dye, juice, fresh paint, bugs and oxidation
- Biodegradable, non-flammable
- Contains no acid or ammonia

CMP AC32 948 ml (32 oz)
CMP AC128 3.78 litre (gallon)



Awesome Multi-Purpose Degreaser

- A professional degreaser used for heavy duty jobs
- Removes: oil stains on equipment, outdoor stains on concrete, asphalt and steel, animal and vegetable-based oil
- A concentrated product that must be properly diluted for use

CMP AG128 4 Litre





Aqua-Tek Deck and Boat Wash

- Powerful cleaning action that removes the toughest stains including black marks, spider, and bird spots
- Will not effect existing wax
- Water based
- Non-abrasive
- Biodegrades quickly and easily

AQU 52010

1 litre



Aqua-Tek Easy Clean Marine

- Powerful cleansing action that removes the most stubborn stains
- Effective on any surface and type of stain
- Will not remove waxes, polishes or treatment on fabrics
- Environmentally friendly (phosphate-free and quickly biodegradable)

AQU 52025

750 ml

AQU 52026

4 litre



Aqua-Tek Mega Clean

- One product to do everything outdoors/indoors
- Powerful cleaning action that removes the most stubborn stains
- Effective on almost any surface
- Easy to rinse and does not leave film or oily residue

AQU 52004

950 ml



Aqua-Tek Dinghy and Fender Cleaner

- Powerful cleaner removes most tough spots
- Fast, easy, and safe application
- Water-based
- Non-abrasive
- Biodegradable
- Environmentally friendly

AQU 51150

750 ml



Aqua-Tek Hull Cleaner

Effectively and safely removes algae, oily residues, stubborn stains, rust stains, scum, zebra and barn mussels from boat hulls. Although a powerful cleaner, this product is soft on boat surfaces such as anodized aluminum, gel finishes, wood, metal, and fibreglass.

- Thickened formula ensures product sticks to the surface to be cleaned to avoid waste
- Non-corrosive and acid free formula
- Biodegradable, phosphate free

AQU 51050

950 ml



Aqua-Tek Pro Hull Cleaner

Effectively and safely removes algae, oily and greasy residues, stubborn stains, rust spots, scum, zebra and barn mussels from boat hulls. Although a powerful cleaner, this product is gentle on boat surfaces such as anodized aluminum, gel finishes, wood, metal, and fibreglass.

- Thick formula sticks to the applied surface
- Extra powerful and fast-acting cleaner for ALL fibreglass and aluminum hulls

AQU 51010

950 ml



Aqua-Tek Fabri-Guard

- Dries quickly
- Very little odour
- Does not stain
- Ozone safe
- Safe to use (very little irritation)
- Prevents mold
- Compatible with Sunbrella fabrics

AQU 53000

950 ml



Aqua-Tek Vinyl Guard

- Provides long lasting protection for inflatable boats (vinyl, PVC, hypalon, rubber)
- Use on seats, leather or vinyl cushions, rubber moldings, and dashboards
- Ideal for treating extension rubbers
- Protects from UV rays
- Penetrates, revitalizes and restores finish, refreshes colour
- Indoor and outdoor use

AQU 53100

650 ml

AQU 53105

120 ml



Aqua-Tek Mould-Tek

- 3-in-1 solution for stains caused by mold and mildew
- Thick formula sticks to vertical surfaces
- Ideal for both hard and soft surfaces including fabrics, vinyls, boat tops, stitching, and awnings

AQU 50300

950 ml

AQU 50301

4 litre



Aqua-Tek Impervium with Easy Clean

- Environmentally friendly wash and wax that combines the cleaning power of Easy Clean with the Impervium coating system
- Impervium crosslinks and anchors to the surface, forming an impervious, longer lasting barrier that repels water; leaving a bright finish with heavy UV protection

AQU 52030

950 ml

AQU 52031

4 litre



Awl Grip Awlwash Cleaner

Formulated to clean Awlgrip topcoats, AWLWASH does not contain alkalies, acids or abrasives. 100% biodegradable.

AWL 73234-QT Quart
AWL 73234-GAL Gallon



Awl Grip Awl-Care Clean & Protect

- Non-abrasive, synthetic polymer formulated to clean and protect AWLGRIP and AWLCRAFT 2000 high-gloss topcoats
- Removes mild stains such as water spots and diesel soot
- Increases resistance to attack from acid rain and other pollutants with regular applications

AWL 73240-PT Pint
AWL 73240-HG 2 quart



Boat Bling Condition Sauce

- Bio-degradable, safe, soft water based conditioner
- 100% UV Protection for vinyl, leather and rubber surfaces
- Moisturizes surfaces and reduces cracking and wear
- Rejuvenates slightly damaged vinyl and leather
- Provides the stunning factory fresh "just detailed" look without the grease
- Spray on, wipe off application
- Recommended for application once per month

BOA CSC00946 950 ml (32 oz)
BOA CSC03785 Gallon refill



Boat Bling Hot Sauce

- Bio-degradable, safe, soft water based detailer with specialty wax sealants
- Removes hard water spots, mineral deposits and exhaust residue
- Will NOT strip your current wax, adds additional wax sealants with each use
- Designed for fiberglass, plastic, chrome, glass, and all painted surfaces
- Spray on, wipe off application
- Use after each day on the water, follow up with Boat Bling Quickie Sauce every 3 months

BOA HSC00946 950 ml (32 oz)
BOA HSC03785 Gallon refill
BOA HSC0640CA 5 gal



Boat Bling Quickie Sauce

- Elite high gloss fast wax
- Completely wax any boat in 25% of the time as a traditional paste wax
- Premium Montan Wax Formula - Easy to spray, simple to rub in, easy to wipe off - no buffer needed
- Perfect for all fiberglass and painted surfaces
- Safe on vinyl moldings and decals
- Wax content lasts up to 16 weeks
- Spray on, rub in, wipe off application
- One quart will wax a 24' boat 3 to 4 times

BOA QSC00946 950 ml (32 oz)



Boat Bling Vinyl Sauce

- Professional vinyl, leather upholstery cleaner
- Guaranteed to remove the toughest spots while leaving a beautiful, non greasy, shine on your upholstery
- Bio-degradable, safe, non-caustic and non-silicone cleaner
- Removes mildew from interior surfaces
- Helps prevent mildew and staining
- Spray on, wipe off application
- Use after each day on the water, follow up with Boat Bling Condition Sauce every month

BOA VSC00946 950 ml (32 oz)
BOA VSC03785 Gallon refill



BoatLIFE 'Graphix' Wax

- Revolutionary high performance cleaner and UV protectant; will not deteriorate graphics like other solvent-based waxes
- Superior formulation is comprised of only high grade components
- Cleans dirt, grime and stains

BOA 1121 8 oz
BOA 1124 12 oz



BoatLIFE Fibreglass Powder Cleaner and Stain Remover

- Use to remove heavy oxidation, stains, dirt, grease, and oil from fibreglass
- No-scratch formula is completely harmless to gel-coat finishes
- Use with fresh or salt water

BOA 1190 737 g (26 oz)



Davis FSR Fibreglass Stain Remover

- A stain absorbing gel for removing oil, rust, exhaust, road soil, and water line stains from fiberglass boats
- Also useful on shower stalls, furniture, and white painted surfaces
- Nonabrasive and requires no sanding

DIN 790 .47 litre
DIN 792 2.0 litre



Ecomar Spider Spot Remover

- Works on fibreglass, aluminum, painted surfaces and vinyl to remove spider spots, black streaks, mildew and leaf spots - inside and out
- An environmentally safe product

ECO 5056

450 ml



Ecomar Deck Traction Wax

- An environmentally friendly solution
- For restoring surface shine while increasing grip to nonskid or textured decks
- Formulated with polymers that seal, shine, provide UV protection and help give 'wet deck' grip
- Just wipe on and buff

ECO 5070

450 ml



Flitz Motorcycle Detailing Kit

The Flitz Buff Ball won't tear like foam. Fits any 3/8-inch drill or air tool. Buffs evenly-no low spots. Buffs at speeds up to 2,500 rpm. Self-cooling. Won't scorch or burn clearcoat. Washable and reusable.

- This tool will help you buff hard-to-reach areas in seconds
- 1 x polish-paste 1.7 oz
- 1 x super-mini 2" buff ball
- 1 x wax protectant-sample

FLZ CY61501



Flitz Ultimate Marine Care Kit

The Flitz Buff Ball won't tear like foam. Fits any 3/8-inch drill or air tool. Buffs evenly-no low spots. Buffs at speeds up to 2,500 rpm. Self-cooling. Won't scorch or burn clearcoat. Washable and reusable.

- This tool will help you buff hard-to-reach areas in seconds
- 1 x polish-paste 1.7 oz
- 1 x marine speed wax 1.7 oz
- 1 x 5" buff ball

FLZ MK31509



Flitz Buff Ball

- Buff and polish all painted surfaces, metals, fibreglass, plastics, eisenglass, plexiglass, aluminum running boards and railings
- Safely and easily buffs out: scuff marks, light scratches, oxidation, chalking, tarnish, pitting and corrosion
- Made with soft viscose fibre
- Buffs hard-to-reach areas in seconds
- Fits all drills, air tools, drill presses and bench grinders
- Great for textured and smooth surfaces
- Can be machine washed and reused up to 10 times
- Use indoors or outdoors

FLZ PB101

Orange 5"



Flitz Fabric Armour

- Seals fabrics so that dirt & liquids repel off the surface
- Use on awnings, canvas tops, sailcloths, cushions, bimini tops, polyester, nylon, cotton, vinyl, leather, plastics & acrylics
- Environment friendly

FLZ MAF30406

473 ml (16 oz) spray



Flitz Marine Speed Waxes

A premium-grade detailing spray for when you're in a hurry and need a super-fast, super gloss shine.

- Use on fibreglass, gelcoat, plastic windows, hatches, plexiglasses, acrylics, enamel & painted surfaces, clearcoat, lacquer, polyurethane, ceramic & powder coatings
- Made with brazilian carnauba
- Fills in swirls & hairline scratches
- Water-based, environment friendly
- No streak, no smear

FLZ MX32806

473 ml (16 oz) spray



Flitz Ceramic Sealant

- Simple-to-use ceramic spray coating that gives virtually any surface a water-resistant, hard-shell finish
- Protects surfaces for up to one year
- Repels water and the elements
- Easy to use: spray on, and immediately buff with microfibre polishing cloth
- Covers up to 1,100 square feet
- Safe on: all metals, fibreglass, clear coats, all paints, plastics, granite, glass, all man-made hard surfaces

For best results: Apply a second coat after 48 hrs

FLZ CS02908

8 oz with microfibre cloth



Hyseas Bilge Cleaner

- An industrial strength bilge cleaner for commercial as well as pleasure vessels
- Specially formulated to scour bilges clean using the motion of the boat

HYS BILGE-1L

Litre

HYS BILGE-4L

4 litres

HYS BILGE-PAIL

18.9 litres



Hyseas Boat Soap

- Safely removes grime, bird droppings, and fuel without stripping the wax or harming the boats finish
- Biodegradable, use above or below deck
- Safe for cleaning upholstery, sails, life preservers and inflatable boats
- Dilute 1oz. per gallon of fresh or salt water for regular use and up to 4oz. per gallon for those heavier jobs

HYS SOAP-1L

Litre

HYS SOAP-4L

4 litre



► Also See

Star brite Bilge Cleaner pg 515

Meguiar's Boat/RV Wash

- Suds action gently washes away scum, grime and dirt without stripping the wax protection
- Non-streaking formulation that also contains conditioners to leave a high shine finish

MEG M-4364C 1.9 litre (64 oz)



Meguiar's Heavy Duty Oxidation Remover

- For machine applications to remove heavy to extreme oxidation, scratches and water spots
- Use on all fibreglass surfaces, new hi-tech paints and gel coat formulations

Recommended use of #45 Boat Polish immediately after #49

MEG M-4916C 473 ml (16 oz)



Meguiar's One Step Compound

- An aggressive cutting agent to remove heavy oxidation from gel coats
- One step formula is designed to both clean surfaces and leave a high gloss
- Removes stains, scratches and water spots by hand or machine

MEG M-6732C 950 ml (32 oz)



Meguiar's Medium Cut Cleaner

This moderate abrasive cleaner removes all medium surface defects including harsh swirls, oxidation, water spots and sanding marks.

MEG M-0116C 473 ml (16 oz)



Meguiar's Final Inspection Cleaner

- High-lubricity formula encapsulates dust particles and enhances deep lustre-without using water
- Great for removing residue after buffing
- Contains brighteners for a high gloss shine
- Perfectly safe for all paint finishes, including clear coats

MEG M-3416C 473 ml (16 oz) spray

MEG M-3401 3.78 litre (gallon)



Meguiar's Cleaner Wax

- A one step cleaner wax
- Cleans chemically without the use of abrasives

MEG M-5016C 473 ml (16 oz)

MEG M-5032C 950 ml (32 oz)



Meguiar's Hybrid Ceramic Wax

- Easy to use: Just spray on, rinse off and dry
- Less effort and mess: No rubbing, curing, buffing or mess
- Hybrid ceramic wax protection: Advanced sio2 hybrid technology delivers ceramic wax protection
- More than a wax: Protection and durability beyond conventional wax
- Water beading protection: Ceramic wax protection with extreme water beading action

MEG G190526C 768 ml (26 oz)



Meguiar's Flagship Premium Marine Wax

- Durable high gloss protection for fibreglass and painted surfaces
- Protects against UV

MEG M-6316C 473 ml (16 oz)

MEG M-6332C 950 ml (32 oz)



Meguiar's Hi-Tech Yellow Wax

- A blend of premium Carnauba wax, silicones, polymers and other waxes
- For protection and gloss on fibreglass and painted surfaces, including clear coats
- Goes on and off easily and does not dry white
- For use by hand or buffer/polisher

MEG M-2616C 473 ml (16 oz)



Meguiar's Quik Spray Wax

- Works on light scratches, oxidation, water spots and other contaminants
- Spray on and wipe off for high gloss with a light wax protection
- Provides UV protection

MEG M-5916C 473 ml (16 oz) spray



Meguiar's Polish & Gloss Enhancer

- Boat polish and gloss enhancer develops an extremely high gloss finish on fibreglass boats
- Restores the original "new boat" appearance
- Contains no wax or silicones so it can be used often without fear of build-up

MEG M-4516C 473 ml (16 oz)



Meguiar's Vinyl & Rubber Cleaner Conditioner

- Deep cleans and revitalizes vinyl and rubber
- Restores colour and screens out damaging UV rays

MEG M-5716C 473 ml (16 oz) spray



Osborne Marine Residue Remover

- An innovative product to remove barnacles and marine growth from propellers
- Made using organic acid salts (non-corrosive to skin)
- Much safer and easier to use than muriatic acid

CMP 4865 473 ml (16 oz) spray
CMP BD-128 3.78 litre (gallon)



Shurhold Brite Wash

Brite Wash is an environmentally safe, concentrated wash soap that will not strip wax or polish while resisting water spots even in hard water. One ounce will clean a 40 foot boat!

Brite Wash is safe and effective on:

- All fibreglass and gel coat exterior surfaces
- Clear Eisenglass panels, glass & plastic, canvas/canopies and stainless steel railings

SHU YBP-0301 950 ml (32 oz)



Shurhold Pro Polish Wax & Sealant

- Polymer wax offers superior protection and performance over traditional waxes without the use of talc powder
- Protects surfaces from the effects of the sun with UV inhibitors
- Safe on fibreglass, paint and metal

SHU YBP-0202 473 ml (16 oz)



Smell Zapper B-Gone

- Safely removes the impossible: Adhesive, tar, grease, asphalt sealer, oil and glue
- Safe for finished surfaces
- Environmentally safe
- Rinses easily in water leaving behind a surface that is totally film-free
- 100% biodegradable & non-flammable

SME BGONE 473 ml (16 oz)



Smell Zapper Spot Remover

- Effective against all types of stains including oils, ink, food stains and many other difficult spots on carpets, rugs and upholstery
- When used on carpet, ERASE restores nap and texture
- Free of chlorinated solvents
- Deodorizes as it penetrates and cleans; won't leave any residue
- Works on new & old stains!
- 100% biodegradable, non-flammable & has a clean scent

SME ERASE 473 ml (16 oz)



Smell Zapper Odour Eliminator

- Designed to quickly and permanently eliminate organic odors such as urine, feces, sewage, fish scents etc.
- Can be used on any water safe fabrics/surfaces
- 100% biodegradable & non-flammable

SME ODOR ELIMINATOR 946 ml (32 oz) spray



Smell Zapper Smoke Eliminator

- Permanently eliminates odors caused by smoke, cannabis, kitchen fires, cigarettes/cigars and cooking
- Ideal & safe to use on any water safe fabrics/surfaces for boat rentals and restoring in-trade value of your boat
- Use sparingly - a little goes a long way
- 100% biodegradable, non-flammable & pleasant scent!

SME SMOKE ELIMINATOR 946 ml (32 oz) spray



Spray Nine Grez-Off

- Water soluble biodegradable degreaser
- Cuts through heavy oil and grime
- Non-flammable with no unpleasant odours

SP9 C12532 946 ml, spray
SP9 C12501 3.78 litres refill



Spray Nine Multi-Purpose Cleaner

- Removes soil and stains quickly
- Disinfectant properties kill off harmful bacteria
- Great for moulds and mildew

SP9 C27946 946 ml, spray
SP9 C26804 4 litre refill



Spray Nine Bottom Cleaner

- Gel formula clings to and penetrates the toughest boat fouling, oil slick, algae and rust stains
- Works above and below the water line
- Non-abrasive and hydrochloric-acid free
- For fibreglass, plastic, metal and wood hulls

SP9 C30832 946 ml (32 oz)



Star brite Ez-On-Ez-Off Hull Cleaner

- Water based environmentally friendly formula
- Removes stains and scum lines
- Special buffering process makes this safer than acid based bottom cleaners

STA 92832 950 ml (32 oz)

**Star brite Instant Hull Cleaner**

- Removes stains from grassy marine growth, scum line and rust stains
- Use on fiberglass, metal, and painted surfaces
- Easy to use spray or wipe on formula - no rubbing required
- Biodegradable

STA 81732 950 ml (32 oz)

STA 81700 3.78 litre (gallon)

**Star brite Gel Hull Cleaner**

- New Gel formula "sticks" where applied for maximum cling time and cleaning power
- Specifically formulated to remove the toughest stains, including rust, dried fish blood and leaf stains
- Works on all fiberglass and painted surfaces; ideal for vertical surfaces
- Does not contain harmful acids, safe and easy to use

STA 96132 950 ml (32 oz) spray

**Star brite Boat Bottom Cleaner**

- Removes marine deposits, scum lines, and rust quickly and easily
- Water based, environmentally friendly & biodegradable formula
- Buffering process makes this product safer than other acid based bottom cleaners

STA 92200 3.78 litre (gallon)

STA 92232 950 ml (32 oz)

**Star brite Bilge Cleaner**

- Biodegradable
- Easy to use; just pour in, run boat, pump out
- Dissolves and eliminates oil, grease, fuel, scum, and sludge
- Will not harm fiberglass, rubber hoses, wiring, metal, or plastic

STA 80532 32 oz

STA 80500 Gallon

**Star brite Paddlesport Cleaner/Protectant**

- Spray on, wipe off
- Removes grime, dirt and salt deposits
- PTEF polymers help protect against UV damage
- Formulated for use on fiberglass, Kevlar and plastic

STA 96022** 650 ml (22 oz) spray

**** Limited Quantity**

**Star brite Vinyl Cleaner & Polish**

- Shines and protects all kinds and colours of vinyl
- Leaves a long lasting, waterproof protective coating
- Keeps vinyl soft and supple, prevents drying out and cracking
- Provides protection against UV damage & weathering
- Ideal for restoring stained and faded vinyl

STA 91016 473 ml (16 oz)

**Star brite Non-Skid Deck Cleaner With PTEF**

- Cleans away ground-in dirt and stains
- Safe to use, contains no harsh chemicals
- Leaves a protective coating to repel dirt and stains
- No hard scrubbing or rubbing
- Will not remove wax or polish
- A very effective, all-surface cleaner for fiberglass, vinyl, plastic, metal, and painted surfaces

STA 85922** 650 ml (22 oz)

STA 85932 950 ml (32 oz)

STA 85900 3.78 litre (gallon)

**** Limited Quantity**

**Star brite Non-Skid Deck Wax**

- Provides a non-slippery barrier against stains and UV exposure
- Helps restore luster to fiberglass decks
- Helps keep decks clean and stain-free

STA 97316 473 ml (16 oz) spray



Star brite Mildew Stain Remover

- Removes mildew stains on contact
- Simple spray on application
- Use on vinyl covers, headliners, cushions, etc

STA 85616 650 ml (22 oz) spray

**Star brite****Instant Black Streak Remover**

- Instantly removes black streaks caused by water run off
- Safe for use on fibreglass, metal and painted surfaces
- Just spray on and hose off
- Contains no harsh acids or alkalis

STA 71622 650 ml (22 oz) spray

**Star brite Rust Stain Remover**

- Wipe out rust stains
- Easy to use spray on formula
- No rubbing or scrubbing required
- Safe for use on fibreglass, metal and painted surfaces

STA 89222 650 ml (22 oz) spray

**Star brite Spider & Bird Stain Remover**

- Quickly dissolves messy spider and bird droppings
- Nontoxic, all-natural formula
- Contains no bleach; safe for use around kids and pets
- Will not remove polish or wax

STA 95122 650 ml (22 oz) spray

**Star brite****Ultimate Pontoon Deck Cleaner**

- Unique chelating agents loosen and lift dirt and stains for easy removal without scrubbing
- Safe for all decks, carpets and vinyl
- Protective polymers help repel stains and UV rays
- Lake-safe formula can be used on or near the water

STA 96332 950 ml (32 oz)

**Star brite****Premium Cleaner Wax With PTEF**

- Cleans, shines and protects in one step
- Quick and easy to use
- Specially formulated for fibreglass, metals and painted surfaces
- PTEF polymers & UV inhibitors help prevent fading and oxidation

STA 89616 473 ml (16 oz)

**Star brite****Premium Restorer Wax**

- Heavy-duty premium restorer wax
- A one-step formula that easily removes medium to heavy chalk & oxidation
- No hard rubbing or buffing required
- Special UV inhibitors guard against fading, and eliminate the need to use rubbing compound, followed by wax
- Ideal for use on coloured fibreglass hulls
- Can be applied by hand or with a buffer

STA 86016 473 ml (16 oz)

**Star brite****Premium Marine Polish with PTEF**

- Leaves an unbelievably tough, super slick finish
- Actually repels dirt, grime, oil and stains

STA 85716 473 ml (16 oz)

**Star brite Marine Polish**

- #1 selling polish
- Good for new and older boats
- Helps stop fading from UV rays
- No hard rubbing required
- Lasts up to 4 times longer than other polishes

STA 80116 473 ml (16 oz)

**Star brite****Waterproofing & Fabric Treatment**

- Top rated waterproofing
- Prevents rot and mildew
- For boat covers, bimini tops, sail covers, clothing, and tents
- Allows fabric to "breathe"

STA 81922 650 ml (22 oz) spray



Super-Tuff

- All purpose cleaner degreaser
- Environmentally safe, non toxic, biodegradable
- Cleans dirt, grease, oil, mildew, blood stains, rust, wax, soap scum, black scuff marks and carpet stains
- This product should be used with care: use full strength on those really "Tuff" jobs
- No bleach, acid, or phosphates



CMP ST-1L 1 litre
CMP ST-4L 4 litre

Super-Tuff GREEN

- Ready to use concentrated cleaner degreaser
- Intended for daily use
- Takes the guess work out of mixing



CMP ST-1LGREEN 950 ml spray

3M High Power Spray Gun Cleaner

- Helps reduce the use of cleaning solvents
- Compatible for cleaning waterborne and solvent-based coatings
- Aerosol cleaner is low VOC - less than 25 g/L
- Designed for use on metal spray equipment or composite/plastic components



THR 26689 426g (15 oz)

3M Citrus Base Cleaner

- A non-corrosive, high strength cleaner/degreaser
- Removes oil, grease, tar, uncured adhesive, tape residue, and other similar substances



THR 08789 177 ml (6 oz)

3M General Purpose Adhesive Cleaner

Specially blended solvent for removal of light paint overspray, adhesive residue, wax, grease, tree sap, dirt, road tar, oil and bugs in aerosol form.



THR 08987 435 gram aerosol

**3M Marine Fibreglass Cleaner and Wax**

- Designed to remove light to medium oxidation, clean, polish and protect fibreglass/gel-coat and marine topside paints
- Liquid formulation combines a compound with a special blend of waxes which restore shine and protect in one application



THR 09009 473 ml (16 oz)
THR 09010 Litre (33.8 oz)

3M Marine Fibreglass Restorer and Wax

- Designed to remove HEAVY oxidation, chalking, fading, minor scratches, rust and exhaust stains
- Provides protection for fibreglass/gel-coat and marine topside paints
- Combines a rubbing compound with a blend of waxes which restore shine and protect in one application



THR 09005 473 ml (16 oz)
THR 09006 950 ml (32 oz)

3M Clean & Shine Wax

- Quick and easy, spray on.-wipe off product
- Recaptures that just waxed look and feel
- Excellent for use on wet or dry surface



THR 09033 473 ml (16 oz) spray

3M Protective 'Scotchgard' Liquid Wax

- Uses reactive chemistry to bond with your boat's surface
- Offers exceptionally high gloss
- Lasting durability
- Helps to protect against UV radiation



THR 09061 500 ml (16.9 oz)
THR 09062 Litre (33.8 oz)

3M Marine Vinyl Cleaner and Restorer

- Cleans, shines, conditions and helps to protect vinyl, rubber and plastic surfaces
- All-in-one formula
- Gel is easier to control as its applied and a little goes a long way



THR 09029 443 ml (15 oz) spray

3M Marine Outdoor Vinyl Conditioner and Protector

- Designed to clean, condition and protect marine vinyl and rubber components
- Provides protection in exterior, as well as interior applications
- Gel formula gives you better application control than liquids



THR 09023 236 ml (8 oz) gel

3M Mildew Stain Remover

- Easy spray application
- Removes mildew stains from most marine surfaces
- Use to remove mildew stains from vinyl, covers, cushions, and other marine surfaces

THR 09067 500 ml (16.9 oz) spray



3M Mildew Block

- Safe to use on most marine surfaces and materials above the waterline
- Can be used both indoors and outdoors
- Nontoxic formula

THR 09065 500 ml (16.9 oz) spray



3M Sharpshooter Mark Remover

- No-rinse formula cleaner for quick, easy removal of soil and grease
- This powerful cleaner penetrates and loosens buildup quickly
- Convenient and effective

THR 19344 946 ml (32 oz) spray

**NOT for retail sale
Boatyards ONLY**



3M Perfect-It Rubbing Compound

- Designed medium-cutting compound for removing grade 1200, 1500 and 2000 colour-sanding scratches in paints including clear coats
- Formulation produces minimal compound swirl marks while buffing to a high gloss

THR 05973 946 ml (32 oz)



3M Super Duty Rubbing Compound

- Recommended for heavy aggressive compounding of paint
- Clings to paint surface - remains wet on the job with little or no mess
- Maintains high rate of cut with constant pressure
- Buffs to high gloss with minimum of swirl marks
- Can be used by hand or by machine

THR 05954 946 ml (32 oz)

THR 05955 3.78 litres (128 oz)



3M Marine Super Duty Rubbing Compound

- Suggested for heavy, aggressive compounding of oxidized gelcoat and marine paint
- Clings to paint and gelcoated surfaces - remains wet on the job with little or no mess
- Buffs to high gloss with minimum of swirl marks
- Can be used by hand or machine
- Maintains high rate of cut with constant pressure

THR 09004 473 ml (16 oz)



3M Marine High Gloss Gel-Coat Compound

Paste compound is designed to quickly remove P600 dual action or 1000 wet sanding scratches from production gel-coat.

THR 06025 3.78 litres (128 oz)



3M Imperial Compound & Finishing Compound

- Fast cutting and leaves an excellent finish without swirl marks
- Compound with an air or electric buffer (1500 -2500 rpm) equipped with a buffing pad
- Contains no wax or silicone

THR 06044 946 ml (32 oz)

THR 06045 3.78 litres



3M Finesse-It II Finishing Compound

- Produces a high gloss finish
- Removes grade microfine 1500 sand scratches
- Good handling
- Easy clean-up

THR 05928 946 ml (32 oz)



3M Perfect-It EX Rubbing Compound

- Designed to remove P1200 and finer scratches with either a wool pad, or a foam compounding pad
- Non-gritty formula works on all types of automotive paints, leaving an extremely fine finish with easy clean-up

THR 36060 946 ml (32 oz)



3M Perfect-It EX Machine Polish

- Quick and effectively helps to remove compound swirl marks, leaving an outstanding finish
- Polish is a wetter formulation than the regular 3M Perfect-It Machine Polish, which allows for a longer work time without drying
- The polish can be used with the foam polishing pad 05726

THR 06094 946 ml (32 oz)



3M Perfect-It EX Ultrafine Machine Polish

- Eliminates swirl marks and produces a high gloss finish, even on dark coloured surfaces
- Good handling, easy cleanup

THR 06068 946 ml (32 oz)



3M Perfect-It Boat Wash

- Perfect-It Boat Wash cleans grime, algae, dirt, and other common marine contaminants
- As a concentrate, you only need one ounce per gallon
- High-sudsing formula is also gentle enough to clean without stripping wax

THR 09034 473 ml (16 oz)
THR 09035 946 ml (32 oz)



3M Perfect-It Heavy Cutting Compound

- This fast-cutting compound removes heavy oxidation, scratches, and other defects
- Use for any P800 and finer scratches
- Its improved formula has longer wet times for easier clean up and less dust
- Formula works better in warm climates and allows you to use less material than before
- While ideal for three-step processes, its high gloss results can be protected with boat wax after compounding for an easy two-step finish

THR 36101 473 ml (16 oz)
THR 36102 946 ml (32 oz)



3M Perfect-It Medium Cutting Compound + Wax

- Combines fast cutting power, a high gloss finish, and durable wax protection
- Use this for any P1000 and finer scratches
- Improved formula has longer wet times for easier clean up and less dust, even in warm climates
- This one-step solution results in a brilliant finish and long-lasting protection for any of your gelcoat surfaces

THR 36105 473 ml (16 oz)
THR 36106 946 ml (32 oz)



3M Perfect-It Light Cutting Compound + Wax

- When a brilliant finish and durable protection are needed for P1500 and finer scratches
- Perfect solution for light or dark coloured gelcoat
- Its improved formula has longer wet times for easier clean up and less dust
- Formula works better in warm climates and allows you to use less material than before
- Ideal for one-step processes
- Use whenever you want a durable wax finish

THR 36109 473 ml (16 oz)
THR 36110 946 ml (32 oz)
THR 36111 3.78 litres (128 oz)



3M Perfect-It Boat Wax

- It's safe for gelcoat, paint, fiberglass, and metals and has a pleasant tropical scent
- Pure wax finish helps protect against the elements
- Use as a final step to any process where a wax finish is recommended

THR 36112 473 ml (16 oz)
THR 36113 946 ml (32 oz)



3M Scotch Gard

Protector for Outdoor Fabric

- Extra-strength formula gives added protection against rain, salt water, dirt and oily spills
- Causes no change in look, feel or breathability of fabrics
- Great for canvas and outdoor apparel

THR 55563-SG-O 297 gr



303 Aerospace Protectant

- Matte finish with no oily and greasy residue
- Prevents fading and cracking
- Restores lost colour and luster
- Powerful UV blockers
- Anti-static, repels smudges, dust, soiling and staining
- Easy to use, simply spray on and wipe dry
- Safe and effective for vinyl, clear vinyl, gel-coat, fiberglass, carbon fiber, synthetic/natural rubber, plastics and finished leather

303 130340 473 ml (16 oz) spray
303 130313 946 ml (32 oz) spray
303 130370 3.78 litre refill



303 Fabric Guard

- Strengthens and restores water repellency
- Greatly increases stain resistance
- Prevents mold and mildew
- Maintains colourfastness
- Keeps fabrics soft and breathable
- Safe for synthetic and natural fibers

303 130616 473 ml (16 oz) spray
303 130606 946 ml (32 oz) spray
303 130674 3.78 litres (gallon) refill



303 Mold/Mildew Cleaner

- Quickly removes mold & mildew stains on contact
- Blocks mold & mildew stains from re-occurring
- Does not contain bleach, leaves behind a fresh scent
- Works on ALL water-safe surfaces, including vinyl & fabrics

303 130553 946 ml (32 oz) spray



303 Multi-Surface Cleaner

- Ultimate cleaning power with no residue
- Safely brightens & rejuvenates surfaces
- Designed for all water-safe materials
- Leaves surfaces looking new every time

303 130207 473 ml (16 oz) spray



WashSafe Clean All



Clean All is a 100% eco-friendly, non-toxic, 4-in-1 liquid concentrate that not only cleans, but also sanitizes, degreases, and deodorizes.

- Strong enough to degrease your engine compartment, but gentle enough to wash stain off your hands
- Can be used at full strength for tough jobs, or diluted (1:4 or 1:6) for easier cleaning needs
- Safe for all boat surfaces - plexiglass, stainless steel, aluminum, fiberglass, black streaks and fender scuffs, fenders, inflatables, life jackets, vinyl cushions, awnings, sail covers, sail stains, fridges, heads, bilges, engines, and exhaust stains
- Does not kill mold and mildew, but will effectively loosen growth on hard, non-porous surfaces, making it very easy to wipe the mold and soiling off

WSF WS-CA-500ML 500ml, 12/case

WSF WS-CA-1L 1 litre, 12/case

WSF WS-CA-4L* 4 litre, 4/case

*** Request Item**

WashSafe Marine Mold & Mildew Wash

- Non-toxic cleaner, safe for oceans, lakes, rivers and all aquatic life
- Very space efficient, made from super concentrated powder with no expiration date
- Eliminates organic matter on your boat, including mold, mildew, algae, fish blood and bird feces on decks, vinyl upholstery, carpet, bilges, toilet bowls, live wells and refrigerators



WSF WS-MW-850 850 grams (1.9 lbs)

WashSafe Sail Wash

- Environmentally friendly and biodegradable
- Chlorine free
- Professional sail cleaner

WSF WS-SW-3LB** 48 oz

**** Limited Quantity**



WashSafe Rust Off

- Removes rust stains from fiberglass, metal, vinyl, cloth, wood, sails
- Simply spray on and rust disappears

WSF WS-RO-32OZ 946 ml (32 oz) spray

WSF WS-RO-1GAL** 4 litre

**** Limited Quantity**



WashSafe Degreaser

- Non-toxic and biodegradable
- Change water dilution ratios for different jobs

WSF WS-UO-1L 1 litre



Rain-X Glass Treatment

Dramatically improves wet weather driving visibility, simply apply the treatment to exterior glass. Helps improve visibility by repelling rain, sleet and snow.

- Helps easily remove frost, ice, salt, mud and bugs
- *Not for use on plastics

RNX 36231 207 ml

RNX 36232 473 ml, spray



Rain-X Anti-Fog

- Reduces interior fogging and removes smoke residue

RNX 36235 207 ml



Rain-X Plastic Treatment

- Applies water beading technology to dramatically enhance visibility
- Provides a superior water beading coating on various plastics including Lexan, Plexiglass, Perspex, Lucite, Acrylics and Polycarbonate.
- Easily applied for a durable coating

RNX 75016 355 ml, spray



Klear-To-Sea

- Cleaner and preservative for plastics, lexan, polycarbonates, acrylic, clear vinyl, glass, isinglass, strataglass, mirrors, windshields or anything optical
- Anti-static, anti-fog, anti-smudge and repels dust
- Gives a lustrous "Klear" look with no streaking and no wax
- Reduces glare
- No ammonia, no alcohol, no harmful abrasives
- Repairs light scratches with continued use
- Meets multiple MIL specs for acrylic and Lexan

CMP KS-AEROSOL 550 ml (18.6 oz)

CMP KS-1L 1 litre

CMP KS-500ML 474 ml (16 oz) spray



3M Glass Cleaner

- For glass, plastic, lexan, chrome, and all metal surfaces
- Non-flammable and will not affect painted surfaces
- Wipes off without streaking and leaves no residue

THR 08968 538 gr aerosol



Aqua-Tek Poly Clear Marine



- For use on vinyl windows, glass, plexiglass, lexan, plastic, acrylic, wood, mirror, marble, polished stone, stainless steel, brass, bronze, and chromium
- Brilliant appearance
- Does not damage vinyl windows
- Reduces maintenance time and effort
- Dry product without greasy film
- Long-lasting cleanliness
- Eliminates hard water stains on plastic windows

AQU 51014 650 ml



Flitz Plastic Cleaner Kit

- Restores clarity to yellow, hazy or cloudy eisenglass, plexiglass, plastics, gelcoat and fibreglass
- BuffBall is washable and reusable
- Kit Includes: XL Buff Ball (7" ball), Flitz Polish-Paste 50 gr (1.7oz), Waxx Protectant 50 gr (1.7oz)



FLZ PL31503

Meguiar's Plastx Plastic Polish

- For use on both rigid and flexible clear plastics
- Removes light oxidation, chemical degradation, surface contamination, stains and light surface scratches
- Contains water-resistant polymers for long lasting, durable protection



MEG G-12310C 296 ml (10 oz)

Starbrite Screen Cleaner

- Screen cleaner and protectant
- Formulated for use on all marine electronics



STA 88308** 236 ml (8 oz)

**** Limited Quantity**

Falcon Dust-Off

- Provides potent dust-removing power for practically any task
- 100% ozone safe



FAL DPSM 7 oz aerosol

Aqua-Tek Sailboat Fuel

- Ideal dust, dirt and lint remover for keyboards, cameras, computers, printers and other electronic devices

AQU 51085 285 gr



Proud Grill Grill Cleaning Kit

- Cleaning brush with stainless steel scraper and pad
- Bristle free and wire free cleaning
- Tough and moist wipes with 3D cleaning nodules
- Cleaner and safer grill cleaning
- Removes grease and grime for better tasting food every time

PRO 1251C Cleaner kit (brush & 25 wipes)

PRO 3031C Cleaner kit (brush & 3 wipes)

PRO 2400C Cleaning wipes (40)

PRO 1251F Floor stand display kit (24 x 1251C)

Flitz BBQ Cleaner Kit

- Bring truth to the phrase "clean enough to eat on" and restore shine with the BBQ Grill Care Kit.
- Stainless Steel Cleaner w/Degreaser (1.7 oz): Removes fingerprints, oil, grease, water spots, dirt & more
- Stainless Steel Polish (1.7 oz): A premium, water-based polish. Leaves a brilliant, protective gloss. Dust & fingerprint resistant
- Flitz Polish (3.4 oz): Cleans & polishes, removes rust, stubborn water spots, bird droppings & more
- Microfiber Cloth



FLZ BBQ41504

Flitz Polish Paste

- A concentrated cream that cleans, polishes, deoxidizes and protects
- Non-abrasive, nontoxic, non-flammable, USDA authorized
- Protects up to 6 months in fresh water; up to 3 months in salt water
- Use on: Brass, copper, silverplate, sterling silver, chrome, stainless steel, nickel, bronze, solid gold, aluminum, anodized aluminum, beryllium, magnesium, platinum, pewter, factory hot gun bluing, painted surfaces, Formica, cultured marble, Corian, glass, plexiglass, plastics, fibreglass, eisenglass, and Armatel
- Easily removes: Tarnish, rust, water stains, chalking, lime deposits, heat discolouration, lead & powder residue, oxidation, bugs, tar, oil, fingerprints, tree sap, bird droppings, graffiti, dyes, black streaks/scuff marks



Not for electroplated finishes

FLZ BP03511 50 gr (1.76 oz)

FLZ BU03515 150 gr (5.29 oz)

FLZ CA03516 453 gr (16 oz)

FLZ CA03518-6 906 gr (2 lbs)

Flitz Stainless Steel & Chrome CLEAN

- Powerful degreasing action
- Water-based & streak-free
- It easily cuts through grease buildup; won't discolour stainless steel
- Fast & easy - just spray & wipe
- Non-flammable

FLZ SP01506 473 ml (16 oz) spray**Flitz Stainless Steel & Chrome Polish**

- Water-based formula, non-toxic, eco-friendly
- Produces a deep gloss shine
- Use on appliances, gas grills, vent hoods & more

FLZ SS01306 473 ml (16 oz) spray**Flitz Calcium, Rust, & Lime Remover**

- Quickly and easily removes even the crustiest of stains, deposits and build-up
- Made of organic salt, it is safer and easier to use than traditional cleaners
- Recommended for removal of hard water spots and rust stains

FLZ CR01606 473 ml (16 oz) spray**BoatLIFE Stainless Steel Cleaner**

Cleans and protects in one easy step. Non-streaking formula. Removes grease and stains. Easy spray-on, wipe-off. Leaves surface fingerprint resistant.

BOA 1134 16 oz, spray**Shurhold Yacht Brite Buff Magic**

- Fibreglass reconditioner & metal polisher
- For steel, aluminum, brass, bronze, copper & gold
- Removes oxidation, gelcoat staining, surface rust, tarnish, plexglass scratches

SHU YBP-0101 624 gr (22 oz)**Star brite Chrome & Stainless Polish**

- Cleans and shines chrome and stainless steel
- Protects against discolouration, staining and rust

STA 82708** 236 ml (8 oz)**** Limited Quantity****3M Stainless Cleaner/Polish**

- For stainless steel, chrome, and all metal surfaces
- Wipes off without streaking and leaves no residue

THR C-10097-21OZ 21.5 oz aerosol**Aqua-Tek Aluminum Cleaner**

Extremely powerful acid-based formula. It removes algae quickly and efficiently on aluminum boat hulls as well as oily and greasy residues, stubborn black marks and stains, rust stains, scum, zebra and barn mussels. It is specially designed to restore the surfaces of unpainted aluminum boats and pontoons by giving them a glossy finish.

- Powerful cleaner that removes stubborn and difficult stains
- Extra fast and efficient cleaning action
- Phosphate free
- Easy to rinse

AQU 51020 950 ml**Starbrite Aluminum Polish**

- Formulated to preserve the finish of all types of aluminum boats
- PTFE polymers provide UV protection and help repel dirt and stains

STA 87616 473 ml (16 oz)**Starbrite Aluminum Cleaner/Polish**

- Formulated to clean and restore stained or dull aluminum

STA 87764 1.89 litres (64 oz)**3M Marine Aluminum Restorer and Polish**

Designed to remove oxidation, growth and stains and restore a lustrous appearance to bare aluminum. Also removes heavy oxidation and restores shine to most painted aluminum surfaces.

THR 09020 510 gr (18 oz) paste**WashSafe Rust Stopper**

- Chemically converts rust overnight into a hard metal surface (iron phosphate)
- Can be painted over
- Coverage: 200 sq ft per quart

WSF WS-RS-32OZ 946ml, spray**Blue Steel Treatment**

- Combines chemical rust conversion properties with the protective characteristics of a tough surface film
- A single application stops rust and also primes the steel
- Can be applied by brush, deck scrubber or low pressure spray
- Compatible with most water-based and solvent-based coatings
- Clean-up with soap and water
- Allow to cure for 3-4 days before over coating with epoxy

BLS BSP1LTR Litre
BLS BSP4LTR 4 litre
BLS BSP500ML 474 ml



Sika Hand Cleaner

- A waterless hand cleaning system combining both a liquid hand cleaner formula and a non-scratching abrasive hand cleaning towel
- Removes fresh urethane and primer
- Will also remove small amounts of cured urethane and dried primer
- Works fast to loosen and dissolve surface and embedded grease, grime and soil
- Hands are left conditioned with gentle emollients



SIK HAND-CLEANER 72 towels/pail

Spray Nine Fast Orange Hand Cleaner

- Contains no harsh chemicals, mineral oils or ammonia that can sting cuts and abrasions
- Pure, fresh-smelling natural citrus power does the cleaning
- Fortified with aloe, lanolin, glycerin and other skin conditioners
- Fine Pumice formula gently deep cleans the toughest dirt



SP9 25117 443 ml

SP9 25219 3.87 litre

O'Keeffe's Working Hands

- Relief for dry hands that crack and split
- Contains a high concentration of Glycerin that draws in and retains moisture
- Includes Allantoin, an odorless, non-toxic and non-allergenic skin-protectant derived from the Comfrey plant



GOR K1350001 102 ml (3.4 oz)

O'Keeffe's Healthy Feet

- Relief for feet that crack and split
- Non-oil based and made with Glycerin, that draws in and retains moisture
- Has a higher concentration of Allantoin to remove dead skin cells for better penetration and absorption of moisture and moisturizing ingredients
- Also protects against damaging friction



GOR K1320001 96 ml (3.2 oz)

ZAAL Zwitterionic Laundry Detergent

- Lowest available carbon footprint
- Low foam formula
- For HE and regular machines
- Biodegradable and no phosphates
- 8X concentrate means a small package
- Septic, RV and marine safe

ZAA FI-ZAA-049 1 litre



Meguiar's Hand Application Pads

- Ultra-soft applicator pads apply any liquid or paste product uniformly and evenly
- Safe for any finish
- Completely washable and reusable
- 4-1/2" diameter

Don't put in dryer**MEG W-0004**

4/pkg

**3M Hookit SBS 7" Backup Pad**

- Get easy attachment, quick removal and accurate centring of either the compounding or polishing pad with the Hookit system
- Thread size: 5/8"
- 7" diameter
- Max RPM: 3000

THR 05717

Each

**3M Perfect-It SBS 7" Back-up Pad**

- Designed for use with adapter (05710)
- Enables 3M Superbuff Pad users to use the 3M Perfect-it Foam Polishing Pad (05726) without having to remove the Superbuff adaptor from the shaft of the polisher
- Thread size: 5/8"
- 7" diameter
- Max RPM: 3000

THR 05718

Each

**3M Hookit SBS System 9" Pads**

- Single sided wool compounding/polishing pad system
- Produces exceptional finishes on today's paint systems
- The Hookit SBS System is designed to provide easy attachment and removal and accurate centring of the Hookit SBS Compounding or Polishing Pad to the Hookit SBS Back-up Pad
- 9" diameter, single sided
- 1/pkg

THR 05711

Compounding pad

THR 05713

Polishing pad

Accessories:

THR 05717

Hook-It back-up pad



05711



05713

3M Finesse-it Knit Buffing Pad

- For use with random orbital sanders
- Made from wool fibers
- For applying the Finesse-it Finishing Material or Finesse-it Final Finish
- Has a Hookit attachment system
- 3" diameter x 15/16 trim length

THR 85078

Each

**3M Superbuff Polishing 9" Pad**

- A double sided, soft edge polishing pad, specially designed for use with a polisher and glaze
- Extremely fine fibres produces a high gloss on paint surfaces
- Long life, flexibility, lightweight and well balanced
- Fine, polishing pad
- Built-in lightweight back-up support
- 9" diameter, double sided
- Use with 05710 Superbuff adapter

THR 05705

Each


Accessories:

THR 05710

Adapter



05710

**3M Superbuff III Compounding 9" Pad**

- A double sided, 100% wool pad with a stiffer central hub for more cutting power
- This pad has untwisted wool yarn construction, which allows for more surface contact, while giving excellent cut and finish
- Excellent for hard paint
- Aggressive, fast cutting pad
- 9" diameter, double sided
- Use with 05710 Superbuff adapter

THR 05703

Each

Accessories:

THR 05710

Adapter



05710

**3M Superbuff III 2 plus 2 Compounding 9" Pad**

- 2 sides to buff
- More flexible - Gets into tight areas and reverse curves more easily
- Longer life - Provides greater economics to your buffing operation
- Heavy back-up pads are eliminated by the "2 plus 2" pad's own lightweight support system
- Washable
- 9" diameter, double sided
- Use with 05710 Superbuff adapter

THR 05704

Each

Accessories:

THR 05710

Adapter



05710

**3M Perfect-It Wool Compounding 6" Pad**

- Double sided low linting 100% wool pad
- Designed to refine sanding scratches on finishes
- Provides a finer finish than most 100% wool pads without the linting mess

THR 33288

Each



3M Perfect-It Wool Compounding 9" Pad

- Double sided low linting 100% wool pad
- Designed to refine sanding scratches on finishes
- Provides a finer finish than most 100% wool pads without the linting mess
- Use with 3M quick connect adaptor, # 05752
- Suggested for use with Perfect-It rubbing compound

THR 33279 Each

Accessories:

THR 05752 Quick release adapter**3M Perfect-It Wool Compounding 9" Pad**

- High performance double sided 100% wool compounding pad
- Refines P1200 and finer sand scratches and other paint surface defects
- Quick connect design

THR 05753 Each

Accessories:

THR 05752 Quick release adapter**3M Wool Polishing Pads**

- A high performance, double sided yellow blended wool polishing pads
- Removes compound swirl marks and fine paint surface defects

THR 05754 9" each

Accessories:

THR 05752 Quick release adapter**3M Paint Finishing Pad Kit**


- Complete buffer kit for compounding, polishing and finishing paint defects
- Single-sided 4" Hook-It buffer pads are excellent for control and access in small areas or tight spaces
- Includes foam and 100% low-lint wool buffer pads for compounding
- Foam polishing pad is designed for removing compounding swirls and small paint defects

THR 30045**3M Ultra Fine Foam Polishing Pad**

- Double sided ultrafine pad with quick connect
- Provides a swirl free finish with 3M Ultrafine Machine Polish (39062, 06068 or 06069)
- Use with 3M Quick Connect Adaptor 05752

THR 05708

Accessories:

THR 05752 Quick release adapter**3M Foam Polishing Pad**

- Double sided pad with quick connect
- Provides high-gloss shine
- For use with Quick Connect Adaptor 05752, and Perfect-It Machine Polish (39061 or 06065)

THR 05707

Accessories:

THR 05752 Quick release adapter**3M Foam Compounding Pad**

- Double sided pad with quick connect
- Use to remove sand scratches
- For use with 3M Quick Connect Adaptor 05752
- Suggested for use with Perfect-It Rubbing Compound (39060, 06086)

THR 05706

Accessories:

THR 05752 Quick release adapter**3M Perfect-It Foam Polishing 8" Pad**

- Utilizes a 3M patented convoluted foam face
- Insert backing for self-centering and edge protection
- Aggressive cut
- Do not exceed 2500 RPM

THR 05737 Each, single sided

Accessories:

THR 05717 Back-up pad, Hook-It**THR 05718** Back-up pad, Perfect-It**3M Perfect-It Foam Polishing 8" Pad**

- Designed to be used with the 3M back up pad (05718)
- Specially designed convoluted foam face to produce a wheel mark free finish on topside paint or during acrylic and polycarbonate plastic reconditioning

THR 05725 Single sided, 2/pkg

Accessories:

THR 05718 Back-up pad**3M Perfect-It Foam Compounding 8" Pad**

- Used to apply compound to remove sand scratches and swirls
- Convoluted foam face design holds compounds better, i.e., reduces slinging of compound
- Use backup pad 05717
- For extremely fine finishing

THR 05723 Single sided, 2/pkg

Accessories:

THR 05717 Back-up pad**3M Hookit Foam Polishing 3" Pad**

- Hookit foam polishing pad
- Convoluted foam face for cool and swirl free polishing
- Easy-On-Easy Off 3M Hookit attachment
- Ideal size for getting into hard to reach areas

THR 05726 Each, single sided**Shurhold Serious Pad Cleaner**

- Formulated powdered cleaner for rejuvenating buffing pads. Mixed with water this cleaner dissolves compounds and waxes from wool, foam and blended buffing pads.
- Also great for cleaning dock lines along with microfiber and cotton bonnets

SHU 30803 340 g (12 oz)



Shurhold Dual Action Polisher Pro

- Orbit (21mm) and pad size (7")
- 6" quick change backing plate
- 2 different ergonomic gripping styles
- EZ change carbon brush ports
- Thumb controlled variable speed dial (1,800-4,800 OPM)
- Locking on button
- 120V AC, 60Hz
- 7.5 amp, 900 watt
- Weight: 6 lbs - (2.72kgs)
- Power Cord: 20 feet
- Includes a detailed user guide and canvas storage bag

SHU 3500

Accessories:

- | | |
|-----------------|------------------------------|
| SHU 3552 | 7" polishing foam pad, red |
| SHU 3554 | 7" cutting pad, orange |
| SHU 3555 | 7" heavy oxidation pad, blue |



Shurhold Pro Rotary Polisher

This super powerful true rotary polisher cuts, polishes, and buffs.

- 7" quick change backing plate
- 3 different ergonomic gripping styles
- EZ change carbon brush ports
- Thumb controlled variable speed dial (600 - 3200 RPM)
- Locking on button
- 120V AC, 60Hz
- 12 amp, 1400 watt
- Backing Plate: 177mm (7"), pad size: 190mm (7.5")
- Weight: 9.4 lbs - (4.39kgs)
- Power Cord: 20 feet
- Includes a detailed user guide and canvas storage bag

SHU 3400

Shurhold

Brite Bonnet Final Polish Pads

The Brite Bonnet is a shaggy microfiber pad used to remove excess wax and buff your surface to a final shine. This unique pad is designed with a vapor barrier inside so it may be fitted over a wet wax pad for quick use.

For use with the Dual Action Polisher (3101).



- | | |
|---------------------|--------|
| SHU 3153 | 5" |
| SHU YBP-3153 | 7-1/2" |

Not compatible with the Pro Rotary Polisher (3400) or Dual Action Polisher Pro (3500)



Shurhold Dual Action Polisher Kit

- Random action orbital polisher
- Rated power: 500 watts
- 6 speed: 2,500-6,500 OPM
- 20' power cord w/GFCI plug
- 4.8 lbs
- Includes: Polisher
 - Pro Polish liquid wax sealant & polish (16oz)
 - Pro Polish foam finishing pad
 - Microfibre towel
 - Quick change backing plate & wrench
 - Heavy duty carry bag

SHU 3101

Kit

Buff Magic Pads

- A general purpose, light cutting pad
- 6-1/2" 100% premium wool
- Perfect for removal of oxidation
- Hook & loop backing

SHU 3151

2/pkg



Pro Polish Pads

- 6-1/2" black foam finessing pads
- Decreases polish absorption
- Prevents pad skipping
- Reduces heat & friction
- Hook & loop backing

SHU 3152

2/pkg



Buff Magic Foam Pads

- A general purpose, light cutting, compounding, foam pad
- 6-1/2" in diameter
- Dimpled pattern pad face runs cooler
- For removing oxidation, swirls and scratches

SHU 3154

2/pkg



Pro Polish Scrub Brushes

Dual action polisher scrub brushes.

- Stiff (White) for teak and heavily stained areas.
- Medium (Yellow) for medium duty cleaning and scrubbing. Works well on carpets.
- Soft (Yellow Flagged) for general duty cleaning and scrubbing. Also great for waxing non-skid.
- All brushes are designed to easily fit Shurhold's Dual Action Polisher.

SHU 3205

Stiff, white

SHU 3206

Medium, yellow

SHU 3207

Soft, yellow, flagged



Shurhold Brushes

900 series brushes feature a hard wood base, premium bristles, wrap around safety bumper, flared bristles, and angled heads.



- SHU 950** 6" stiff brush, white polypropylene bristles
SHU 955 6" medium brush, yellow polystyrene bristles
SHU 960 6" soft brush, yellow polystyrene bristles
SHU 970 6" extra soft blue nylon bristles



- SHU 980** 10" soft brush, yellow polystyrene bristles
SHU 985 10" med. brush, yellow polystyrene bristles
SHU 990 10" stiff brush, white polypropylene bristles



Great for windows, hulls, wheels, and other hard to reach areas.

- SHU 50** 5" round soft brush, yellow polystyrene bristles
SHU 310 8" nylon soft brush, blue nylon bristles
SHU 308 8" soft brush, yellow polystyrene bristles

Shurhold 900 Series Combo Brush

Now you can clean with just one brush. The combo deck brush is perfect for gentle washing along with areas that require more effort. The combo deck brush features longer soft fibers for washing, and medium short fibers for scrubbing. As you push down harder on stubborn spots, the stiffer fibers take over. As with all Shurhold brushes, this combo deck brush easily snaps into any Shurhold handle and features solid wood block and rubber wraparound bumper. 6"(15 cm)



SHU 965

Shurhold Hammerhead Brush


Ergonomically designed, it has a soft, contoured body that is comfortable and easy to grip when hand washing. The brush also fits onto all Shurhold handles. Equipped with the SHUR-LOK II quick-release system, it will not spin or pop off during use. With its bi-level design, a boater can push the brush out in front horizontally like a deck brush—and clean vertical hull surfaces just as effectively. The two-way cleaning is accomplished by special fibres set at different angles in the brush head.

- 4-1/2" x 8"

SHU 2110



Shurhold Handles



Handles are made from triple anodized, heat treated aluminum and quickly lock with all Shurhold accessories.

- SHU 713** 13" fixed length
SHU 730 30" fixed length
SHU 740 40" fixed length
SHU 760 60" fixed length



- SHU 833** 72" telescoping, locks at 4 lengths from 43"-72"
SHU 855 108" telescoping, locks at 5 lengths from 63"-108"

Shurhold Adapters and Extensions

Threaded adapter that is compatible with most internally threaded products.



SHU 101

10" curved adapter adds a 30 degree angle to any of the four SHUR-LOK equipped accessories. Two holes at the end provide a 180 degree rotation.



SHU 102CH

Shurhold Swivel Pads and Scrubbers

Swivel pad base with the SHUR-LOK adapter.

SHU 1700

Swivel pad combo that includes swivel pad base with the SHUR-LOK adapter and synthetic lambs wool cover.

SHU 1710C

Synthetic lambs wool cover.

SHU 1710

- SHU 1700F** Scrubber pad - Fine (each)
SHU 1700M Scrubber pad - Medium (each)
SHU 1700C Scrubber pad - Coarse (each)
SHU 1701 Fine scrubber pad (2/pkg)
SHU 1702 Med. scrubber pad (2/pkg)
SHU 1703 Coarse scrubber pad (2/pkg)



Shurhold Broom

Angled broom that attaches to handles.

SHU 120



Shurhold Mops

All mops are oversized and feature the exclusive SHUR-LOK quick release adapter.

Synthetic chamois mop, super absorbent.

SHU 113

The Deluxe Water Sprite mop is the most absorbent mop available. It's designed with 1-3/8" (35mm) wide strips that will never mold or mildew. It's ideal for drying and preventing water spots.

SHU 117

Rayon string mop, ideal for general purpose maintenance.

SHU 118**

**** Limited Quantity**



Shurhold Squeegees

All squeegees are constructed of stainless steel and feature the exclusive SHUR-LOK quick release adapter.


SHU 1412 12"
SHU 1416 16"



Shurhold Flexible Water Blade Adapter

Water blade holder to SHUR-LOK adapter

SHU 265



Shurhold Boat Hook

- Feature SHUR-LOK quick release adapter
- 3 in 1 boat hook that features a line carrying feature, centre push off, and a basic boat hook

SHU 130



Sea-Dog Boat Hook To Lock Button Adapter

Allows the Sea-Dog boat hook to be used with Shurhold and other accessories that have a lock button attachment system.

Fiberglass filled injection molded nylon

SED 491060-1



Shurhold Flexible Rope & Cord Brush

- Cleans 1/2" - 1" rope
- Ideal for boat line
- Simple to use and store
- Works on twisted & braided line
- 4" x 3"

SHU 273



Shurhold Flexible Water Blade

12" flexible water blade easily molds to curved surfaces, drying in 1/3 the normal time. Patented T-Bar edge eliminates water spotting without chamois and towels.

SHU 260



Sea-Dog Combination Soft Bristle Brush & Squeegee

- Universal Acme thread
- Fits all Sea-Dog boat hooks
- Soft brush with injected molded nylon/rubber squeegee
- W: 3-1/4" L: 10-3/8" D: 2-3/4"

SED 491075-1



Sea-Dog Boat Hook Brush

- Three-sided bristle brushes fit all universal threaded devices
- Soft bristles are safe for gelcoat, paint and plastic windows
- Medium bristle is a good overall brush for textured and non-skid surfaces
- Side bristles make it easy to clean in hard to reach places
- 10-1/2" head is longer than industry standard covering a larger cleaning area
- W: 10-1/2" x H: 3-5/8" x D: 3-1/4"

SED 491070-1

Soft / Blue

SED 491080-1

Medium / Yellow

SED 491090-1

Stiff / White



Camco Flexible Water Blade

- Squeegee is flexible and safe on any surface
- Helps eliminate water spots
- Fits all Camco handles and most other brands with Pivoting Adapter

- The Pivoting adapter locks into squeegee for vertical or horizontal use

CAM 41936

Water blade

CAM 41938

Pivoting adapter



Camco Adjustable Multi-Purpose Handles

- Teardrop profile
- Anodized aluminum construction
- Two TPE hand grips
- Includes multi-purpose boat hook

CAM 41912

3' - 6'

CAM 41914

5' - 9'

CAM 41916

6' - 11'



Camco Boat Hook

- Multi-purpose Boat Hook has many uses including a centered push-off and line carrier
- Fits all Camco Handles and most other brands

CAM 41940





Camco Wash & Wax Brush Kit

- Includes telescoping handle, medium brush head, microfiber wash mitt, boat hook attachment and mesh carry bag

CAM 41975

Camco Multi-Purpose Handle Brush Heads

- 7 inch-wide brush head
- Rubber perimeter bumper

CAM 41922 Soft, blue
CAM 41924 Medium, yellow
CAM 41926 Stiff, white



Camco Adjustable Broom

- Handle adjusts from 52" to 24"
- 9-1/2" broom head folds for storage & two position use
- Soft bristled head adjusts to different angles for maximum cleaning power
- Handy dustpan clips onto broom handle for storage

CAM 43623



Camco Dust Pan & Whisk Broom

- Small size makes it easy to keep handy
- Whiskbroom snaps into dust pan when not in use
- Includes whiskbroom and dust pan
- Whiskbroom is 10" wide

CAM 43945



B&H Wood Handles

For deck brushes or brooms.

BAH 5248 Tapered 48"
BAH 5254 Tapered 54"
BAH 5260 Tapered 60"
BAH 6148 Threaded 48"
BAH 6154 Threaded 54"
BAH 6160 Threaded 60"



Star brite 8" Brushes

- Polypropylene construction which is impervious to salt, sun & chemicals
- Will not crack split or warp like wood brushes
- Fits on Davis 4122, 4132 & 4152 or standard threaded hardwood handles

STA 40010 Stiff
STA 40011 Medium
STA 40013 Soft



40011

Star brite Hand Scrub Brush

Nylon Bristles set in a shaped plastic block with a contoured handle.

- L: 6" x W: 2-1/4" x H: 3-1/4"

STA 40027



B&H Deck Brushes

Set in 4-1/2" dia. molded plastic head that fits tapered and threaded handles.

BAH 852BR Brown, stiff
BAH 852BL Soft, blue PVC
BAH 852Y Poly, medium
BAH 852T Natural tampico (absorbent)



Shurhold Mate Brush & Handle

For the budget minded customer who wants quality without the SHUR-LOK system.



7" Hardwood brush with safety bumper mounted on a 48" threaded wood handle.

SHU 1950 Stiff polypropylene
SHU 1955 Medium polystyrene
SHU 1960 Soft flagged polystyrene

B&H Mop

Yacht Mops of 3-ply yarn, securely bound with rustproof wire to finished 48" handle.

BAH 06020 16 oz / 450 gr



Shurhold Hand Held Brushes

Includes unique spot scrubber on handle.

- L: 6" x W: 2-1/2" x H: 2"

SHU 270 Utility brush



Soft comfortable handle and safety bumper.

- L: 7-1/4" x 3-3/4" x H: 4-1/2"

SHU 272 Scrub brush



Stiff chemical resistant bristles.

- Length overall: 8-1/4" x Head: 3-1/2" x 3-1/2"

SHU 274 Dip & scrub brush



Stiff chemical resistant bristles.

- Length overall: 20" x Head: 3-1/2" x 3-1/2"

SHU 276 Dip & scrub brush





Davis Hull Scraper

When the boat is still in the water it is very easy to scrub away the soft fouling from the hull, before it hardens and becomes barnacles and sea shells. The cleaning head has a built-in buoyancy of 2 kg, which presses the rubber scrapers up against the hull and removes marine growth such as seaweed and early soft barnacles.

- A 30-35 foot sailboat takes about 20 minutes to clean
- Works on leisure motorboats and sailboats up to 40 foot long
- The cleaning head is provided with soft, flexible scrapers and a hard scraper to access all angles and shapes a hull may have
- Note that the Hull Scraper SET is intended for soft fouling and not already hardened or sharp fouling

DIN 86120** Spare cleaning Head

**** Limited Quantity**

Davis Cleaning Groovy Head

A cleaning head and accessory to Hull Scraper Set (86102), this is designed for tough and abundant marine growth, but not already hardened fouling such as shells. The cleaning head has a buoyancy of 2 kg, which creates a pressure against the hull and facilitates cleaning.

DIN 86152** Groovy Head

**** Limited Quantity**



Davis Waterline Brush

The Waterline Brush easily removes dirt that is formed at the waterline on the hull. The cleaning head has 1 kg buoyancy which helps to push the brush against the hull and is provided with a soft fleece brush on one side and a scraper on the other side. Scrub with fleece brush on the dirt and turn the side to rinse and remove residue with the scraper.

- Compliments the Scrubbis Hull Scraper SET(86102)
- Telescopic Handle(86151) sold separately

DIN 86103** Brush head

DIN 86151** Telescopic handle

**** Limited Quantity**



Davis Indicator Plate

Tie the plate with your boat or the jetty beside the boat. Once in a while during the season, lift up the plate from the water and look if there is any fouling. If so, then it's time to scrub your boat hull. Also scrape of the fouling from the plate so you know you restart the indicator fresh.

DIN 86106**

**** Limited Quantity**

Star brite Stainless Steel Cleaning Brush

- Stainless steel wire bristles are stapled into a curved hardwood block
- Bristle trim 1-3/16"
- Block size: 14" x 1-1/8"

STA 40059



Simms Scratch & Scraper Brush

- Wire brush with long handle and metal scraper attached
- Size: 12" x 1-1/4"

SIM 6350



Simms Wire Scratch Brushes

Wire scratch brush with long handle.

Part #	Wire Rows	Size
SIM 6330	3	14" x 1-1/8"
SIM 6340	4	14" x 1-1/8"



Star brite Detail Brushes

- Block size 7-1/8" x 7/16"

STA 40062

Nylon bristles

STA 40063

Brass bristles

STA 40064

Stainless steel bristles



Star brite Utility Brushes

- Plastic handle, 5/8" bristle trim
- Block size: 7-1/4" x 1-1/2"

STA 40070

Nylon bristles

STA 40069

Brass bristles



40069

Star brite Ultimate Magic Sponge + Scrub Xtend

- The perfect tool for reaching and eliminating annoying black marks and scuffs on your boat or RV without the strain of scrubbing on your hands and knees.
- Dual-articulating connector allows pad to stay in contact with varying angled surfaces
- Screw-thread adapter included
- 1 swivel pad, 4.5" x 9.75"

STA 41010

STA 41011

Refill scrubber pad



Star brite Large Scrub Pad Kit

- Great for tackling many different cleaning jobs
- Fine, medium, and coarse scrub pads included can be switched out, depending on the level of scrubbing needed
- The premium handle is durable and comfortable to hold for long periods. It grips pads easily, and includes a scraper for removing tough, dried on grime

STA 42023

4.5" x 10"



Star brite Magic Sponges

- The fastest way to remove stains, scuffs and streaks from fiberglass and vinyl surfaces

STA 41001

Small, 2-1/2" x 4", each

STA 41008

Large, 4" x 7", display 8/pkg



Star brite Hand Grip Cellulose Sponge

- Super absorbent cellulose sponge
- Half moon shape makes for easy grip
- 7-3/4" x 3-1/2" x 2-1/2"

STA 40077**

** Limited Quantity



Star brite Ultimate Water Absorber

- Lint-free, resistant to chemicals, mold, and mildew, and can easily last years
- Super soft and safe to use on any gelcoat, fiberglass, eisenglass, and plastic
- Machine washable, and stores in its own packaging

STA 42046

26" x 17"



3M Scuff Sponges

- Three-dimensional nonwoven material laminated to a cellulose sponge material
- For scuffing/cleaning a variety of surfaces
- May be used wet or dry
- Hand-held size offers convenience, comfort and reduces waste

THR 07441

General purpose (Maroon)

THR 07442

Ultra Fine (Grey)



3M Extra Large Commercial Sponge

- Extra large commercial sponge
- Excellent quality, highly absorbent sponge
- 7.5" x 4.3" x 2"

THR 80200C-41



Shurhold PVA Sponge & Towel

- PVA sponges absorb more than regular sponges
- Faster and more effective drying
- Prevents water spots on all surfaces
- Resists mold and mildew
- L: 6-3/4" x H: 3" x D: 1-3/8"

SHU 210

- Absorbs 50% more than natural chamois
- Extra large size: 17" x 27"

SHU 220



Shurhold Microfibre Towels

3-Pack of towels includes:

- (1) Polish & Shine-Super soft
- (1) Wash & Wax-Xtra strong
- (1) Glass & Mirror- Lint free

SHU 293

16" x 16"



Shurhold Microfibre Wash Mitt

- Plush chenille fibres designed to clean the most sensitive surfaces while holding tons of clean soapy water

SHU 286



Flitz Microfibre Towels

- 16" x 16" towels
- Washable up to 500 times
- Absorbs 4 times its weight in liquid

FLZ MC16164

4/pkg



Meguiar's Micro-Fibre Wash Mitt

- Extra thick, clear coat safe, Microfibre lifts and traps dirt and grime for a swirl-free finish
- Comfort-fit cuff and soft inner lining
- 7.5" x 11.5"

MEG X-3002



Rags**Rags White Terry Rags**

White / Off White.

RAG TO201-8 8 lb

1 White Wipers

White / Off White cotton blend broadcloth shirts and pants. An economic mix, which can be used for most jobs, including solvent cleaning.

RAG WHO201-10 10 lb

1 Flannel Rags

Coloured cotton flannel material. This is a medium weight wiper, ideal for many jobs, low lint, soft, absorbent, great for polishing.

RAG FLO301-10 10 lb

#1 White Fleece

RAG WHO601-8.8 8.8 lb

1 White Ganzies Rags

All "T" shirt material which is knit cotton and cotton blends. It is very low in lint and is colourfast in solvent. Ideal for pre-paint preparation and wood staining. New double cut rags are half the normal size for smaller jobs and greater cost controls.

RAG WHO701-10 8.8 lb

Polo Coloured Rags

Dark coloured "T" shirt material, which is knit cotton and cotton blends. This is an economical wiper, excellent for most jobs.

RAG CO901-10 10 lb

Kimberly-Clark**Wypall Manufactured Rags**

- WYPALL L20 wipers
- Creates "absorbency pockets", which help absorb more water faster.
- Textured side for cleaning power
- Contains no binders or glues
- Multi-ply capacity for large spills
- Tan colour
- 176 per box
- 12.5" x 16.8"

RAG 58399-60

**Kimberly-Clark****Wypall L20 Rags**

- Textured for extra cleaning power
- No adhesives or binders
- Multi-ply capacity for large spills
- 12.5" x 16.8"
- White
- 176/box

RAG 34607

**Kimberly-Clark****Wypall Manufactured Rags**

- Extra-tough WYPALL wipers
- No adhesives or binders
- Reinforced for extra scrubbing power
- Tough enough for big jobs and soft enough for face and hands
- White colour.
- 180 per box
- 12.5" x 16.8"

RAG 54015

**Camco Collapsible Round Bucket**

- 3 gallon (11L) capacity
- Opens easily to 9.25" (23.5 cm) tall and folds to less than 2" (3.5 cm) tall for compact storage
- Zippered storage bag included.

CAM 42993

**Camco****Collapsible Oval Bucket**

- Over 18" wide for ease of use with large wash brushes
- Collapses to 2-3/4" tall to fit in its own easy to carry storage bag (included)
- 18-1/4" x 9-1/2" x 10-1/2"
- 5 gallon capacity

CAM 42973

**B&H Galvanized Metal Pails**

Electro-galvanized metal utility pails.

PAL P012-9L 9 litres

PAL P014-12L 12 litres



T-H Marine**Wash Down Station & Hose**

- 25' coiled hose with nozzle
- Chrome brass fittings stay corrosion free
- Five foot supply hose with female hose fitting
- Can be directly plumbed to pumps or affixed to existing wash down fitting

**THM WDHH-25W-C-DP****Plastair Flush Mount Hose Enclosure**

- Multi pattern nozzle
- Drinking water safe
- Resistant to ultra violet sun rays
- Comes complete with an internal mount enclosure, 15' spring hose deluxe, and S/S screws
- Flange OD: 7-7/16" x 7-7/16"
- Flange cutout: 5-1/4" x 5-1/4"
- Mounts: 16-3/4" deep from flange
- Lifetime warranty

**PLA PUW615IC30T****Camco****EvoFlex Hoses**

- Extra Flexible: Holds no memory, making it easier to position and store
- Drinking Water Safe: Contains a BPA-free, lead-free and phthalate-free formulation
- Provides Great Tasting Water: The hose won't leave a strong plastic taste in your water
- Durable Construction: Features nickel-plated machined fittings
- UV-Stabilized: For a long life
- Made in the USA

**CAM 22594** 5/8" x 25'**CAM 22596** 5/8" x 50'**Fairview Star Brand Water Hose**

Blue Star:

Top of the line 1/2" x 50' hose with machined brass hose couplings. 300 P.S.I.

FRV WH8BLU-50H

Yellow Star:

Quality hose, 1/2" x 50' hose with machined brass hose couplings. 125 P.S.I.

FRV WH8YEL-50H**Camco****TastPURE Premium Hoses**

- Heavy duty reinforced 5/8" ID drinking water hoses are 20% thicker than our standard hoses
- Rated for 300 PSI and NSF listed
- BTA free
- Anti-kink design, machined fittings and strain-relief ends for added durability

**CAM 22833** 5/8" x 25'**CAM 22853** 5/8" x 50'**Plastair Flat Water Hose**

- Drinking water safe
- Ultra light polyurethane
- Self-draining
- Kink resistant
- Round to flat memory

**PLA FH-50-3F**

5/8" x 50'

Plastair Deluxe Hose Kits

- Retains flexibility in hot or cold
- 25' spring hose
- Excellent flexibility, lightweight and compact
- Chromed brass fittings
- Grip guard on working end
- Lifetime warranty

**PLA PUW625B9M30T**

25' hose only

PLA PUW650B9M30T

50' hose only

- Multi pattern nozzle

PLA PUW625WNM30T

25' hose and nozzle

PLA WNE-G-1

Nozzle only

**Plastair Spring Hose**

- Compact 3/8" highly flexible blue hose
- Drinking water safe
- 15' long with chromed brass fittings
- Clamshell packed

**PLA PUWE615B9M3**

15'

Plastair ELASTO Hardshell Stretch Hose

- Resists rips, tears, scuffs, and punctures while remaining flexible in all weather conditions
- Drinking water safe
- Outfitted with a Swivel Quick Connector that eliminates hose twisting and tangling
- 3/4" ID for maximum water flow

**PLA SH-15-1**

to 15'

PLA SH-25-1

to 25'

PLA SH-50-1

to 50'

Shurhold Hose Strap

- Convenient one-piece, sturdy construction
- Has a hang-up hole
- Adjustable strap holds a variety of hose lengths
- May also be used for extension cords, ropes and power cables

**SHU 289**

Groco Pistol Grip Nozzle

- Built for continuous use with salt water
- All parts are corrosion-free plastic
- Internal stainless steel return spring
- Carded for display

GRO PGN-50**Heater Craft Spray Nozzle / Shower Head**

- Full featured 5 position spray head
- Convenient off/on thumb switch fits comfortably in any hand

HCM S101**Shurflo Spray Nozzle**

- High impact plastic spray nozzle
- Adjusts from mist to full stream
- Lock clip for continuous spray

SHR 94-010-00**Shurhold Hose Nozzle**

- Ergonomically-shaped, die-cast zinc hose nozzle body has a soft, black, vinyl grip for a comfortable hold
- Includes a hold-open clip for a constant water flow and has a stainless steel spring

SHU 288**Mibro Brass Hose Nozzle**

All brass construction.

MIB 770381

Nozzle, carded

MIB 682251

Replacement washers, 12/pkg

MIB 773640

Replacement washers, 10/pkg

**Jabsco Spray Nozzle**

- High impact plastic spray nozzle
- Adjusts from mist to full stream
- Lock clip for continuous spray
- Includes quick connect adapter

JAB 30703-1000**Bulls Eye Power Nozzle**

- Delivers 50% more power & uses 50% less water
- Will not break & will not leak
- Adjusts from POWER mode to heavy SPRAY, pin point PRECISION, and leak proof OFF

BLY POWER NOZZLE

Bulk

BLY POWER NOZZLE CARDED

Carded

BLY FISHBOWL SMALL

Bowl display w/25 units

Sea-Dog Hose Klip**Water Hose Lock for Deck Fills**

- Stops your hose from coming out of the deck fill during filling
- Compression fitting locks into place for hands free operation
- Fits most 1-1/2" deck fills

SED 357393-1**Forespar****PureWater+ All-In-One Clean Water Kit**

- Ideal for space-saving use on-board boats
- Easy to install and maintain
- Filter changes in less the 20 seconds
- Includes 5 mic filter
- Does not require under-counter access for filter change
- Attractive solid brass chrome faucet
- Filter cartridge life up to 350 gallons

FRS 770295

All-In-One complete kit

FRS 770297-1

5 mic replacement filter, each

FRS 770297-2


5 mic replacement filters, (2/pkg)

FRS 770298-1

0.5 mic enhanced filter, each

FRS 770298-2

0.5 mic enhanced filters, (2pkg)

**Land and Sea****Water Purification**

Complete compact system to make any fresh water holding tank clean & safe for drinking at point of use or under sink installations

- 316 stainless steel ultraviolet purification unit rated at 1.5 gpm
- 5 micron carbon block pre-filtration and housing to eliminate taste/odour & sediment to 5 microns
- Mounting brackets and hardware
- Filter housing wrench
- Point of use dispensing faucet in stainless steel
- Spare 5 micron carbon block filter (changed every 6 months)
- Installation kit with stainless steel braided tubing and brass compression fittings

LSU LSS-12*

12VDC

LSU LSS-24*

24VDC

LSU LSS-120*

120VAC

*** Request Item**

Star brite Aqua Clean Water Conditioner

- Cleans and deodorizes fresh water holding tanks and supply systems
- Excellent for use after storage or winterization
- Flushes out scale and sediment
- Use to prevent foul taste and odours
- One gallon treats 100 gallons of water

STA 32300

Gallon



Camco TastePURE RV & Marine Water Filter

Improve the taste and smell of your drinking water for up to 120 days. Filters down to 150 microns.

CAM 40646



Camco TastePURE KDF/Carbon Water Filter

- Larger capacity filter lasts an entire season
- Greatly reduces bad taste, odours, chlorine and sediment in drinking water
- 100 micron fibre filter
- In-line, exterior mount filter has a wider body to increase flow.
- Includes flexible hose protector to minimize kinking that impedes water flow

CAM 40013



Camco TastePURE Water Freshener

- Eliminate algae and slime build-up from drinking water tanks
- Keeps stored water fresh & odour free
- 1 oz for each 20 gallons of water

CAM 40200



Camco DIY Winterizing Kit

- Quickly and efficiently services inboard/outboard marine engines
- Allows flushing and preparation of boat engine for winter storage with just five gallons of antifreeze and your flusher


CAM 65501



Camco Bypass Kit

- Save on antifreeze when you winterize with this easily-installed, permanent, water heater bypass kit
- Sturdy, brass backflow preventer and 100% shut-off valve lets you bypass the water heater with a single turn

CAM 35983



Camco Pump Converter

- Permanent kit installs with an adjustable wrench and comes complete with brass valve, siphon hose, Teflon tape and pump adapters

CAM 36543



Camco Bypass Kit

- Temporary bypass kit allows you to hook up for winterizing and remove in the spring for reconnecting the system
- Comes with crimp-resistant nylon reinforced hose

CAM 35713



Camco Blow Out Plugs

- Completely clear your water lines
- Screw the plug into the city water inlet, open all drains and faucets, attach and activate air pump until all lines are clear

CAM 36103

Plastic

CAM 36153

Brass



Kuuma Heater Drain Plug

- Replace water heater valves with sturdy, easily-installed brass replacements that last a lifetime

KUU 11703



Camco Hand Pump Kit

- Pump antifreeze directly into your waterlines and supply tanks
- Kit includes flexible connecting line with city water connection

CAM 36003



Martyr®
ANODES

Al premium

SALT AND BRACKISH WATER ♦

Mg fresh

FRESH WATER ONLY ♦

Zn traditional


SALT WATER ONLY ♦



***Protect Your Boat,
Respect Our Waters.***



Marine Protection Systems



COMPOSITE ALLOY ANODE

Innovative Technology To Protect
Hard Metals & Reduce Marine Growth



SHAFT GROUNDING STRAP

Maximum Surface Area For
Maximum Efficiency Of Shaft Bonding

MADDOX

SUPERIOR ANODE PROTECTION

Innovative Corrosion Control


CMPD

cmpgroup.net | sales@canmet.com

MADDOX by CANADA METAL (PACIFIC) LIMITED

Maddox Anodes

- Maddox are the only low voltage anode designed to effectively protect bronze and stainless steel parts on composite and wooden vessels by creating a more efficient pathway for cathodic protection.
- By generating more efficient galvanic currents - common issues associated with overprotection are remarkably reduced. Vast improvements to coating performance and reduction of marine growth are experienced.
- Maddox Anodes are cadmium free and environmentally friendly.




The appropriate size anode for any one vessel depends on the type, volume and surface area of the submerged metals to be protected.

MAD MPS.MA200	Anode 200MM, 7-3/4" x 4.5" x 1-1/2"
MAD MPS.MA300	Anode 300MM, 11-3/4" x 4.5" x 1-1/2"
MAD MPS.MA500	Anode 500MM, 19-1/2" x 4.5" x 1-1/2"
MAD MPS.MDXBT	Bow button, 3/4" x 1-1/2" diameter
MAD MPS.MDXSW	Small wedge, pair, 2-3/8" x 3-1/2" x 1"
MAD MPS.MDXWD	Large wedge, 3" x 9-1/4" x 1-3/8"

► Also See Maddox Shaft Straps pg 340

► Also See Seaguard Corrosion Test Meter pg 340



Maddox Electrolysis Blocker

This approved galvanic isolator is designed to block corrosion causing current that travels between vessels at a marina using a common shore power connection. Compact and easy to install.

- AS/NZS standards approved in compliance with ABYC A28 requirements & ISO standards
- 67A AC current rating with a 5000A fail safe rating
- Ignition-proof
- Waterproof-solid state components - no service required
- Proven high performance heat sink and design
- 5-1/2" x 2-1/4" x 4"

MAD MPS.EB67



MAD MPS.CG50 Conductive grease, 50 ml syringe

Maddox Portable Reference Anode




The Silver/Silver Chloride (Ag/Ag/Cl Reference Electrode) is designed to be used to identify the electrical potential generated by metals in water like drive shafts, eye brackets or through hull fittings. Using those results you can determine a vessels optimum level of cathodic protection.

- Quickly and accurately check for signs of galvanic corrosion
- Used efficiently with any good quality digital multi meter
- 12 meter lead


MAD MPS.PRE12

HULL MATERIAL	vM RANGE
Fibreglass	-550 to -900
Wood	-550 to -600
Aluminium	-900 to -1100
Steel	-800 to -1050
Non-Metallic W/ Aluminium Drives	-900 to -1050



Protect your boat, respect our waters.

OUTBOARDS



Martyr® is a registered trademark of Canada Metal (Pacific) Limited. Martyr® Anodes are manufactured under an ISO-9000 series Quality Assurance Program to original equipment standards and are guaranteed to conform to the latest US Mil-DTL-24779C(SH) specification for Aluminum anodes.

Check anodes regularly and replace them when they are 70% consumed.

Protects longer and is more efficient than Zinc.


Protect your investment in salt and brackish water with genuine Martyr® Anodes because...

Not all "Zincs" are created equal.




STERN DRIVES


MERCRUISER




(BRP) OMC



VOLVO



INBOARD APPLICATIONS



Kits available for
Mercury, Yamaha & Volvo

sales@martyranodes.com • www.martyranodes.com

See your dealer for full listing.



Martyr

ZINC: SALT WATER ONLY

Zinc Alloy: US Mil-A-18001K

ALUMINUM: SALT & BRACKISH WATER

Aluminum Alloy: US Mil-A-24779(SH)

MAGNESIUM: FRESH WATER ONLY

Magnesium Alloy: AZ91D

ZINC - For use in salt water

Not recommended for use in fresh water

Alloy is manufactured to meet or exceed US Military Specification

ALUMINUM - For use in salt and brackish water

Performs better, protects longer than Zinc

Alloy is manufactured to meet or exceed US Military Specification

MAGNESIUM - ONLY for use in fresh water

Not recommended for use in salt or brackish water

The only alloy proven to protect your boat in fresh water

Committed to Protecting the Environment!

Martyr

BRP OMC / JOHNSON EVINRUDE Anodes

These anodes are direct replacements on OMC engines and meet or exceed specified requirements.

Part #		
CMT 367Z	ZN	
CMT 123009A	AL	
CMT 123009M	MG	
CMT 123009Z	ZN	
CMT 327606Z	ZN	
CMT 389999Z	ZN	
CMT 393023Z	ZN	
CMT 392123Z	ZN	
CMT 392462Z	ZN	
CMT 397768Z	ZN	
CMT 398331Z	ZN	
CMT 431708Z	ZN	
CMT 433580Z	ZN	

Martyr

BRP OMC / JOHNSON EVINRUDE Anodes

Part #		
CMT 980756Z	ZN	
CMT 982277Z	ZN	
CMT 983494Z	ZN	
CMT 984547M	MG	
CMT 983952Z	ZN	
CMT 984547Z	ZN	
CMT 984513M	MG	
CMT 984513Z	ZN	
CMT 5007089Z	ZN	

Martyr

BRP Evinrude E-TEC G2 Anode Kits

CMT ETECG2KITA
CMT ETECG2KITM

- 5007089
- 355964
- 357507
- 5009138
- Fasteners

AL

MG

NEW


Martyr HONDA BF40-50 HP Anode Kit

CMT HBF4050KITA

- 41107ZV500
- 06411ZV5
- 41109ZW1003 / 826134 (x2)
- Fasteners

AL

NEW


Martyr HONDA BF75-90-115 Anode Kits

CMT HBF75115KITA
CMT HBF75115KITM

- 41107ZW1B01
- 06411ZW1
- 41109ZW1B00 (x2)
- Fasteners

AL

MG



Martyr**HONDA Anodes**

These anodes are direct replacements on Honda engines and meet or exceed specified requirements.

Part #		
CMT 06411ZV5Z	ZN	
CMT 06411ZW1Z	ZN	
CMT 31640Z	ZN	
CMT 41109ZW1B00A	AL	
CMT 6644537101A	AL	
CMT 6644537101M	MG	
CMT 6644537101Z	ZN	

Martyr**LEWMAR Anodes**

CMT 589150Z	ZN	Bolt hole: .33"
CMT 589350Z	ZN	Bolt hole: .41"
CMT 589550Z	ZN	Bolt hole: .70"

**Martyr****MERCURY Anode Kits**

Complete kits ready for installation.

CMT ALPHAKITA
CMT ALPHAKITM
CMT ALPHAKITZ

AL
MG
ZN

Alpha I Generation II Kit 1991-present
 6 piece anode kit, blister packed.

- 762145A
- 806105A
- 821629CA
- 821631A
- 806189A (x2)
- Fasteners



CMT 8M0107548KITA
CMT 8M0107548KITM
CMT 8M0107548KITZ

AL
MG
ZN



EFI 75-150HP

4 piece anode kit, blister packed.

- 8M0057772
- 826134 (x2)
- 762145
- Fasteners




CMT ALPHAGEN1KITA
CMT ALPHAGEN1KITM

AL
MG

Alpha I Gen I / MR Anode Kit 1983-1990 4 piece anode kit, blister packed.

- 31640A
- 55989A (x2)
- 821631A
- Fasteners

**Martyr****MERCURY Anode Kits**

CMT BRAVO1KITA
CMT BRAVO1KITM

AL
MG

Bravo I Kit 1988-present
 5 piece anode kit, blister packed.

- 762145A
- 806188A
- 821630C2A
- 806190A (x2)
- Fasteners



CMT BRAVO23KITA
CMT BRAVO23KITM

AL
MG

Bravo II & III Kit 1989-present
 4 piece anode kit, blister packed.

- 762145A
- 821630C2A
- 806190A (x2)
- Fasteners



CMT BRAVO3KITA
CMT BRAVO3KITM
CMT BRAVO3KITZ

AL
MG
ZN

Bravo 2004-present

- 821630C2A
- 806190A (x2)
- 762145A
- 865182CA
- 762144A
- Fasteners



CMT VERADO4KITA

AL Verado 4

- 818298A
- 826134A
- 762145A
- Fasteners



CMT VERADO6KITA

AL Verado 6

- 880653A
- 892227A (x4)
- 826134A (x2)
- 762145A
- Fasteners



CMT 8M0116590KITA
CMT 8M0116590KITM
CMT 8M0116590KITZ

AL
MG
ZN



Verado MMP Series

7 piece anode kit, blister packed.

- 826134 (x2)
- 762145
- 892227 (x2)
- 8M0012083
- 8M0001734
- Fasteners



Martyr**MERCURY Aluminum Kits****CMT 806189KITA****AL**

- 806189A (x2)
- Fasteners

CMT 806190KITA**AL**

- 2 x 806190A
- Fasteners

**Martyr****MERCURY Anodes**

These anodes are direct replacements on Mercury engines and meet or exceed specified requirements.

Part #		
CMT 31640A	AL	
CMT 31640M	MG	
CMT 31640Z	ZN	
CMT 34127Z	ZN	
CMT 34762Z	ZN	
CMT 43994M	MG	
CMT 43994Z	ZN	
CMT 46399Z	ZN	
CMT 55989A	AL	
CMT 55989M	MG	
CMT 55989Z	ZN	
CMT 43396Z	ZN	
CMT 76214M	MG	
CMT 89949Z	ZN	

Martyr**Martyr****MERCURY Anodes****ZINC: SALT WATER ONLY**

Zinc Alloy: US Mil-A-18001K

ALUMINUM: SALT & BRACKISH WATER

Aluminum Alloy: US Mil-A-24779(SH)

MAGNESIUM: FRESH WATER ONLY

Magnesium Alloy: AZ91D

Part #		
CMT 762144A	AL	
CMT 762144M	MG	
CMT 762144Z	ZN	
CMT 762145A	AL	
CMT 762145M	MG	
CMT 762145Z	ZN	
CMT 984325Z	ZN	
CMT 806105A	AL	
CMT 806105M	MG	
CMT 806105Z	ZN	
CMT 806188A	AL	
CMT 806188M	MG	
CMT 806188Z	ZN	
CMT 806189A	AL	
CMT 806189M	MG	
CMT 806189Z	ZN	
CMT 806190A	AL	
CMT 806190M	MG	
CMT 806190Z	ZN	
CMT 818298A	AL	
CMT 818298M	MG	
CMT 818298Z	ZN	
CMT 821630C2A	AL	
CMT 821630C2M	MG	
CMT 821630C2Z	ZN	
CMT 821631A	AL	
CMT 821631M	MG	
CMT 821629CA	AL	
CMT 821629M	MG	
CMT 821629CZ	ZN	
CMT 822157C2Z	ZN	
CMT 826134A	AL	
CMT 826134M	MG	
CMT 826134Z	ZN	
CMT 865182CM	MG	

Martyr**NISSAN-TOHATSU Anode**

This stern bracket anode is a direct replacement on Nissan/Tohatsu engines and meets or exceeds specified requirements.

CMT 3C7602181A0Z**ZN****Martyr****SUZUKI 90-100-115-140 HP Outboard Kits****CMT SZ90140KITA****AL****CMT SZ90140KITM****MG**

- 5532190J01
- 1113094600 (x4)
- 3C7602181A0
- Fasteners

**Martyr****SUZUKI 90-100-115-140 HP Anode Kits****CMT SZ90140KITA****AL****CMT SZ90140KITM****MG**

- 5532190J01
- 1113094600 (x4)
- 3C7602181A0
- Fasteners

**Martyr****SUZUKI 150-350 HP Kits****CMT SZ150350KITA****AL****CMT SZ150350KITM****MG****CMT SZ150350KITZ****ZN**

- 3C7602181A0
- 5532187J00 (x8)
- 5532095310 (x3)
- Fasteners

**Martyr****SUZUKI Anodes**

These anodes are direct replacements on Suzuki engines and meet or exceed specified requirements.

Part #		
CMT 551259630Z	ZN	
CMT 5512587D00Z	ZN	
CMT 5532095310Z	ZN	

Martyr**VOLVO 280 Kits****CMT 280DPKITA****AL**

Dual prop

CMT 280DPKITM**MG**

Dual prop

- 875821A
- 832598A
- Fasteners

**CMT 280KITA****AL****CMT 280KITM****MG**

- V18A
- 832598A
- Fasteners

**Martyr****VOLVO 290 Kits****CMT 290DPKITA****AL**

Dual prop

CMT 290DPKITM**MG**

Dual prop

- 875821A
- 852835A
- Fasteners

**CMT 290KITA****AL****CMT 290KITM****MG**

- V18A
- 852835A
- Fasteners

**Martyr****VOLVO DPH Kits****CMT DPHKITA****AL****CMT DPHKITM****MG**

- 3588745
- 3863206
- Fasteners

**Martyr****VOLVO Aluminum SX-A/DPS Kits**

Fits Volvo SX-A/ DPS engines

CMT SXAKITA**AL**

- 3841427A
- 3883728A
- Fasteners

**Martyr****VOLVO SX Kits****CMT SXXKITA****AL****CMT SXXKITM****MG**

- 3854130A
- 3855411A
- Fasteners







Martyr
VOLVO Anodes

Part #		
CMT 3841427Z	ZN	
CMT 3588745Z	ZN	
CMT 3854130A	AL	
CMT 3854130M	MG	
CMT 3854130Z	ZN	
CMT 3855411A	AL	
CMT 3855411M	MG	
CMT 3855411Z	ZN	
CMT 3863206A	AL	
CMT 3863206Z	ZN	
CMT 3883728A	AL	
CMT 3883728M	MG	
CMT 823661Z	ZN	
CMT 832598A	AL	
CMT 832598M	MG	
CMT 832598Z	ZN	
CMT 838929Z	ZN	
CMT 851983Z	ZN	
CMT 852835A	AL	
CMT 852835M	MG	
CMT 852835Z	ZN	
CMT 872139Z	ZN	
CMT 872793Z	ZN	
CMT 873395A	AL	
CMT 873395M	MG	
CMT 875812M	MG	
CMT 875812Z	ZN	
CMT 875821A	AL	
CMT 875821M	MG	
CMT 875821Z	ZN	
CMT 852018Z	ZN	
CMT 40005875A	AL	
CMT 40005875Z	ZN	

Martyr
VOLVO Anodes

These anodes are direct replacements on Volvo engines and meet or exceed specified requirements.

Part #		
CMT V15	ZN	
CMT V16	ZN	
CMT V17	ZN	
CMT V18A	AL	
CMT V18M	MG	
CMT V18	ZN	

Martyr

ZINC: SALT WATER ONLY
 Zinc Alloy: US Mil-A-18001K

ALUMINUM: SALT & BRACKISH WATER
 Aluminum Alloy: US Mil-A-24779(SH)

MAGNESIUM: FRESH WATER ONLY
 Magnesium Alloy: AZ91D

Martyr YAMAHA Anodes

These anodes are direct replacements on Yamaha engines and meet or exceed specified requirements.

Martyr YAMAHA 150 HP Outboard Kits

CMT Y150CRKITA
CMT Y150CRKITM
AL
MG

- 6G54525101
- 6K14537102
- Fasteners



Martyr YAMAHA 150/200 HP Outboard Kits

CMT Y150KITA
CMT Y150KITM
AL
MG

- 6J9437101A
- 6G54525101A
- Fasteners



Martyr YAMAHA 200/250 HP Outboard Kits

CMT Y200250KITA
CMT Y200250KITM
AL
MG

- 6G54525101
- 61A4537100
- Fasteners



Martyr YAMAHA 200/300 HP Outboard Kits

CMT YHP200300KITA
CMT YHP200300KITM
AL
MG

- 6G54525101
- 69L4537100
- Fasteners



Martyr YAMAHA MARINER 40/60 HP Outboard Kits

CMT Y4060KITA
CMT Y4060KITM
AL
MG

- 6E04525111 (x3)
- 67C4525100
- 67C4537100
- Fasteners



Martyr YAMAHA MARINER 60/90 HP Outboard Kits

CMT Y6090KITA
CMT Y6090KITM
AL
MG

- 6884537102
- 6H14525102
- Fasteners



Martyr YAMAHA Anodes

These anodes are direct replacements on Yamaha engines and meet or exceed specified requirements.

Part #		
CMT 6AW4525100Z	ZN	
CMT 6E54525100Z	ZN	
CMT 6E54537101Z	ZN	
CMT 6E04525111A	AL	
CMT 6E04525111M	MG	
CMT 6E04525111Z	ZN	
CMT 6G54525101A	AL	
CMT 6G54525101M	MG	
CMT 6G54525101Z	ZN	
CMT 6H14525102Z	ZN	
CMT 6J94537101A	AL	
CMT 6J94537101M	MG	
CMT 6J94537101Z	ZN	
CMT 6K14537100Z	ZN	
CMT 6L5452510300Z	ZN	
CMT 61A4537100A	AL	
CMT 61A4537100M	MG	
CMT 61A4537100Z	ZN	
CMT 61N4525101Z	ZN	
CMT 67C4525100A	AL	
CMT 67C4525100M	MG	
CMT 67C4525100Z	ZN	
CMT 67C4537100A	AL	
CMT 67C4537100M	MG	
CMT 67C4537100Z	ZN	
CMT 67F1132501A	AL	
CMT 67F1132501Z	ZN	
CMT 67F4537100Z	ZN	
CMT 68T4525100Z	ZN	
CMT 68V1132501A	AL	
CMT 6644537101A	AL	
CMT 6644537101M	MG	
CMT 6644537101Z	ZN	
CMT 6884525101Z	ZN	
CMT 6884537102A	AL	
CMT 6884537102M	MG	
CMT 6884537102Z	ZN	
CMT 69L4537100A	AL	

Martyr**YANMAR Split Ring Anodes**

CMT 19644002660KITA
CMT 19644002660KITM
CMT 19644002660KITZ

AL
MG
ZN

**Martyr****YANMAR Engine Anodes**

This anode is a direct replacement on Yanmar engines and meets or exceeds specified requirements.

CMT 272100200200Z
CMT 272100200300Z

ZN Short
ZN Standard

**Martyr****YANMAR Saildrive Ring**

This anode is a direct replacement on Yanmar engines and meets or exceeds specified requirements.

CMT 19642002652Z

ZN

**Martyr****BENETEAU Prop Nut Anodes**

Direct replacement for Beneteau Prop nut.

CMT LAEC3250
CMT AN225

ZN 22/25 mm prop nut
ZN Zinc only

CMT LAEC3300
CMT AN230

ZN 30 mm prop nut
ZN Zinc only

**Martyr****FLEXOFOLD Prop Anodes**

• For Flexofold propellers

CMT PNFXA
CMT PNFXZ

AL 0.4 lb
ZN 1 lb

**Martyr****FLEXOFOLD 2-Blade Prop Anode**

• For Flexofold 2-blade propellers

CMT PNFF2Z

ZN .12 lb

**Martyr****SIDE POWER Prop Anodes**

CMT SGSL565A
CMT SGSP626A
CMT SGSP501180Z
CMT SGSP626Z

AL
AL
ZN
ZN

**Martyr****MAX PROP Anodes**

• Direct replacement for Max Prop
• Round

Part #		Size	For Shaft Size	Weight lbs
CMT MP63RA	AL	63 mm	3/4"-1-1/8"	.25
CMT MP70RA	AL	70 mm	1-1/4"-1-3/8"	.45
CMT MP63RZ	ZN	63 mm	3/4"-1-1/8"	.64
CMT MP70RZ	ZN	70 mm	1-1/4"-1-3/8"	1.14
CMT MP83RZ	ZN	83 mm	1-1/2" and up	1.65

**Martyr****Propeller Nut Anodes**

These anodes provide streamlined and secure protection for shafts and propellers. The complete assembly includes brass prop nut and washer, zinc anode and stainless steel fasteners. The zinc only replacement of the units are also stocked.



Complete Part #		Shaft Size	Thread Size	Zinc O.D.	Complete Wt lbs
CMT PNAZC13	ZN	3/4"	1/2" - 13	1-1/4"	.34
CMT PNBZC11	ZN	7/8"	5/8" - 11	1-5/8"	.82
CMT PNCZC10	ZN	1"	3/4" - 10	2"	1.55
CMT PNDZC09	ZN	1-1/4"	7/8" - 9	2-5/16"	2.20
CMT PNEZC08	ZN	1-3/8"	1" - 8	2-1/2"	2.55
CMT PNZC07	ZN	1-1/2"	1-1/8" - 7	2-3/4"	3.20
CMT PNGZC07	ZN	1-3/4"	1-1/4" - 7	3-1/8"	4.60
CMT PNHZC06	ZN	2"	1-1/2" - 6	3-3/8"	5.75

Zinc Only		Shaft	O.D.	Weight lbs
CMT PNZA	ZN	3/4"	1-1/4"	.20
CMT PNZB	ZN	7/8"	1-5/8"	.50
CMT PNZC	ZN	1"	2"	1.06
CMT PNAD	AL	1-1/4"	2-5/16"	.63
CMT PNZD	ZN	1-1/4"	2-5/16"	1.50
CMT PNZE	ZN	1-3/8"	2-1/2"	1.70
CMT PNZF	ZN	1-1/2"	2-3/4"	2.00
CMT PNZG	ZN	1-3/4"	3-1/8"	3.20
CMT PNZH	ZN	2"	3-3/8"	3.60

**Martyr****MERCURISER Bravo 3 Propeller Nut Kits**

These anodes provide streamlined and secure protection for shafts and propellers. The complete assembly includes brass prop nut and washer, choice of anode and stainless steel fasteners.

- Shaft size: 1"
- Length: 3.06"
- OD: 2.12"

Complete Part #		Complete Wt lbs
CMT PNDAF14UNS	AL	1.13
CMT PNDMF14UNS	MG	0.9
CMT PNDZF14UNS	ZN	2.14

Zinc Only		Weight lbs
CMT 865182CA	AL	1.2
CMT 865182CM	MG	0.42
CMT 865182CZ	ZN	0.27




ZINC: SALT WATER ONLY

Zinc Alloy: US Mil-A-18001K

ALUMINUM: SALT & BRACKISH WATER

Aluminum Alloy: US Mil-A-24779(SH)

MAGNESIUM: FRESH WATER ONLY

Magnesium Alloy: AZ91D

Martyr**Streamlined Shaft Anodes**

Mounts on shaft with stainless steel socket cap screws, included.



Part #		Shaft size	Length	Zinc O.D.	Weight lbs
CMT X01AL	AL	3/4"	2-1/8"	2-1/8"	0.28
CMT X02AL	AL	7/8"	2-1/8"	2-1/8"	0.32
CMT X03AL	AL	1"	2-1/8"	2-1/8"	0.34
CMT X04AL	AL	1-1/8"	2-1/8"	2-1/8"	0.40
CMT X05AL	AL	1-1/4"	2-1/2"	2-5/8"	0.44
CMT X06AL	AL	1-3/8"	2-1/2"	2-1/2"	0.56
CMT X07AL	AL	1-1/2"	2-1/2"	2-1/2"	0.64
CMT X08AL	AL	1-3/4"	2-7/8"	3-1/4"	0.88
CMT X09AL	AL	2"	2-7/8"	3-1/4"	1.1
CMT X10AL	AL	2-1/4"	3-3/4"	4-1/4"	2.16
CMT X11AL	AL	2-1/2"	3-3/4"	4-1/4"	1.84
CMT X12AL	AL	2-3/4"	3-5/8"	4-3/4"	2.67
CMT X13AL	AL	3"	3-5/8"	4-3/4"	2.32
CMT X03M	MG	1"	2-1/8"	2-1/8"	.22
CMT X04M	MG	1-1/8"	2-1/4"	2-3/8"	.28
CMT X05M	MG	1-1/4"	2-1/2"	2-3/4"	.47
CMT X06M	MG	1-3/8"	2-1/2"	2-1/2"	.36
CMT X07M	MG	1-1/2"	2-1/2"	2-1/2"	.42
CMT X09M	MG	2"	2-7/8"	3-1/4"	.8
CMT X00	ZN	1/2"	2-1/8"	2-1/8"	.51
CMT X01	ZN	3/4"	2-1/8"	2-1/8"	.8
CMT X02	ZN	7/8"	2-1/8"	2-1/8"	.9
CMT X03	ZN	1"	2-1/8"	2-1/8"	.92
CMT X04	ZN	1-1/8"	2-1/8"	2-1/8"	1.14
CMT X05	ZN	1-1/4"	2-1/2"	2-1/2"	1.17
CMT X05A	ZN	1-1/4"	2-1/2"	2-3/4"	1.75
CMT X06	ZN	1-3/8"	2-1/2"	2-1/2"	1.48
CMT X07	ZN	1-1/2"	2-1/2"	2-1/2"	1.68
CMT X08	ZN	1-3/4"	2-7/8"	3-1/4"	2.48
CMT X09	ZN	2"	2-7/8"	3-1/4"	3.1
CMT X10	ZN	2-1/4"	3-3/4"	4-1/4"	6.08
CMT X11	ZN	2-1/2"	3-3/4"	4-1/4"	5.18
CMT X12	ZN	2-3/4"	3-5/8"	4-3/4"	7.53
CMT X13	ZN	3"	3-5/8"	4-3/4"	6.54
CMT X15	ZN	3-1/2"	3-7/8"	5-3/4"	9.03
Metric Zincs					
CMT X25	ZN	25mm	2-1/8"	2-1/8"	1.08
CMT X30	ZN	30mm	2-3/8"	2-5/16"	1.21
CMT X35	ZN	35mm	2-3/8"	2-5/8"	1.52
CMT X40	ZN	40mm	2-7/8"	2-7/8"	2.64

Martyr**Limited Clearance Shaft Anodes**

Mounts on shaft with stainless steel socket cap screws, included.

Part #		Shaft size	Length	O.D.	Weight lbs
CMT C01AL	AL	3/4"	1"	2-1/8"	.21
CMT C02AL	AL	7/8"	1"	2-1/8"	.25
CMT C03AL	AL	1"	1-1/4"	2-1/2"	.47
CMT C04AL	AL	1-1/8"	1-1/4"	2-1/2"	.43
CMT C05AL	AL	1-1/4"	1-1/4"	2-1/2"	.45
CMT C06AL	AL	1-3/8"	1-1/4"	3"	.63
CMT C07AL	AL	1-1/2"	1-1/4"	3"	.58
CMT C08AL	AL	1-3/4"	1-3/8"	3-1/2"	.89
CMT C09AL	AL	2"	1-3/8"	3-1/2"	.82
CMT C13AL	AL	3"	1-1/2"	5"	1.9
CMT C01	ZN	3/4"	1"	2-1/8"	.65
CMT C02	ZN	7/8"	1"	2-1/8"	.65
CMT C03	ZN	1"	1-1/4"	2-1/2"	1.20
CMT C04	ZN	1-1/8"	1-1/4"	2-1/2"	1.10
CMT C05	ZN	1-1/4"	1-1/4"	2-1/2"	1.00
CMT C06	ZN	1-3/8"	1-1/4"	3"	1.55
CMT C07	ZN	1-1/2"	1-1/4"	3"	1.50
CMT C08	ZN	1-3/4"	1-3/8"	3-1/2"	2.25
CMT C09	ZN	2"	1-3/8"	3-1/2"	2.10
CMT C09A	ZN	2-1/4"	1-3/8"	3-1/2"	1.75
CMT C12	ZN	2-1/2"	1-1/2"	5"	5.31
CMT C12A	ZN	2-3/4"	1-1/2"	5"	4.85
CMT C13	ZN	3"	1-1/2"	5"	4.50
CMT C14	ZN	3-1/2"	1-1/2"	6-1/2"	7.92
CMT C15	ZN	4"	1-1/2"	6-1/2"	7.16

Martyr Rudder Anodes

Consists of two anodes, for mounting on each side of the rudder. Supplied with stainless steel socket cap screw.



Part #		Dia.	Thickness	Weight lbs
CMT R01AL	AL	1-7/8"	1/4"	.1
CMT R02AL	AL	2-13/16"	1/2"	.34
CMT R03AL	AL	3-3/4"	1/2"	.56
CMT R04AL	AL	5"	5/8"	1.13
CMT R05AL	AL	5-1/8"	7/8"	1.65
CMT R01M	MG	1-7/8"	1/4"	.07
CMT R02M	MG	2-3/4"	1/2"	.23
CMT R03M	MG	3-3/4"	1/2"	.39
CMT R01	ZN	1-7/8"	1/4"	.28
CMT R02	ZN	2-13/16"	1/2"	.90
CMT R03	ZN	3-3/4"	1/2"	1.60
CMT R04	ZN	5"	5/8"	3.21
CMT R05	ZN	5-1/8"	7/8"	4.75
CMT R07	ZN	6-1/2"	7/8"	9.10

Martyr Bolt-On Rudder Anodes

Part #		Dim.	Weight lbs
CMT RP4A	AL	4" x 1"	1.01
CMT RP5A	AL	5" x 1"	1.89
CMT RP6A	AL	6" x 1.5"	3.59
CMT RP7A	AL	7" x 1"	3.15
CMT RP4Z	ZN	4" x 1"	2.24
CMT RP5Z	ZN	5" x 1"	4.4



Martyr Engine Cooling Anodes

E Series marine engine anodes consist of a brass plug with anode attached. These anodes meet or exceed the recommended specifications. Please note separate part #'s for complete units and zinc only replacements.

Zinc Complete				
Part #		L	OD	NPT
CMT E00	ZN	2"	1/4"	1/8"
CMT E0	ZN	1-3/4"	3/8"	1/4"
CMT E1	ZN	2"	1/2"	3/8"
CMT E1F	ZN	1-1/4"	1/2"	3/8"
CMT E1H	ZN	2"	3/8"	3/8"
CMT E2	ZN	2"	5/8"	1/2"
CMT E3	ZN	2"	3/4"	3/4"
CMT E4	ZN	3-3/8"	3/4"	3/4"
CMT E5	ZN	3-5/8"	3/4"	3/4"
Zinc Only				
Part #		L	OD	UNC
CMT EZ00	ZN	1.9"	1/4"	1/4"
CMT EZ0	ZN	1-3/4"	3/8"	5/16"
CMT EZ1	ZN	2"	1/2"	3/8"
CMT EZ1E	ZN	1-1/2"	1/2"	3/8"
CMT EZ1F	ZN	1-1/4"	1/2"	3/8"
CMT EZ1H	ZN	2"	3/8"	3/8"
CMT EZ2	ZN	2"	5/8"	7/16"
CMT EZ3	ZN	2"	3/4"	1/2"
CMT EZ4	ZN	3-3/8"	3/4"	1/2"
CMT EZ5	ZN	3-5/8"	3/4"	1/2"




Martyr BENNETT Trim Tab Anodes

• 3-3/4" x 1-1/8"

CMT BNT1AZ **ZN** each

Anode Kit

CMT BNT1AKITA **AL** 2 anodes & fasteners
CMT BNT1AKITZ **ZN** 2 anodes & fasteners



Martyr Grouper Anodes

The Grouper weighs 5 pounds (zinc) and comes complete with an 11 ft. cable and clamp/clip.

CMT GROUPE **ZN**
CMT GROUPERA **AL**



Martyr Divers Dream

The slotted steel plate cast in the centre of these anodes allows for easy underwater or boat yard installation.



Part #		L x W x H	Bolt Centres	Weight lbs
CMT DIVERA	AL	12" x 6" x 1/2"	5.5"	3.25
CMT DIVERHA	AL	12" x 6" x 1"	5.5"	6.12
CMT DIVERMINIA	AL	6" x 4" x 1/2"	2.7"	.87
CMT DIVERMINIHA	AL	6" x 4" x 1"	2.7"	1.96
CMT DIVERM	MG	12" x 6" x 1/2"	5.5"	2.5
CMT DIVERMINIM	MG	6" x 4" x 1/2"	2.7"	.68
CMT DIVERZ	ZN	12" x 6" x 1/2"	5.5"	8
CMT DIVERHZ	ZN	12" x 6" x 1"	5.5"	14.52
CMT DIVERMINI	ZN	6" x 4" x 1/2"	2.7"	2.25

Torrid Divers Dream Mounting Plates

- Eliminates leaks when changing zincs on transoms
- Stainless steel construction

TOR ZP0406 4" x 6"
TOR ZP0612 6" x 12"



Martyr Hull Anodes

Part #		L x W Bolt Centres	Weight lbs	
CMT Z10Z	ZN	12" x 6"	9.9	
CMT M24	ZN	4-3/4" x 2" 1.25"	0.53	
CMT M25	ZN	9-1/4" x 3-3/8" 3.68"	3.92	
CMT M30	ZN	6-1/4" x 2-3/4" -	1.9	
CMT M40	ZN	7-1/2" x 2-3/4" -	2.08	
CMT T20A	AL	3-1/2" x 1-3/4" 1.28"	0.15	
CMT T20	ZN		0.38	
CMT T21A	AL	5-1/4" x 2" 1.625"	0.39	
CMT T21	ZN		1	
CMT ZHC2AZ	ZN	5-3/4" x 2-1/2" 2.78"	2.15	
CMT ZHC3AZ	ZN	6-1/4" x 2-3/4" 2.57"	2	
CMT ZHC5AA	AL	8" x 4" 4.35	1.75	
CMT ZHC5AZ	ZN		4.5	


ZINC: SALT WATER ONLY

Zinc Alloy: US Mil-A-18001K

ALUMINUM: SALT & BRACKISH WATER

Aluminum Alloy: US Mil-A-24779(SH)

MAGNESIUM: FRESH WATER ONLY

Magnesium Alloy: AZ91D

Martyr**Commercial Semi-Streamlined Series Anodes**

Commercial semi-streamlined anodes are used to protect the hull and other areas of small, medium and large vessels. Steel straps are standard but aluminum are available and denoted by an A after the size in the part number. Both types are weld-on mount.

Part #		L x W x H	Weight lbs
For Steel Hulls			
Aluminum with weld-on Steel straps			
CMT Z03SA	AL	12" x 3" x 1.25"	5
CMT Z04SA	AL	6" x 3.5" x 1"	2.1
CMT Z06SA	AL	5" x 2.5" x 1"	1.3
CMT Z19SA	AL	25" x 3.125" x 1.25"	10.0
Zinc with weld-on Steel straps			
CMT Z03SZ	ZN	12" x 3" x 1.25"	10.3
CMT Z04SZ	ZN	6" x 3.5" x 1"	5.0
CMT Z06SZ	ZN	5" x 2.5" x 1"	3.0
CMT Z19SZ	ZN	25" x 3.125" x 1.25"	22
For Aluminum Hulls			
Aluminum with weld-on Aluminum straps			
CMT Z03AA	AL	12" x 3" x 1.25"	4.8
CMT Z04AA	AL	6" x 3.5" x 1"	2.1
CMT ZC5AA	AL	9" x 2.25" x 1.25"	1.8
Zinc with weld-on Aluminum straps			
CMT Z03AZ	ZN	12" x 3" x 1.25"	10.3
CMT Z04AZ	ZN	6" x 3.5" x 1"	5.0
CMT Z06AZ	ZN	5" x 2.5" x 1"	3.0

Martyr Commercial Hull Anodes

- For steel hulls
- Weld-on steel straps



Part #		L x W x H	Shape	Weight lbs
CMT Z22SZ	ZN	14" x 6.5" x 1.3"	Oval	23.5
CMT Z02SZ	ZN	12" x 6" x 1.38"	Square	23.5

Martyr**Mil-Spec Plate Stock**

- Solid zinc plate



Part #		L x W x H	Weight lbs
CMT P05606A	AL	6" x 6" x 1/2"	1.9
CMT P05303Z	ZN	3" x 3" x 1/2"	1.25
CMT P05306Z	ZN	3" x 6" x 1/2"	2.2
CMT P05606Z	ZN	6" x 6" x 1/2"	4.8
CMT P05612Z	ZN	6" x 12" x 1/2"	9.5
CMT P075303Z	ZN	3" x 3" x 3/4"	1.75
CMT P075306Z	ZN	3" x 6" x 3/4"	3.5
CMT P075606Z	ZN	6" x 6" x 3/4"	6.55
CMT P075612Z	ZN	6" x 12" x 3/4"	14
CMT P1303Z	ZN	3" x 3" x 1"	2.25
CMT P1306Z	ZN	3" x 6" x 1"	4.5
CMT P1606Z	ZN	6" x 6" x 1"	9
CMT P1612Z	ZN	6" x 12" x 1"	18

Martyr**Teardrop Anodes**

- Commercial weld-on anode
- 5 lbs
- L: 9" x W: 3" x H: 1.5"

**CMT ZTSZ**

ZN with Steel strap

CMT ZTSAZ

ZN with Aluminum strap

Martyr**Hull Bolt-On Anodes**

Zinc anode with aluminum inserts.



Part #		L x W x H	Bolt Centres	Weight lbs
CMT Z12AZ	ZN	3.65" x 1.25" x 1"	2"	.53
CMT Z13AZ	ZN	5.75" x 1.84" x 1.14"	3.25"	1.5
CMT Z14AZ	ZN	7.75" x 2.5" x 1.5"	4"	3.65

Martyr**Semi-Streamlined Anode**

- Zinc anode
- Bolt-on



Part #		L x W x D	Bolt Centres	Weight lbs
CMT Z03BSZ	ZN	12" x 3" x 1.25"	7.88"	11.8

Martyr Hull Anodes

- Zinc anodes
- Bolt-on
- Bolt Centres: 12.25"



Part #		Strap	L x W x D	Weight lbs
CMT P5B2BAZ	ZN	Aluminum	24" x 3.1" x 2"	25
CMT P5B2SZ*	ZN	Steel	24" x 3.1" x 2"	25

* Request Item


Martyr Commercial Hull Anode

- For steel hulls
- Steel bolt-on
- Bolt centres: 6"



Part #		L x W x H	Weight lbs
CMT Z01BSZ	ZN	12" x 6" x 1.25"	23

Martyr ARNESON Twin Disc Anodes



Part #		L x W x H	D	Weight lbs
CMT ARNSMALLA	AL	6.13" x 1.25" x 1.25"	3.5"	.6
CMT ARNLARGEA	AL	7.5" x 1.88" x 1.88"	5"	1.63

Martyr Walter Keel Cooler Anodes

Part #		L x W	Weight lbs	
CMT KK1Z	ZN	2-5/8" x 2-3/4"	1.02	
CMT KK2Z	ZN	2-3/4" x 3-1/4"	1.21	
CMT KK3Z	ZN	3-7/8" x 3-1/2"	3.12	
CMT X453Z	ZN	3-3/8" x 7/8"	.21	
CMT X473Z	ZN	6-3/4" x 1-1/4"	.63	
CMT X58Z	ZN	6-1/4" x 7/8"	.73	

Martyr Heat Exchanger Anodes

These anodes are used on vessels of all sizes for protection of heat exchangers and other areas where space is a limiting factor. Integrally cast steel insert.



Part #		Diameter	Weight lbs
CMT H2B3375GA	AL	3"	0.7
CMT H2B4375GA	AL	4"	1.3
CMT H2B5375GA	AL	5"	2.0
CMT H2B2375GZ	ZN	2"	0.8
CMT H2B3375GZ	ZN	3"	2.1
CMT H2B4375GZ	ZN	4"	3.2
CMT H2B5375GZ	ZN	5"	5.6
CMT H2B6375GZ	ZN	6"	7.1

Martyr Prop Nuts Anodes

Most propeller shafts are partially insulated from other parts of the vessel. The relatively high-resistant electrical path isolates the propeller from anodes attached to the stern bearing, hull or rudder. The Martyr Propeller Nut Anode is attached to the prop at its axis and revolves with it. Stud hole and stud are not provided.



Part #		Inside Dia	Outside Dia	Height	Weight lbs
CMT PN13Z*	ZN	2"	2.75"	2.875"	2
CMT PN14Z	ZN	2.25"	3"	3"	2.5
CMT PN01Z	ZN	2.5"	3.375"	3.625"	4
CMT PN02Z	ZN	2.875"	3.75"	4"	4.9
CMT PN03Z	ZN	3.25"	4.125"	4"	6
CMT PN04Z	ZN	3.75"	4.625"	4.5"	7.5
CMT PN05Z	ZN	4.25"	5.25"	5"	11
CMT PN06Z	ZN	4.625"	5.625"	5.5"	11.5
CMT PN07Z	ZN	5"	6"	6"	13

* Request Item

► Also See

Vetus Thruster Anodes pg 657